

Appendix 18A
Cultural Resources Supporting Information

Archaeological Resources Sensitivity Assessment

This appendix provides the following information in support of Chapter 18, *Cultural Resources*:

- An overview of the sensitivity of the study area for previously unidentified and buried prehistoric and historic archaeological resources, and;
- A table of identified resources that intersect with typical conveyance footprints to show the number and kind of identified resources that occur in the study area, as these resources provide factual indication of the nature of additional resources that are likely to be encountered but which have not yet been identified.

It should be noted that this appendix does not describe the particular identified resources that will be affected by the alternatives under consideration. This appendix instead considers the relationship of sensitive soil formations and identified sites against typical conveyance footprints to demonstrate the overall sensitivity of the area where conveyance would be constructed for previously unidentified archaeological resources.

18A.1 Landscape Sensitivity for Prehistoric Archaeological Resources

This analysis describes the physical processes such as sediment accumulation and erosion that interact with archaeological sites in the Delta Region. An overview of these processes is necessary to understand the sensitivity of the study area for unidentified and buried archaeological resources. Landform and physical processes play a fundamental role in the creation, preservation, burial, and ultimate discovery of archaeological sites in the region (Meyer and Rosenthal 1997; Rosenthal and Meyer 2004a; Rosenthal, et al. 2007). This is due in large part to the area's ample rainfall and associated runoff creating conditions amenable to erosive and burial sequences that destroy archaeological sites on the one hand, and preserve them on the other. In the latter case burial has the unfortunate effect of making sites very difficult to find, making archaeological research and cultural resource management all the more difficult, for obvious reasons. Because different landscapes, landforms, and locations have differential probabilities of: (1) ever being used by humans; (2) preserving archaeological remains; and (3) containing buried archaeological sites, it has been repeatedly shown that assessing the sensitivity of different areas to the presence of buried archaeological sites has utility both for research and management (Meyer and Dalldorf 2004; Rosenthal and Meyer 2004b). This initial analysis thus assesses the study area for the possible presence of buried archaeological sites using relevant geoarchaeological data sets (i.e., landform, soils, and settlement pattern data).

Although existing archaeological sites are used as a bench-mark for assessing the overall landscape sensitivity, it is important to note that the results of the CHRIS records searches reflect only available information on already documented cultural resources. The vast majority of the Delta has never been subjected to intensive archaeological inventory. Accordingly, presently unrecorded cultural resources undoubtedly exist in the area. In addition, most archaeological surveys in California consist of surface pedestrian inventories that typically cannot provide detailed

1 information on the potential existence of subsurface resources, even in areas where ground surface
2 visibility is good, such as freshly plowed agricultural fields.

3 For this discussion, ICF archaeologists defined the archaeologically sensitive areas of the BDCP
4 alternatives by analyzing and synthesizing previous research, soils, and examining the project
5 alternatives. This analysis was facilitated by GIS, which allows data from multiple sources to be
6 easily related geospatially. Existing shapefile data and other site records were georeferenced and
7 digitized into a GIS. Detailed predictive modeling, however, is best accomplished in smaller
8 geographic regions, where the number of relevant variables can be reduced. This study offers a
9 gross assessment of the potential for previously unidentified and buried sites, in order to determine
10 if the action alternatives are likely to result in effects on such resources. Accordingly this study is not
11 meant to serve as a robust predictive model, but instead offers a tool for impact analysis by
12 providing facts demonstrating why additional previously unidentified resources are likely to occur
13 and may be affected.

14 **18A.1.1 Geological History of the Delta Region**

15 Surface soils formed in the Sacramento–San Joaquin Delta (Delta) as the result of geologic processes
16 over approximately the past 7,000 years, but the depositional history of the region goes back further
17 still—some 20,000 years—with the melting of Pleistocene glaciers and associated sea level rise. As
18 the continental ice sheets began to melt, the world’s seas rose rapidly, causing flooding of dry land in
19 the Delta and San Francisco Bay.

20 These processes produced landward accumulation of sediment behind the bedrock barrier at the
21 Carquinez Strait, forming marshlands comprising approximately 100 islands that were surrounded
22 by hundreds of miles of channels (Weir 1950). Generally, mineral soils formed near the channels
23 during flood conditions and organic soils formed on marsh island interiors as plant residues
24 accumulated faster than they could decompose. Between 7,000 and 4,000 Before Present (BP),
25 sediment deposition outpaced sea level rise and totaled about five meters (16.4 feet) of soil
26 accumulation. Due to this rapid accumulation, the Delta was a vast marsh and floodplain, under
27 which peat soils developed to a thickness of up to 30 feet in many areas (Weir 1950), with a
28 thickness of approximately 55 feet in the vicinity of Sherman Island (Real and Knudsen 2009).

29 The historical Delta evolved at the inland margin of the San Francisco Bay Estuary as two
30 overlapping geomorphic units. The Sacramento River Delta comprises about 30% of the total area
31 and was influenced by the interaction of rising sea level and river floods that created channels,
32 natural levees, and marsh plains. During large river flood events, silts and sands were deposited
33 adjacent to the river channel, forming natural levees above the marsh plain. In contrast, the larger
34 San Joaquin River Delta—located in the central and southern portions of the Delta and having
35 relatively small flood flows and low sediment supply—formed as an extensive, unleveed freshwater
36 tidal marsh dominated by tidal flows and organic soil (peat and muck) accretion (Atwater and
37 Belknap 1980). Because the San Joaquin River Delta had less well-defined levees, sediments were
38 deposited more uniformly across the floodplain during high water, creating an extensive tule marsh
39 with many small branching tributary channels. As a result of the differential amounts of inorganic
40 sediment supply, the peats and mucks of the San Joaquin River Delta grade northward into peaty
41 mud and then into mud toward the natural levees and flood basins of the Sacramento River Delta
42 (Atwater and Belknap 1980).

1 Management of Delta soils for agriculture and flood control over the past 100 years caused dramatic
 2 changes to soils and the overall landscape. The Delta today is a highly modified system of artificial
 3 levees and dredged waterways that were constructed to control flooding and to support farming and
 4 urban development on approximately 57 reclaimed islands (Ingebritsen et al. 2000). The peat soils
 5 have been largely drained, resulting in oxidation of organic matter and subsequent large-scale land
 6 subsidence on Delta islands.

7 **18A.1.1.1 Geoarchaeology and Buried Sites**

8 One of the main utilities of geoarchaeological investigation is identifying archaeological sites buried
 9 by depositional processes, natural or cultural. Because buried sites typically lack visible features or
 10 artifacts indicating their presence to a field observer, they are often not identified during surface
 11 survey (Bettis 1992). This issue is partially resolved by assessing the probability of discovering
 12 buried sites in different parts of a study area (McManamon 1984; Nance 1983). The ability to locate
 13 buried sites ultimately depends on a number of factors, particularly the presence of depositional or
 14 stable landforms and/or appropriate soils.

15 The principle operating behind geoarchaeological sensitivity assessments is that buried
 16 archaeological sites are the result of geophysical process specific to particular landforms as much as
 17 they are of human behavior (Waters 1992). This means landforms play a fundamental role in site
 18 preservation, burial, and discovery. Put simply, landform (and other affiliated characteristics like
 19 soils, geologic substrate, and climate) determines to a large degree whether and when an
 20 archaeological site is buried. This principle takes on particular significance when it comes to
 21 reconstructing prehistoric behaviors, past settlement and subsistence patterns, and, of particular
 22 relevance to the current investigation, assessing and managing hard-to-find and buried sites in areas
 23 where substantial ground disturbing activities are planned. In the first case, geomorphic processes
 24 (erosion, fluvial transport, burial, etc.) can move, disturb, or bury artifacts, in some cases leading to
 25 pronounced misreading of the archaeological record (e.g., Kellogg 1995; Reinhardt 1993; Will and
 26 Clark 1996). Geomorphic processes can also result in patterned deposits that resemble cultural
 27 ones, also leading to potential misinterpretation of archaeological materials (Hallet 1990).

28 It is important to realize that the archaeological record is a product of both cultural and geologic
 29 factors. Where and when people engage in activities and leave behind artifacts is a cultural
 30 phenomenon. Once a site is abandoned, however, whether or not it is preserved and becomes part of
 31 the archaeological record is a geologic phenomenon. This aspect of preservation is especially
 32 important in valleys, where stream erosion regularly removes older deposits. Equally important in
 33 assessing the archaeological record is the potential for younger deposits to bury sites and prevent
 34 their detection. These two processes, erosion and soil accumulation, are the primary geological
 35 processes that interact with archaeological deposits in the Delta.

36 **18A.1.1.2 Prehistoric Archaeological Sensitivity Assessment**

37 The potential for buried archaeological deposits and archaeological sensitivity within the study area
 38 was determined based on map distribution of different Quaternary-aged (originating in the last 2
 39 million years) landforms, as depicted in Figure 18A-1. Four categories of buried site potential were
 40 identified: Very High, High, Moderate, and Low. Pleistocene-aged (between 2 million and 10,000 years
 41 ago) and early Holocene (within the last 10,000 years) deposits are considered to be very low in
 42 archaeological sensitivity, as are peat and muck (due to the rapid and constant inundation by water).
 43 Therefore, the middle Holocene is generally considered as moderately sensitive, and later Holocene as

1 High to Very High, depending on other factors such as known archaeological sites and major water
 2 sources. Table 18A-1 presents the archaeological sensitivity of soils. These factors were used to
 3 provide a gross means of ranking different portions of the study area as depicted in Figure 18A-1.

4 **Table 18A-1. Buried Site Potential of Different Landforms**

Potential Category	Landform
Low	Early Holocene Fans and Floodplains; Pre-Pleistocene through Latest Pleistocene Hillslopes, Fans and Floodplains; Peat and Muck
Moderate	Middle Holocene Fans and Floodplains
High	Late Holocene Fans and Floodplains
Very High	Latest Holocene Fans and Floodplains

5
 6 The overall sensitivity ranking depicted in Figure 18A-1 was generated by a review of the various
 7 specific geological formations crossed by the action alternatives. Of these landforms, six are highly
 8 sensitive for containing undocumented prehistoric sites and human remains (Table 18A-2). All are
 9 Holocene (originating within the last 10,000 years) alluvium, with the exception of eolian deposits.
 10 These are included due to the rapidly shifting structure of the deposits and the known resources
 11 found on the banks of the river systems. Relatively stable eolian deposits also contain landforms that
 12 are sensitive for archaeological sites and human remains, such as the sand deposits colloquially
 13 referred to as “piper sand mounds.”

14 **Table 18A-2. Buried Site Potential of Different Landforms**

Landform	Buried Site Potential
Outside Survey Area	N/A
Dredge soils post 1900 (Qds)	Low
Montezuma Formation – Pleistocene (Qmz)	Low
Peat and Muck – Holocene (Qmz)	Low
Tertiary and Cretaceous Bedrock (TKb)	Low
Tehama Foundation (Pt)	Low
Alluvial Sand Deposits (Pt)	Low
Upper Jurassic-Lower Cretaceous (Kju)	Low
Capay Formation (Ec)	Low
Lake Deposits (Ql)	Low
Markley Sandstone (Emk)	Low
Martinez Foundation (Pmz)	Low
Nortonville Shale (En)	Low
Older Alluvium (Qo)	Low
Alluvial Fans from Glaciated Basins – Modesto Formation (Qm)	Moderate
Basin Deposits (Qb)	Moderate
Dos Palos Alluvium (Qdp)	Moderate
Alluvium of Supratidal Floodplains – Holocene (Ql, Qb, Qfp)	High
Eolian Deposits – Pleistocene (Qe, Qm2e, Qoe)	High
Alluvium (Q)	High
Montezuma Formation (Qmz)	High
Alluvial Fans and Terraces from Unglaciated Drainage Basins (Qup, Qop, Qom, Qcr, Qoa, Qya, Qia, Qomc, Qch)	Very High
Alluvial Fans from Glaciated Basins – Riverbank Formation (Qr, Qro, Qry)	Very High

15

18A.1.1.3 Conclusions Regarding Sensitivity for Prehistoric Archaeological Sites

Within the project area in general, Quaternary deposits include Holocene fluvial and alluvial material derived from surrounding slopes and major waterways. Both banks and terraces along natural river courses (e.g., the Sacramento, San Joaquin, and Mokelumne rivers) are considered likely settings for encountering surface and subsurface traces of early Native American habitation and activities. In acknowledging the results of previous research in central California (Rosenthal and Meyer 2004a), we recognize that buried archaeological deposits are not distributed randomly throughout the landscape, but occur in specific geoenvironmental settings. For example, fans and floodplains consistently contain buried archaeological deposits, indicating some relationship between these landforms and past settlement activities. Ideally, predictions about where buried archaeological sites are located would take into account a number of characteristics related to the past distribution of important subsistence resources (i.e., distance to water) and other environmental factors (e.g., aspect, ecotone, slope) that may have made a specific location more favorable for occupation than another.

Identified sites are often large, complex sites recorded in Sacramento County, and some have been the subject of extensive archaeological research over that last seven or eight decades. For alternatives that would convey water through a western canal, prehistoric sites are recorded mostly in the area of Bethel Island, Oakley, and Brentwood. These sites include large sand mound sites and midden/habitation sites, both of which typically contain rich burial complexes. These identified sites, however, do not reflect the likely density of cultural resources because surveys have not been conducted for most of the right-of-way for this conveyance option. Many of the sites were studied as part of levee improvement projects and private development. Areas where few formal environmental studies have been conducted are likely to contain archaeological resources. In addition, a pedestrian survey will often be insufficient to identify these resources because of the possibility of buried soils, especially in areas depicted as High or Very High sensitivity.

Based on the broad patterns presented here, the highest potential for archaeological sites in the study area occurs within Holocene Alluvium in general, and Alluvial Fans and Terraces specifically. Table 18A-3 summarizes identified prehistoric sites that overlap with typical conveyance footprints for the action alternatives.

Collectively, the presence of numerous recorded prehistoric resources, and the presence of landforms that are sensitive for additional unidentified resources, suggests that the action alternatives will, absent mitigation, disturb both additional resources that can be identified through inventory, and buried resources that cannot be feasibly identified. Where human activity formed archaeological sites on landforms that have now been buried, feasible surface inventory and subsurface sampling through excavation may not reveal such resources.

1 **Table 18A-3. Prehistoric Sites Occurring on or Near Typical Conveyance Footprints (All Alternatives**
 2 **Combined)**

P-Number	Trinomial	Detail	County
P-34-000025	CA-SAC-025	midden/mound	Sacramento
P-34-000330	CA-SAC-1165	artifact scatter	Sacramento
P-34-000128	CA-SAC-1367	midden/mound	Sacramento County
P-34-000128	CA-SAC-155	midden/mound	Sacramento County
P-34-000330	CA-SAC-1569	artifact scatter	Sacramento
P-34-000276	CA-SAC-249	midden/mound	Sacramento County
P-34-000330	CA-SAC-357	artifact scatter	Sacramento
P-34-000074	CA-SAC-47	artifact scatter	Sacramento
P-34-000128	CA-SAC-559	midden/mound	Sacramento County
P-34-000083	CA-SAC-56	midden/mound	Sacramento County
P-34-000086	CA-SAC-59	midden/mound	Sacramento County
P-34-000087	CA-SAC-60	midden/mound	Sacramento County
P-34-000088	CA-SAC-61	midden/mound	Sacramento County
P-34-000330	CA-SAC-761	artifact scatter	Sacramento
P-34-000128	CA-SAC-963	midden/mound	Sacramento County
P-07-000070	CA-CCO-128	midden/mound	Contra Costa County
P-07-000072	CA-CCO-130	midden/mound	Contra Costa County
P-07-000085	CA-CCO-143	refuse scatter	Contra Costa County
P-07-000086	CA-CCO-144	Blank site record	Contra Costa County
P-07-000413	CA-CCO-653	midden/mound	Contra Costa County
P-07-000721	CA-CCO-368	midden/mound	Contra Costa County
P-07-002650	CA-CCO-767	midden/mound	Contra Costa County
P-34-000025	CA-SAC-025	midden/mound	Sacramento
P-34-000083	CA-SAC-056	midden/mound	Sacramento County
P-34-000086	CA-SAC-059	midden/mound	Sacramento County
P-34-000087	CA-SAC-060	midden/mound	Sacramento County
P-34-000088	CA-SAC-061	midden/mound	Sacramento County
P-34-000089	CA-SAC-062	midden/mound	Sacramento County
P-34-000215	CA-SAC-188	midden/mound	Sacramento County
P-34-000336	CA-SAC-309	baked clay	Sacramento County
P-34-000355	CA-SAC-328	midden/mound	Sacramento County
P-34-000422	CA-SAC-395	midden/mound	Sacramento County
P-39-000204	CA-SJO-068	midden/mound	San Joaquin
P-39-000247	CA-SJO-115	mound	San Joaquin
P-39-000260	CA-SJO-142	midden/mound	San Joaquin
P-39-000261	CA-SJO-143	Blank site record	San Joaquin
P-39-000262	CA-SJO-144	Blank site record	San Joaquin
P-39-000263	CA-SJO-145	midden/mound	San Joaquin
P-39-000264	CA-SJO-146	Blank site record	San Joaquin

3

1 18A.1.2 Historical Archaeological Sensitivity

2 Because historic-era archaeological deposits formed more recently, their interaction with local
3 geological processes is not as complex as are those of prehistoric sites. While such sites may be
4 eroded or buried during the historic era during short-term geological processes, an overview of the
5 presence of identified sites provides one means of assessing the sensitivity of the study area.
6 Numerous historic-era archaeological sites have been documented in the Delta and surrounding
7 vicinity. Table 18A-4 shows which identified sites overlap with typical conveyance footprints under
8 consideration. While few historic archaeological sites have been previously identified in the direct
9 footprint of the alignments, survey efforts that would reveal these resources have not been
10 completed at this time. Because historic-era archaeological sites are known to occur in the Delta, the
11 project area should be considered sensitive for historical archaeology. Special attention should be
12 paid to areas of known historic occupation and use where activities may have occurred that could
13 have created buried and subsurface deposits such as trash and borrow pits, privies, and buried
14 foundations and/or structural remains. Attention should also be paid to waterways where
15 previously unidentified submerged historic-era resources may exist, such as shipwrecks that may be
16 associated with the intense navigation and commerce that occurred in the Delta region during the
17 historic era. Collectively, the number of identified sites and the intensity of historic-era activity
18 indicate that the study area is sensitive for additional historic-era archaeological resources that may
19 be affected by the action alternatives.

20 The majority of the previously identified historic-era archaeological resources in the Delta consist of
21 those associated with Euro-American occupation. Refuse deposits may be the most visible evidence
22 remaining of a former residence area, particularly where an associated building left little imprint on
23 the land. Some of these solitary recorded refuse deposits, therefore, may be linked with adjacent
24 homes or businesses, and these connections often cannot be determined without additional
25 archaeological testing and documentary research. Historic commercial sites—such as hotels, bars,
26 and garages—also regularly produced considerable refuse; however none have been identified in
27 the project area as containing known archaeological deposits. Abandoned farms and ranches are
28 also common structural remains that have the potential to contain archaeological deposits. Farm
29 and ranch sites typically include evidence of corrals, pens, refuse, barns, houses, and outbuildings.
30 Although not as likely in this area of the Delta, there may also be some evidence of mining activities
31 in the area, including associated mining equipment and tailings. Equipment associated with the
32 creation of the Delta, dredging, shipping and travel along the Delta waterways, and activities
33 associated with industry in and along the Delta waters may also be encountered. Isolated deposits of
34 artifacts also commonly appear near old roads or levees, particularly in rural areas where methods
35 of trash disposal were left up to the individual households until relatively recent times. The potential
36 to encounter materials in the area, especially those associated with farming and ranching activities,
37 remains high.

1 **Table 18A-4. Historic-Era Archaeological Sites Occurring on or Near Typical Conveyance Footprints (All**
 2 **Alternatives Combined)**

Number	Trinomial	Detail	County
P-39-000330	CA-SJO-216H	Historic	Foundation
P-39-000331	CA-SJO-217H	Historic	Foundation
P-57-000182	CA-YOL-165H	Historic	Foundation
P-39-000333	CA-SJO-219H	Historic	Foundation
P-39-000335	CA-SJO-221H	Historic	Foundation
P-39-000336	CA-SJO-222H	Historic	Foundation

3
 4 The presence of these identified resources suggests that the project area is sensitive for additional,
 5 yet-unidentified historic-era archaeological deposits. In addition, because of the erosive and rapidly
 6 accumulating nature of alluvial soils as described above, it is possible that buried historic-era
 7 archaeological sites may exist which could be damaged or exposed during construction, even after
 8 inventory has been conducted. While subsurface testing may reveal such resources, the distribution
 9 of such resources in relation to the large geographic areas involved reduces the probability that
 10 subsurface inventory will reveal all sites and allow their protection prior to construction.

11 **18A.2 References**

- 12 Atwater, B. F., and D. F. Belknap.
 13 1980 Tidal-wetland Deposits of the Sacramento-San Joaquin Delta, California. Pages 89–103
 14 in *Quaternary Depositional Environments of the Pacific Coast*. Proceedings of the Pacific Coast
 15 Paleogeography, Symposium 4, M. E. Field, A. H. Bouma, I. P. Colburn, R. G. Douglas, and J. C.
 16 Ingle (eds.). Society of Economic Paleontologists and Mineralogists, Pacific Section, Los
 17 Angeles.
- 18 Bettis, E. A., III
 19 1992 *Plutonism in the Central Part of the Sierra Nevada Batholith, California*. United States
 20 Geological Survey, Professional Paper 1483.
- 21 Hallet, B.
 22 1990 Spatial Self-Organization in Geomorphology: From Periodic Bedforms and Patterned
 23 Ground to Scale-Invariant Topography. *Earth-Science Reviews* 29:57–75.
- 24 Ingebritsen, S. E., Marti E. Ikehara, Devin L. Galloway, and David R. Jones
 25 2000 *Delta Subsidence in California: The Sinking Heart of the State*. United States Geological
 26 Survey Fact Sheet FS-005-00. Available:
 27 <<http://ca.water.usgs.gov/archive/reports/fs00500/fs00500.pdf>>. Accessed: 2012.
- 28 Kellogg, D. C.
 29 1995 How Has Coastal Erosion Affected the Prehistoric Settlement Pattern of the Boothbay
 30 Region of Maine? *Geoarchaeology* 10(1):65–83.

- 1 Martin, T. P., and J. Meyer
 2 2005 *Archaeological Data Recovery at the Napa Creek Site (CA-NAP-916), State Route 29, Napa,*
 3 *California.* Anthropological Studies Center, Sonoma State University, Rohnert Park,
 4 California. Prepared for California Department of Transportation, District 4, Oakland.
- 5 McManamon, F. P.
 6 1984 *Discovering Sites Unseen. Advances in Archaeological Method and Theory, Volume 7.* M. B.
 7 Schiffer (ed.), pp. 223–292. NY: Academic Press.
- 8 Meyer, J., and G. Dalldorf
 9 2004 *Geoarchaeological Investigations for Stage 2 of the East Sonora Bypass Project State Route*
 10 *108, Tuolumne County, California.* Anthropological Studies Center, Sonoma State University,
 11 Rohnert Park, CA.
- 12 Meyer, J., and J. S. Rosenthal
 13 1997 *Archaeological and Geoarchaeological Investigations at Eight Prehistoric Sites in the Los*
 14 *Vaqueros Reservoir Area, Contra Costa County. Los Vaqueros Project Final Report.*
 15 Anthropological Studies Center, Sonoma State University, Rohnert Park, CA.
- 16 Nance, J. D.
 17 1983 Regional Sampling in Archaeological Survey: The Statistical Perspective. Pages 289–359
 18 in Michael B. Schiffer (ed.), *Advances in Archaeological Method and Theory, Vol. 6.* San Diego,
 19 CA: Academic Press.
- 20 Real, C. R., and K. L. Knudsen
 21 2009 *Application of New Liquefaction Hazard Mapping Technique to the Sacramento-San*
 22 *Joaquin Delta Area. Final Technical Report.* Collaborative Research with URS Corporation,
 23 California Geological Survey, December 23.
- 24 Reinhardt, G. A.
 25 1993 Hydrologic Artifact Dispersals at Pingasagruk, North Coast, Alaska. *Geoarchaeology*
 26 8(6):493–513.
- 27 Rosenthal, J., and J. Meyer
 28 2004a *Volume III: Geoarchaeological Study; Landscape Evolution and the Archaeological Record*
 29 *of Central California.* Cultural Resources Inventory of California Department of
 30 Transportation District 10 Rural Conventional Highways. Far Western Anthropological
 31 Research Group, Inc., Davis, CA.
- 32 2004b *A Geoarchaeological Overview and Assessment of Caltrans District 3. Cultural Resources*
 33 *Inventory of California Department of Transportation District 3 Rural Conventional Highways.*
 34 Far Western Anthropological Research Group, Inc., Davis, CA.
- 35 Rosenthal, J. S., G. G. White, and M. Q. Sutton.
 36 2007 In Press. The Central Valley: A View from the Catbird's Seat. In Terry Jones (ed.),
 37 *Colonization, Culture, and Complexity: California Prehistory.* Walnut Creek, CA: Altamira Press
- 38 Waters, M. R.
 39 1992 *Principles of Geoarchaeology: A North American Perspective.* Tucson, AZ: The University
 40 of Arizona Press.

- 1 Weir, W. W.
2 1950 Subsidence of Peat Lands of the Sacramento–San Joaquin Delta, California. *Hilgardia*
3 20(3):37–55.
- 4 Will, R. T., and J. A. Clark
5 1996 Stone Artifact Movement on Impoundment Shorelines: A Case Study in Maine. *American*
6 *Antiquity* 61(3):499–519.