



Biological Assessment for the California WaterFix

United States Department of the Interior, Bureau of Reclamation, Federal Lead Agency

Contact: Brook Miller-Levy (916) 414-2402

State of California, Department of Water Resources, Applicant

Contact: Cindy Messer (916) 651-6736



July 2016

Biological Assessment for the California WaterFix

PREPARED FOR:

United States Department of the Interior,
Bureau of Reclamation,
Federal Lead Agency
801 I Street, Suite 140
Sacramento, CA 95825
Contact: Brooke Miller-Levy
(916) 414-2402

APPLICANT:

State of California, Department of Water Resources
1416 Ninth Street
Sacramento, CA 94814
Contact: Cindy Messer
(916) 651-6736

PREPARED BY:

ICF International
630 K Street, Suite 400
Sacramento, CA 95814
Contact: Jennifer Pierre
916.737.3000

July 2016



ICF International. 2016. *Biological Assessment for the California WaterFix*.
July. (ICF 00237.15.) Sacramento, CA. Prepared for United States
Department of the Interior, Bureau of Reclamation, Sacramento, CA.

TABLE OF CONTENTS

APPENDICES	TOC-16
LIST OF TABLES	TOC-17
LIST OF FIGURES	TOC-30
ABBREVIATIONS AND ACRONYMS	TOC-58
1 Introduction.....	1-1
1.1 Relationship to Existing Biological Opinions.....	1-2
1.2 Inclusion of Upstream Operations	1-3
1.3 Species Considered	1-4
1.3.1 Species Addressed in This Biological Assessment.....	1-4
1.3.2 Species Considered but Not Addressed Further	1-4
1.4 References.....	1-9
2 Consultation History	2-1
2.1 Consultation History	2-1
2.2 References.....	2-5
3 Description of the Proposed Action.....	3-1
3.1 Introduction.....	3-1
3.1.1 Central Valley Project.....	3-8
3.1.2 State Water Project	3-9
3.1.3 Coordinated Operations Agreement	3-10
3.1.4 Delta Operations Regulatory Setting	3-11
3.1.4.1 1995 Water Quality Control Plan	3-11
3.1.4.2 Decision 1641 and Revised D1641	3-11
3.1.4.3 2006 Revised WQCP	3-11
3.1.4.4 Current Water Quality Control Plan Revision Process.....	3-12
3.1.4.5 Annual/Seasonal Temperature Management Upstream of the Delta.....	3-12
3.1.5 Real-Time Operations Upstream of the Delta	3-13
3.1.5.1 Ongoing Processes to support Real-Time Decision Making	3-14
3.1.5.2 Groups Involved in Real-Time Decision Making and Information Sharing	3-16
3.1.6 Take Authorization Requested.....	3-18
3.1.6.1 Construction Phase.....	3-19
3.1.6.2 Operations Phase.....	3-20
3.2 Conveyance Facility Construction.....	3-21
3.2.1 Geotechnical Exploration.....	3-30
3.2.1.1 Overview of Geotechnical Exploration	3-30
3.2.1.2 Methods for Land-Based Exploration.....	3-30
3.2.1.3 Methods for Overwater Exploration	3-31
3.2.1.4 Extent of Phase 2a Land-based and Overwater Work	3-31
3.2.1.5 Extent of Phase 2b Land-based and Overwater Work	3-32
3.2.1.6 Schedule.....	3-33
3.2.2 North Delta Diversions	3-33
3.2.2.1 Intake Design	3-35
3.2.2.2 Fish Screen Design	3-35
3.2.2.3 Construction Overview and Schedule.....	3-38

3.2.2.4	Levee Work.....	3-39
3.2.2.5	Pile Installation for Intake Construction.....	3-41
3.2.3	Tunneled Conveyance.....	3-43
3.2.3.1	Design.....	3-43
3.2.3.2	Schedule.....	3-45
3.2.3.3	Construction.....	3-46
3.2.3.4	Landscaping.....	3-50
3.2.4	Intermediate Forebay.....	3-50
3.2.4.1	Design.....	3-50
3.2.4.2	Schedule.....	3-51
3.2.4.3	Construction.....	3-51
3.2.5	Clifton Court Forebay.....	3-52
3.2.5.1	Design.....	3-52
3.2.5.2	Construction.....	3-55
3.2.6	Connections to Banks and Jones Pumping Plants.....	3-60
3.2.6.1	Design.....	3-60
3.2.6.2	Construction.....	3-61
3.2.7	Power Supply and Grid Connections.....	3-63
3.2.7.1	Design.....	3-63
3.2.7.2	Construction.....	3-64
3.2.8	Head of Old River Gate.....	3-65
3.2.8.1	Design.....	3-65
3.2.8.2	Construction.....	3-67
3.2.9	Temporary Access and Work Areas.....	3-69
3.2.10	Common Construction-Related Activities.....	3-70
3.2.10.1	Clearing.....	3-70
3.2.10.2	Site Work.....	3-70
3.2.10.3	Ground Improvement.....	3-71
3.2.10.4	Borrow Fill.....	3-71
3.2.10.5	Fill to Flood Height.....	3-71
3.2.10.6	Dispose Spoils.....	3-72
3.2.10.7	Dewatering.....	3-75
3.2.10.8	Dredging and Riprap Placement.....	3-76
3.2.10.9	Barge Landing Construction and Operations.....	3-76
3.2.10.10	Landscaping and Associated Activities.....	3-78
3.2.10.11	Pile Driving.....	3-80
3.3	Operations and Maintenance of New and Existing Facilities.....	3-81
3.3.1	Implementation.....	3-82
3.3.2	Operational Criteria.....	3-83
3.3.2.1	Operational Criteria for North Delta CVP/SWP Export Facilities.....	3-97
3.3.2.2	Operational Criteria for South Delta CVP/SWP Export Facilities.....	3-100
3.3.2.3	Operational Criteria for the Head of Old River Gate.....	3-101
3.3.2.4	Operational Criteria for the Delta Cross Channel Gates.....	3-102
3.3.2.5	Operational Criteria for the Suisun Marsh Facilities.....	3-103
3.3.2.6	Operational Criteria for the North Bay Aqueduct Intake.....	3-105
3.3.3	Real-Time Operational Decision-Making Process.....	3-106

3.3.3.1	North Delta Diversion.....	3-107
3.3.3.2	South Delta Diversions	3-110
3.3.3.3	Head of Old River Gate	3-111
3.3.4	Operation of South Delta Facilities.....	3-112
3.3.4.1	C.W. “Bill” Jones Pumping Plant and Tracy Fish Collection Facility	3-112
3.3.4.2	Harvey O. Banks Pumping Plant and Skinner Delta Fish Protective Facility ...	3-113
3.3.4.3	Clifton Court Forebay Aquatic Weed Control Program	3-114
3.3.4.4	Contra Costa Canal Rock Slough Intake	3-114
3.3.5	Water Transfers.....	3-115
3.3.6	Maintenance of the Facilities	3-116
3.3.6.1	North Delta Diversions	3-116
3.3.6.2	Tunnels.....	3-119
3.3.6.3	Intermediate Forebay	3-119
3.3.6.4	Clifton Court Forebay and Pumping Plant.....	3-119
3.3.6.5	Connections to Banks and Jones Pumping Plants.....	3-120
3.3.6.6	Power Supply and Grid Connections	3-120
3.3.6.7	Head of Old River Gate	3-120
3.3.6.8	Existing South Delta Export Facilities.....	3-121
3.4	Conservation Measures.....	3-121
3.4.1	Restoration and Protection Site Management Plans	3-122
3.4.2	Conservation Banking.....	3-124
3.4.3	Summary of Restoration for Fish Species	3-124
3.4.3.1	Chinook Salmon and CCV Steelhead.....	3-127
3.4.3.2	Green Sturgeon	3-135
3.4.3.3	Southern Resident Killer Whale	3-135
3.4.3.4	Delta Smelt.....	3-136
3.4.4	Spatial Extent, Location, and Design of Restoration for Listed Species of Wildlife	3-139
3.4.5	Terrestrial Species Conservation	3-143
3.4.5.1	Riparian Brush Rabbit.....	3-143
3.4.5.2	San Joaquin Kit Fox.....	3-144
3.4.5.3	California Least Tern	3-152
3.4.5.4	Western Yellow-Billed Cuckoo.....	3-152
3.4.5.5	Giant Garter Snake.....	3-155
3.4.5.6	California Red-Legged Frog.....	3-163
3.4.5.7	California Tiger Salamander.....	3-171
3.4.5.8	Valley Elderberry Longhorn Beetle.....	3-181
3.4.5.9	Vernal Pool Fairy Shrimp and Vernal Pool Tadpole Shrimp	3-196
3.4.5.10	Least Bell’s Vireo	3-201
3.4.6	Collaborative Science and Adaptive Management Program	3-203
3.4.7	Monitoring and Research Program	3-203
3.4.7.1	Impacts of Continued Monitoring and Operations on Listed Species	3-204
3.4.7.2	Required Compliance Monitoring	3-206
3.4.7.3	Monitoring Prior to Operations.....	3-207
3.4.7.4	Monitoring after Operations Commence	3-212

3.5	Reinitiation of Consultation	3-215
3.6	Interrelated or Interdependent Actions	3-215
3.7	Drought Procedures	3-217
3.7.1	Water Management in Drought Conditions	3-217
3.7.1.1	Historic Drought Management Actions	3-217
3.7.1.2	Recent Drought Management Processes and Tools	3-220
3.7.2	Proposed Future Drought Procedures	3-222
3.8	References	3-223
4	Action Area and Environmental Baseline	4-1
4.1	Introduction	4-1
4.2	Action Area	4-1
4.3	Environmental Context	4-4
4.3.1	Historical Conditions	4-4
4.3.2	Physical Environment	4-7
4.3.2.1	Climate Conditions	4-7
4.3.2.2	Hydrologic Conditions	4-11
4.3.2.3	Non-Water Supply Delta Infrastructure and Uses	4-17
4.3.3	Reasonable and Prudent Alternative Actions under Existing Biological Opinions to Avoid Jeopardy and Adverse Modification of Critical Habitat	4-17
4.3.4	Mitigation Measures Included in the 2009 State Water Project Longfin Smelt Incidental Take Permit	4-19
4.3.5	Recent Drought Activities	4-19
4.4	Feather River Operations Consultation	4-22
4.5	Status of the Species/Environmental Baseline Summary	4-29
4.5.1	Chinook Salmon, Sacramento River Winter-Run ESU	4-30
4.5.2	Chinook Salmon, Central Valley Spring-Run ESU	4-33
4.5.3	Steelhead, California Central Valley DPS	4-35
4.5.4	Green Sturgeon, Southern DPS	4-37
4.5.5	Killer Whale, Southern Resident DPS	4-40
4.5.6	Delta Smelt	4-41
4.5.6.1	Status of the Species within the Action Area	4-41
4.5.6.2	Status of Critical Habitat within the Action Area	4-46
4.5.7	Riparian Brush Rabbit	4-47
4.5.8	San Joaquin Kit Fox	4-48
4.5.8.1	Occurrences of San Joaquin Kit Fox in the Action Area	4-49
4.5.8.2	Suitability of Kit Fox Habitat in the Action Area	4-51
4.5.9	California Least Tern	4-53
4.5.10	Western Yellow-billed Cuckoo	4-55
4.5.11	Giant Garter Snake	4-56
4.5.12	California Red-legged Frog	4-57
4.5.13	California Tiger Salamander	4-58
4.5.14	Valley Elderberry Longhorn Beetle	4-59
4.5.15	Vernal Pool Fairy Shrimp	4-60
4.5.16	Vernal Pool Tadpole Shrimp	4-61
4.5.17	Least Bell's Vireo	4-62
4.6	References	4-64

4.6.1	Written References.....	4-64
4.6.2	Personal Communications	4-85
5	Effects Analysis for Chinook Salmon, Central Valley Steelhead, Green Sturgeon, and Killer Whale.....	5-1
5.1	Introduction.....	5-1
5.2	Effects of Water Facility Construction on Fish	5-3
5.2.1	Preconstruction Studies (Geotechnical Exploration).....	5-3
5.2.2	North Delta Intakes.....	5-4
5.2.2.1	Deconstruct the Action	5-4
5.2.2.2	Turbidity and Suspended Sediment	5-6
5.2.2.3	Contaminants	5-9
5.2.2.4	Underwater Noise	5-14
5.2.2.5	Fish Stranding.....	5-22
5.2.2.6	Direct Physical Injury	5-24
5.2.2.7	Loss/Alteration of Habitat.....	5-25
5.2.3	Barge Landings	5-27
5.2.3.1	Deconstruct the Action	5-27
5.2.3.2	Turbidity and Sedimentation.....	5-28
5.2.3.3	Contaminants	5-31
5.2.3.4	Underwater Noise	5-34
5.2.3.5	Fish Stranding.....	5-38
5.2.3.6	Direct Physical Injury	5-38
5.2.3.7	Alteration/Loss of Habitat.....	5-40
5.2.4	Head of Old River Gate	5-43
5.2.4.1	Deconstruct the Action	5-43
5.2.4.2	Turbidity and Suspended Sediment	5-44
5.2.4.3	Contaminants	5-46
5.2.4.4	Underwater Noise	5-48
5.2.4.5	Fish Stranding.....	5-52
5.2.4.6	Direct Physical Injury	5-54
5.2.4.7	Loss/Alteration of Habitat.....	5-55
5.2.5	Clifton Court Forebay	5-58
5.2.5.1	Deconstruct the Action	5-58
5.2.5.2	Turbidity and Suspended Sediment	5-58
5.2.5.3	Contaminants	5-61
5.2.5.4	Underwater Noise	5-63
5.2.5.5	Fish Stranding.....	5-68
5.2.5.6	Direct Physical Injury	5-70
5.2.5.7	Loss/Alteration of Habitat.....	5-71
5.3	Effects of Water Facility Maintenance on Fish	5-73
5.3.1	North Delta Intakes.....	5-73
5.3.2	Barge Landings	5-74
5.3.3	Head of Old River Gate	5-75
5.3.4	Clifton Court Forebay.....	5-76
5.4	Effects of Water Facility Operations on Fish	5-77
5.4.1	Proposed Delta Exports and Related Hydrodynamics	5-77

5.4.1.1	Deconstruct the Action	5-78
5.4.1.2	Assess Species Exposure	5-78
5.4.1.3	Assess Species Response to the Proposed Action	5-101
5.4.1.4	Assess Risk to Individuals	5-205
5.4.1.5	Effects of the Action on Designated Critical Habitat	5-213
5.4.2	Upstream Hydrologic Changes	5-221
5.4.2.1	Sacramento River	5-222
5.4.2.2	American River	5-465
5.4.2.3	Summary of Upstream Effects	5-493
5.5	Effects of Construction and Maintenance of Conservation Measures	5-497
5.5.1	Tidal, Channel Margin, and Riparian Habitat Protection and Restoration	5-497
5.5.1.1	Deconstruct the Action	5-497
5.5.1.2	Assess Species Exposure	5-497
5.5.1.3	Assess Fish Species Response	5-497
5.5.1.4	Assess the Effects of the Action on Designated Critical Habitat	5-499
5.5.2	Localized Reduction of Predatory Fishes to Minimize Predator Density at North and South Delta Export Facilities	5-499
5.5.2.1	Deconstruct the Action	5-499
5.5.2.2	Assess Species Exposure	5-500
5.5.2.3	Assess Fish Species Response	5-500
5.5.2.4	Assess the Effects of the Action on Designated Critical Habitat	5-502
5.5.3	Georgiana Slough Nonphysical Fish Barrier	5-502
5.5.3.1	Deconstruct the Action	5-502
5.5.3.2	Assess Species Exposure	5-502
5.5.3.3	Assess Fish Species Response	5-503
5.5.3.4	Assess the Effects of the Action on Designated Critical Habitat	5-504
5.6	Effects on Southern Resident Killer Whale	5-505
5.6.1	Effects on Prey Availability	5-505
5.6.1.1	Effects of the Proposed Action on Central Valley Chinook Salmon Populations	5-506
5.6.1.2	Effects of the Proposed Action on Southern Resident Killer Whales	5-509
5.6.2	Effects on Exposure to Contaminants	5-510
5.6.3	Effects on Critical Habitat	5-511
5.6.4	Conclusion	5-512
5.7	Cumulative Effects on Chinook Salmon, Central Valley Steelhead, Green Sturgeon, and Killer Whale	5-512
5.7.1	Water Diversions	5-512
5.7.2	Agricultural Practices	5-512
5.7.3	Increased Urbanization	5-513
5.7.4	Wastewater Treatment Plants	5-515
5.7.5	Activities within the Nearshore Pacific Ocean	5-516
5.7.6	Other Activities	5-516
5.8	Effects of Monitoring Activities	5-517
5.8.1	Salmonids	5-517
5.8.2	Green Sturgeon	5-517
5.9	References	5-518

5.9.1	Personal Communications	5-542
6	Effects Analysis for Delta Smelt and Terrestrial Species	6-1
6.1	Effects on Delta Smelt	6-1
6.1.1	Effects of Water Facility Construction on Delta Smelt	6-3
6.1.1.1	Preconstruction Studies (Geotechnical Exploration)	6-3
6.1.1.2	North Delta Intakes	6-4
6.1.1.3	Barge Landings	6-22
6.1.1.4	Head of Old River Gate	6-33
6.1.1.5	Clifton Court Forebay	6-43
6.1.1.6	Effects of Construction Activities on Delta Smelt Critical Habitat	6-55
6.1.2	Effects of Water Facility Maintenance on Delta Smelt	6-56
6.1.2.1	North Delta Intakes	6-56
6.1.2.2	Barge Landings	6-58
6.1.2.3	Head of Old River Gate	6-60
6.1.2.4	Clifton Court Forebay	6-62
6.1.2.5	Effects for Maintenance Activities on Delta Smelt Critical Habitat	6-64
6.1.3	Effects of Water Facility Operations on Delta Smelt	6-64
6.1.3.1	Introduction	6-64
6.1.3.2	North Delta Exports	6-65
6.1.3.3	South Delta Exports	6-86
6.1.3.4	Head of Old River Gate Operations	6-120
6.1.3.5	Habitat Effects	6-122
6.1.3.6	Delta Cross Channel	6-162
6.1.3.7	Suisun Marsh Facilities	6-164
6.1.3.8	North Bay Aqueduct	6-171
6.1.3.9	Other Facilities	6-172
6.1.3.10	Effects from Water Facility Operations on Delta Smelt Critical Habitat	6-176
6.1.4	Effects of Conservation Measures on Delta Smelt	6-183
6.1.4.1	Tidal and Channel Margin Habitat Restoration	6-183
6.1.4.2	Localized Reduction of Predatory Fishes to Minimize Predator Density at North and South Delta Export Facilities	6-185
6.1.4.3	Georgiana Slough Nonphysical Fish Barrier	6-187
6.1.4.4	Effects of Conservation Measures on Delta Smelt Critical Habitat	6-189
6.1.5	Effects of Monitoring Activities	6-190
6.1.5.1	Migrating Adults (December-March)	6-191
6.1.5.2	Spawning Adults (February-June)	6-191
6.1.5.3	Eggs/Embryos (Spring: ~March-June)	6-191
6.1.5.4	Larvae/Young Juveniles (Spring: ~March-June)	6-192
6.1.5.5	Juveniles (Summer/Fall: ~July-December)	6-192
6.1.5.6	Effects of Monitoring Activities on Delta Smelt Critical Habitat	6-192
6.1.6	Cumulative Effects on Delta Smelt	6-193
6.1.6.1	Water Diversions	6-193
6.1.6.2	Agricultural Practices	6-193
6.1.6.3	Increased Urbanization	6-194
6.1.6.4	Waste Water Treatment Plants	6-196
6.1.6.5	Other Activities	6-197

6.2	Effects on Riparian Brush Rabbit	6-198
6.2.1	Geotechnical Exploration.....	6-198
6.2.2	Safe Haven Work Areas.....	6-198
6.2.3	North Delta Intake Construction.....	6-198
6.2.4	Tunneled Conveyance Facilities.....	6-198
6.2.5	Clifton Court Forebay Modification.....	6-199
6.2.6	Power Supply and Grid Connection	6-199
6.2.7	Head of Old River Gate	6-199
6.2.7.1	Habitat Loss and Fragmentation	6-199
6.2.7.2	Construction Related Effects	6-199
6.2.7.3	Operations and Maintenance.....	6-200
6.2.8	Reusable Tunnel Material	6-200
6.2.9	Restoration	6-200
6.2.10	Effects on Critical Habitat	6-200
6.2.11	Cumulative Effects.....	6-201
6.3	Effects on San Joaquin Kit Fox	6-201
6.3.1	Geotechnical Exploration.....	6-203
6.3.1.1	Habitat Loss and Fragmentation	6-203
6.3.1.2	Construction Related Effects	6-203
6.3.1.3	Operations and Maintenance.....	6-203
6.3.2	Safe Haven Work Areas.....	6-203
6.3.3	North Delta Intake Construction.....	6-203
6.3.4	Tunneled Conveyance Facilities.....	6-203
6.3.5	Clifton Court Forebay Modification	6-203
6.3.5.1	Habitat Loss and Fragmentation	6-203
6.3.5.2	Construction Related Effects	6-204
6.3.5.3	Operations and Maintenance.....	6-205
6.3.5.4	Habitat Loss and Fragmentation	6-205
6.3.5.5	Construction Related Effects	6-206
6.3.5.6	Operations and Maintenance.....	6-206
6.3.6	Reusable Tunnel Material Storage Area.....	6-207
6.3.7	Head of Old River Gate	6-207
6.3.8	Restoration/Mitigation	6-207
6.3.8.1	Habitat Loss and Fragmentation	6-207
6.3.8.2	Construction Related Effects	6-207
6.3.8.3	Operations and Maintenance.....	6-207
6.3.9	Effectiveness Monitoring.....	6-208
6.3.10	Effects on Critical Habitat	6-208
6.3.11	Cumulative Effects.....	6-208
6.4	Effects on California Least Tern.....	6-209
6.4.1	Geotechnical Exploration.....	6-212
6.4.1.1	Habitat Loss and Fragmentation	6-212
6.4.1.2	Construction Related Effects	6-212
6.4.1.3	Operations and Maintenance.....	6-212
6.4.2	Safe Haven Work Areas.....	6-212
6.4.3	North Delta Intake Construction.....	6-212

6.4.3.1	Habitat Loss and Fragmentation	6-212
6.4.3.2	Construction Related Effects	6-213
6.4.3.3	Operations and Maintenance.....	6-213
6.4.4	Tunneled Conveyance Facilities	6-216
6.4.4.1	Habitat Loss and Fragmentation	6-216
6.4.4.2	Construction Related Effects	6-216
6.4.4.3	Operations and Maintenance.....	6-217
6.4.5	Clifton Court Forebay Modification	6-217
6.4.5.1	Habitat Loss and Fragmentation	6-217
6.4.5.2	Construction Related Effects	6-217
6.4.5.3	Operations and Maintenance.....	6-218
6.4.6	Power Supply and Grid Connections.....	6-219
6.4.6.1	Habitat Loss and Fragmentation	6-219
6.4.6.2	Construction Related Effects	6-219
6.4.6.3	Operations and Maintenance.....	6-220
6.4.7	Head of Old River Gate (HOR gate).....	6-220
6.4.7.1	Habitat Loss and Fragmentation	6-220
6.4.7.2	Construction Related Effects	6-220
6.4.7.3	Operations and Maintenance.....	6-221
6.4.8	Reusable Tunnel Material Storage Area.....	6-221
6.4.9	Restoration	6-221
6.4.10	Effects on Critical Habitat	6-222
6.4.11	Cumulative Effects.....	6-222
6.5	Effects on Western Yellow-Billed Cuckoo.....	6-222
6.5.1	Geotechnical Exploration.....	6.5-225
6.5.2	Safe Haven Work Areas.....	6.5-225
6.5.3	North Delta Intake Construction.....	6.5-225
6.5.3.1	Habitat Loss and Fragmentation	6.5-225
6.5.3.2	Construction Related Effects	6.5-225
6.5.3.3	Operations and Maintenance.....	6.5-226
6.5.4	Tunneled Conveyance Facilities	6.5-226
6.5.4.1	Habitat Loss and Fragmentation	6.5-226
6.5.4.2	Construction Related Effects	6.5-226
6.5.4.3	Operations and Maintenance.....	6.5-227
6.5.5	Clifton Court Forebay Modification	6.5-227
6.5.6	Power Supply and Grid Connections.....	6.5-227
6.5.6.1	Habitat Loss and Fragmentation	6.5-227
6.5.6.2	Construction Related Effects	6.5-227
6.5.6.3	Operations and Maintenance.....	6.5-228
6.5.7	Head of Old River Gate	6.5-228
6.5.8	Reusable Tunnel Material	6.5-229
6.5.8.1	Habitat Loss and Fragmentation	6.5-229
6.5.8.2	Construction Related Effects	6.5-229
6.5.8.3	Operations and Maintenance.....	6.5-229
6.5.9	Habitat Restoration/Mitigation	6.5-229
6.5.9.1	Effects on Critical Habitat	6.5-229

6.6	Effects on Giant Garter Snake	6.6-230
6.6.1	Geotechnical Exploration.....	6-232
6.6.1.1	Habitat Loss and Fragmentation	6-232
6.6.1.2	Construction Related Effects	6-232
6.6.1.3	Operations and Maintenance.....	6-232
6.6.2	Safe Haven Work Areas.....	6-233
6.6.3	North Delta Intake Construction.....	6-233
6.6.3.1	Habitat Loss and Fragmentation	6-233
6.6.3.2	Construction Related Effects	6-233
6.6.3.3	Operations and Maintenance.....	6-235
6.6.4	Tunneled Conveyance Facilities	6-253
6.6.4.1	Habitat Loss and Fragmentation	6-253
6.6.4.2	Construction Related Effects	6-253
6.6.4.3	Operations and Maintenance.....	6-254
6.6.5	Clifton Court Forebay Modification	6-254
6.6.5.1	Habitat Loss and Fragmentation	6-254
6.6.5.2	Construction Related Effects	6-255
6.6.5.3	Operations and Maintenance.....	6-255
6.6.6	Power Supply and Grid Connections	6-256
6.6.6.1	Habitat Loss and Fragmentation	6-256
6.6.6.2	Construction Related Effects	6-256
6.6.6.3	Operations and Maintenance.....	6-257
6.6.7	Head of Old River Gate	6-257
6.6.7.1	Habitat Loss and Fragmentation	6-257
6.6.7.2	Construction Related Effects	6-257
6.6.7.3	Operations and Maintenance.....	6-258
6.6.8	Reusable Tunnel Material	6-259
6.6.8.1	Habitat Loss and Fragmentation	6-259
6.6.8.2	Construction Related Effects	6-261
6.6.8.3	Operations and Maintenance.....	6-261
6.6.9	Habitat Restoration/Mitigation	6-261
6.6.9.1	Habitat Conversion	6-261
6.6.9.2	Construction Related Effects	6-264
6.6.9.3	Operations and Maintenance.....	6-264
6.6.10	Effectiveness Monitoring.....	6-264
6.6.11	Effects on Critical Habitat	6-264
6.6.12	Cumulative Effects.....	6-264
6.7	Effects on California Red-Legged Frog.....	6-265
6.7.1	Geotechnical Exploration.....	6-267
6.7.1.1	Habitat Loss and Fragmentation	6-267
6.7.1.2	Construction Related Effects	6-267
6.7.1.3	Operations and Maintenance.....	6-267
6.7.2	Safe Haven Work Areas.....	6-267
6.7.3	North Delta Intake Construction.....	6-267
6.7.4	Tunneled Conveyance Facilities	6-267
6.7.5	Clifton Court Forebay Modification	6-268

6.7.5.1	Habitat Loss and Fragmentation	6-268
6.7.5.2	Construction Related Effects	6-268
6.7.5.3	Operations and Maintenance.....	6-269
6.7.6	Power Supply and Grid Connections.....	6-269
6.7.6.1	Habitat Loss and Fragmentation	6-269
6.7.6.2	Construction Related Effects	6-270
6.7.6.3	Operations and Maintenance.....	6-271
6.7.7	Head of Old River Gate	6-271
6.7.8	Reusable Tunnel Material.....	6-271
6.7.8.1	Habitat Loss and Fragmentation	6-271
6.7.8.2	Construction Related Effects	6-271
6.7.8.3	Operations and Maintenance.....	6-272
6.7.9	Restoration/Mitigation	6-272
6.7.9.1	Habitat Loss and Fragmentation	6-272
6.7.10	Critical Habitat.....	6-272
6.7.11	Cumulative Effects.....	6-272
6.8	Effects on California Tiger Salamander	6-273
6.8.1	Geotechnical Exploration.....	6-275
6.8.1.1	Habitat Loss and Fragmentation	6-275
6.8.1.2	Construction Related Effects	6-275
6.8.1.3	Operations and Maintenance.....	6-275
6.8.2	Safe Haven Work Areas.....	6-275
6.8.3	North Delta Intake Construction.....	6-275
6.8.4	Tunneled Conveyance Facilities.....	6-275
6.8.5	Clifton Court Forebay Modification.....	6-275
6.8.5.1	Habitat Loss and Fragmentation	6-275
6.8.5.2	Construction Related Effects	6-276
6.8.5.3	Operations and Maintenance.....	6-278
6.8.6	Power Supply and Grid Connections.....	6-278
6.8.6.1	Habitat Loss and Fragmentation	6-278
6.8.6.2	Construction Related Effects	6-279
6.8.6.3	Operations and Maintenance.....	6-279
6.8.7	Head of Old River Gate	6-279
6.8.8	Reusable Tunnel Material.....	6-280
6.8.9	Restoration	6-280
6.8.9.1	Habitat Loss and Fragmentation	6-280
6.8.9.2	Construction Related Effects	6-280
6.8.9.3	Operations and Maintenance.....	6-280
6.8.10	Effectiveness Monitoring.....	6-280
6.8.11	Effects on Critical Habitat	6-281
6.8.12	Cumulative Effects.....	6-281
6.9	Effects on Valley Elderberry Longhorn Beetle	6-282
6.9.1	Geotechnical Exploration.....	6-282
6.9.2	Safe Haven Work Areas.....	6-282
6.9.2.1	Habitat Loss and Fragmentation	6-282
6.9.2.2	Construction Related Effects	6-286

6.9.2.3	Operations and Maintenance.....	6-287
6.9.3	North Delta Intake Construction.....	6-287
6.9.3.1	Habitat Loss and Fragmentation.....	6-287
6.9.3.2	Construction Related Effects.....	6-288
6.9.3.3	Operations and Maintenance.....	6-289
6.9.4	Tunneled Conveyance Facilities.....	6-289
6.9.4.1	Habitat Loss and Fragmentation.....	6-289
6.9.4.2	Construction Related Effects.....	6-290
6.9.4.3	Operations and Maintenance.....	6-290
6.9.5	Clifton Court Forebay Modification.....	6-290
6.9.5.1	Habitat Loss and Fragmentation.....	6-290
6.9.5.2	Construction Related Effects.....	6-291
6.9.5.3	Operations and Maintenance.....	6-291
6.9.6	Power Supply and Grid Connections.....	6-292
6.9.6.1	Habitat Loss and Fragmentation.....	6-292
6.9.6.2	Construction Related Effects.....	6-292
6.9.6.3	Operations and Maintenance.....	6-293
6.9.7	Head of Old River Gate.....	6-293
6.9.7.1	Habitat Loss and Fragmentation.....	6-293
6.9.7.2	Construction Related Effects.....	6-294
6.9.7.3	Operations and Maintenance.....	6-294
6.9.8	Reusable Tunnel Material.....	6-294
6.9.8.1	Habitat Loss and Fragmentation.....	6-294
6.9.8.2	Construction Related Effects.....	6-296
6.9.8.3	Operations and Maintenance.....	6-296
6.9.9	Restoration.....	6-296
6.9.9.1	Habitat Loss and Fragmentation.....	6-296
6.9.9.2	Construction Related Effects.....	6-298
6.9.9.3	Operations and Maintenance.....	6-298
6.9.10	Effectiveness Monitoring.....	6-298
6.9.11	Effects on Critical Habitat.....	6-298
6.9.12	Cumulative Effects.....	6-298
6.10	Effects on Vernal Pool Fairy Shrimp and Vernal Pool Tadpole Shrimp.....	6-298
6.10.1	Geotechnical Exploration.....	6-299
6.10.2	Safe Haven Work Areas.....	6-299
6.10.2.1	Habitat Loss and Fragmentation.....	6-299
6.10.3	North Delta Diversion Construction.....	6-299
6.10.4	Tunneled Conveyance Facilities.....	6-301
6.10.5	Clifton Court Forebay Modification.....	6-301
6.10.5.1	Habitat Loss and Fragmentation.....	6-301
6.10.5.2	Construction Related Effects.....	6-301
6.10.5.3	Operations and Maintenance.....	6-302
6.10.6	Power Supply and Grid Connections.....	6-303
6.10.7	Head of Old River Gate.....	6-303
6.10.8	Reusable Tunnel Material.....	6-303
6.10.8.1	Construction Related Effects.....	6-303

6.10.8.2	Operations and Maintenance.....	6-304
6.10.9	Restoration.....	6-304
6.10.10	Effectiveness Monitoring.....	6-304
6.10.11	Effects on Critical Habitat	6-304
6.10.12	Cumulative Effects.....	6-306
6.11	Least Bell’s Vireo	6-306
6.11.1	Geotechnical Exploration.....	6-309
6.11.2	Safe Haven Work Areas.....	6-309
6.11.3	North Delta Intake Construction.....	6-309
6.11.3.1	Habitat Loss and Fragmentation	6-309
6.11.3.2	Construction Related Effects	6-309
6.11.3.3	Operations and Maintenance.....	6-310
6.11.4	Tunneled Conveyance Facilities	6-310
6.11.4.1	Habitat Loss and Fragmentation	6-310
6.11.4.2	Construction Related Effects	6-310
6.11.4.3	Operations and Maintenance.....	6-310
6.11.5	Clifton Court Forebay Modification	6-311
6.11.6	Power Supply and Grid Connections.....	6-311
6.11.6.1	Habitat Loss and Fragmentation	6-311
6.11.6.2	Construction Related Effects	6-311
6.11.6.3	Operations and Maintenance.....	6-312
6.11.7	Head of Old River Gate	6-312
6.11.8	Reusable Tunnel Material	6-312
6.11.8.1	Habitat Loss and Fragmentation	6-312
6.11.8.2	Construction Related Effects	6-312
6.11.8.3	Operations and Maintenance.....	6-313
6.11.9	Habitat Restoration/Mitigation	6-313
6.11.9.1	Effects on Critical Habitat	6-313
6.12	References.....	6-314
6.12.1	Personal Communications	6-330
7	Effects Determination	7-1
7.1	Introduction.....	7-1
7.2	Chinook Salmon, Sacramento River Winter-run ESU	7-1
7.2.1	Sacramento River Upstream of Delta	7-1
7.2.2	Sacramento-San Joaquin Delta	7-3
7.2.3	Cumulative Effects and the Changing Baseline.....	7-3
7.2.4	Determination of Effects to Sacramento River Winter-run Chinook Salmon ESU.....	7-4
7.2.5	Determination of Effects to Sacramento River Winter-run Chinook Salmon ESU Designated Critical Habitat	7-4
7.3	Chinook Salmon, Central Valley Spring–run ESU.....	7-6
7.3.1	Sacramento River Upstream of Delta	7-6
7.3.2	Sacramento-San Joaquin Delta	7-8
7.3.3	Cumulative Effects and the Changing Baseline.....	7-9
7.3.4	Determination of Effects to Central Valley Spring-run Chinook Salmon ESU	7-10

7.3.5	Determination of Effects to Central Valley Spring-run Chinook Salmon ESU Designated Critical Habitat	7-10
7.4	Steelhead, California Central Valley DPS	7-11
7.4.1	Upstream (Sacramento and American Rivers)	7-11
7.4.2	Sacramento-San Joaquin Delta	7-13
7.4.3	Cumulative Effects and the Changing Baseline.....	7-14
7.4.4	Determination of Effects to California Central Valley Steelhead DPS	7-15
7.4.5	Determination of Effects to California Central Valley Steelhead DPS Designated Critical Habitat.....	7-15
7.5	Green Sturgeon, Southern DPS.....	7-16
7.5.1	Sacramento River Upstream of Delta	7-16
7.5.2	Sacramento-San Joaquin Delta	7-17
7.5.3	Cumulative Effects and the Changing Baseline.....	7-18
7.5.4	Determination of Effects to Southern DPS Green Sturgeon.....	7-19
7.5.5	Determination of Effects to Southern DPS Green Sturgeon Designated Critical Habitat.....	7-19
7.6	Killer Whale, Southern Resident DPS	7-20
7.7	Delta Smelt.....	7-20
7.7.1	Determination of Effects to Delta Smelt.....	7-20
7.7.2	Cumulative Effects and the Changing Baseline.....	7-21
7.7.3	Determination of Effects to Delta Smelt Designated Critical Habitat	7-22
7.8	Riparian Brush Rabbit.....	7-23
7.9	San Joaquin Kit Fox.....	7-23
7.9.1	Determination of Effects to San Joaquin Kit Fox.....	7-23
7.9.2	Cumulative Effects and Changing Baseline	7-24
7.9.3	Determination of Effects to San Joaquin Kit Fox Designated Critical Habitat.....	7-24
7.10	California Least Tern	7-25
7.11	Western Yellow-Billed Cuckoo.....	7-25
7.11.1	Determination of Effects to Western Yellow-Billed Cuckoo.....	7-25
7.11.2	Cumulative Effects and the Changing Baseline.....	7-26
7.11.3	Determination of Effects to Western Yellow-Billed Cuckoo Designated Critical Habitat.....	7-26
7.12	Giant Garter Snake.....	7-26
7.12.1	Determination of Effects to Giant Garter Snake.....	7-26
7.12.2	Cumulative Effects and the Changing Baseline.....	7-27
7.12.3	Determination of Effects to Giant Garter Snake Designated Critical Habitat.....	7-28
7.13	California Red-Legged Frog	7-28
7.13.1	Determination of Effects to California Red-Legged Frog	7-28
7.13.2	Cumulative Effects and the Changing Baseline.....	7-29
7.13.3	Determination of Effects to California Red-Legged Frog Designated Critical Habitat.....	7-29
7.14	California Tiger Salamander.....	7-29
7.14.1	Determination of Effects to California Tiger Salamander	7-29
7.14.2	Cumulative Effects and the Changing Baseline.....	7-30

7.14.3	Determination of Effects to California Tiger Salamander Designated Critical Habitat.....	7-30
7.15	Valley Elderberry Longhorn Beetle.....	7-31
7.15.1	Determination of Effects to Valley Elderberry Longhorn Beetle.....	7-31
7.15.2	Cumulative Effects and the Changing Baseline.....	7-32
7.15.3	Determination of Effects to Valley Elderberry Longhorn Beetle Designated Critical Habitat.....	7-32
7.16	Vernal Pool Fairy Shrimp and Vernal Pool Tadpole Shrimp	7-32
7.16.1	Determination of Effects to Vernal Pool Fairy Shrimp and Vernal Pool Tadpole Shrimp.....	7-32
7.16.2	Cumulative Effects and the Changing Baseline.....	7-33
7.16.3	Determination of Effects to Vernal Pool Fairy Shrimp and Vernal Pool Tadpole Shrimp Designated Critical Habitat	7-34
7.17	Least Bell's Vireo	7-34
7.17.1	Determination of Effects to Least Bell's Vireo	7-34
7.17.2	Cumulative Effects and the Changing Baseline.....	7-35
7.17.3	Determination of Effects to Least Bell's Vireo Designated Critical Habitat.....	7-35
7.18	Conclusion	7-35
7.18.1	References.....	7-38

APPENDICES

- Appendix 3A, Map Book for the Proposed Action
- Appendix 3B, Conceptual Engineering Report, Volume 1
- Appendix 3C, Conceptual Engineering Report, Volume 2
- Appendix 3D, Construction Schedule for the Proposed Action
- Appendix 3E, Pile Driving Assumptions for the Proposed Action
- Appendix 3F, General Avoidance and Minimization Measures
- Appendix 3G, Geotechnical Exploration Plan—Phase 2
- Appendix 3H, Adaptive Management Framework
- Appendix 4A, Status of the Species and Critical Habitat Accounts
- Appendix 4B, 2009 to 2011 Bay Delta Conservation Plan EIR/EIS Environmental Data Report, December 2011
- Appendix 5A, CALSIM II Modeling and Results
- Appendix 5B, DSM2 Modeling and Results
- Appendix 5C, Upstream Water Temperature Methods and Results
- Appendix 5D, Quantitative Methods and Detailed Results for Effects Analysis of Chinook Salmon, Central Valley Steelhead, Green Sturgeon, and Killer Whale
- Appendix 5E, Essential Fish Habitat Assessment
- Appendix 5F, Selenium Analysis
- Appendix 5G, Projects to be Included in Cumulative Effects Analysis for the Conveyance Section 7 Biological Assessment
- Appendix 6A, Quantitative Methods for Biological Assessment of Delta Smelt
- Appendix 6B, Terrestrial Effects Analysis Methods

LIST OF TABLES

Table 1-1. Responsible Parties, Respective Role, and Contact Information	1-2
Table 1-2. Listed Species Addressed in This BA	1-5
Table 1-3. Species Considered but Not Addressed Further because of “No Effect” Determinations	1-7
Table-2-1. Chronology of ESA Consultation for Coordinated CVP/SWP Operations.	2-3
Table 3.1-1. CVP/SWP Facilities and Actions Included and Not Included in the Proposed Action.....	3-1
Table 3.1-2. Ongoing Real-Time Decision-Making Groups	3-15
Table 3.2-1. Components of Conveyance Construction and the Common Construction Activities Used in Each.....	3-27
Table 3.2-2. Summary of the Avoidance and Minimization Measures Detailed in Appendix 3.F.....	3-28
Table 3.2-3. California WaterFix Design Refinements	3-29
Table 3.2-4. Planned Geotechnical Exploration	3-33
Table 3.2-5. Intake Dimensions	3-35
Table 3.2-6. Fish Screen Dimensions	3-37
Table 3.2-7. Pile Driving for Intake Construction	3-42
Table 3.2-8. Tunnel Drive Summary	3-45
Table 3.2-9. Expected Safe Haven Interventions.....	3-49
Table 3.2-10. Summary Construction Schedule for the Intermediate Forebay	3-51
Table 3.2-11. Spoils and Reusable Tunnel Material Storage: Key Construction Information	3-74
Table 3.2-12. Spoils Disposition, Volumes and Acreages.....	3-74
Table 3.2-13. Pile Driving Sites and Durations	3-81
Table 3.3-1. New and Existing Water Operations Flow Criteria and Relationship to Assumptions in CALSIM II Modeling	3-84
Table 3.3-2. Proposed Action CALSIM II Criteria and Modeling Assumptions	3-90
Table 3.3-3. Salvage Density Triggers for Old and Middle River Real-Time Flow Adjustments January 1 to June 15a (source: National Marine Fisheries Service 2011).	3-110
Table 3.4-1. Summary of Maximum Direct Impact, Proposed Compensation, and Potential Location of Restoration for Federally Listed Fish Species	3-126
Table 3.4-2. Summary of Maximum Direct Impact, Proposed Compensation, and Potential Location of Restoration and Protection for Federally Listed Species of Wildlife	3-141
Table 3.4-3. Compensation for Effects on San Joaquin Kit Fox Habitat.	3-151
Table 3.4-4. Compensation for Direct Effects on Giant Garter Snake Habitat	3-161
Table 3.4-5. Compensation for Direct Effects on California Red-Legged Frog Habitat.....	3-170
Table 3.4-6. Compensation for Direct Effects on California Tiger Salamander Habitat.	3-178
Table 3.4-7. Compensation for Direct Effects from All Activities.....	3-186
Table 3.4-8. Compensation for Direct Effects from North Delta Intakes.....	3-187
Table 3.4-9. Compensation for Direct Effects from RTM Storage Areas	3-188
Table 3.4-10. Compensation for Direct Effects from HOR Gate	3-189

Table 3.4-11. Compensation for Direct Effects from Water Conveyance Facilities	3-190
Table 3.4-12. Compensation for Direct Effects from Clifton Court Forebay Modifications ..	3-191
Table 3.4-13. Compensation for Direct Effects from Transmission Lines.....	3-192
Table 3.4-14. Compensation for Direct Effects from Safe Haven Work Areas	3-193
Table 3.4-15. Compensation for Direct Effects from Restoration.....	3-194
Table 3.4-16. Compensation for Effects on Vernal Pool Fairy Shrimp and Vernal Pool Tadpole Shrimp Habitat.....	3-199
Table 3.4-17. Preconstruction Studies at the North Delta Diversions	3-208
Table 3.4-18. Monitoring Actions for Listed Species of Fish for the North Delta Intakes	3-210
Table 3.4-19. Proposed Effectiveness Monitoring Actions and Success Criteria	3-213
Table 4-1. Feather River Minimum Instream Flow Requirements Included in the Oroville Facilities Settlement Agreement and California WaterFix BA PA Modeling Compared to the NMFS Draft BiOp.....	4-25
Table 4-2. Annual Availability of Oroville Facilities Temperature Management Actions in the Oroville Facilities Relicensing DEIR PA Alternative Simulation.....	4-25
Table 4-3. End-of-Month Oroville Storage Modeling Results for the NAA and the PA	4-26
Table 4-4. Modeled Feather River Low Flow Channel near Fish Dam Monthly Temperature for the NAA and the PA	4-27
Table 4-5. Modeled Feather River Low Flow Channel at Robinson Riffle Monthly Temperature for the NAA and the PA	4-28
Table 4-6. Average Annual Frequency (Percent) of Delta Smelt Occurrence by Life Stage, Interagency Ecological Program Monitoring Program, and Region.....	4-42
Table 5.2-1. Interim Criteria for Injury to Fish from Pile Driving Activities.....	5-16
Table 5.2-2. Extent, Timing, and Duration of Pile Driving Noise Levels Predicted to Exceed the Interim Injury and Behavioral Thresholds at the North Delta Intake Sites.....	5-18
Table 5.2-3. Extent, Timing, and Duration of Pile Driving Noise Levels Predicted to Exceed the Interim Injury and Behavioral Thresholds at the Barge Landing Sites.....	5-36
Table 5.2-4. Extent, Timing, and Duration of Pile Driving Noise Levels Predicted to Exceed the Interim Injury and Behavioral Thresholds at the Head of Old River Gate.....	5-50
Table 5.2-5. Extent, Timing, and Duration of Pile Driving Noise Levels Predicted to Exceed the Interim Injury and Behavioral Thresholds at CCF.....	5-66
Table 5.4-1. Temporal Distribution of Winter-Run Chinook Salmon, Spring-Run Chinook Salmon, Central Valley Steelhead, and Green Sturgeon within the Delta.....	5-80
Table 5.4-2. Annual Percentage of Winter-Run Chinook Salmon Juveniles Approaching Fremont Weir That Would Be Entrained Onto the Yolo Bypass Under Existing Conditions and with Notching of Fremont Weir	5-85
Table 5.4-3. Annual Percentage of Spring-Run Chinook Salmon Juveniles Approaching Fremont Weir That Would Be Entrained Onto the Yolo Bypass Under Existing Conditions and with Notching of Fremont Weir	5-86
Table 5.4-4. Catch of Green Sturgeon from Sturgeon Report Cards, 2007-2015.	5-91

Table 5.4-5. Estimated Mean Entrainment Index (Number of Fish Lost, Based on Normalized Salvage Data) of Juvenile Winter-Run Chinook Salmon for NAA and PA Scenarios at the CVP/SWP Salvage Facilities, By Water Year Type	5-110
Table 5.4-6. Estimated Mean Entrainment Index (Number of Fish Lost, Based on Nonnormalized Salvage Data) of Juvenile Spring-Run Chinook Salmon for NAA and PA Scenarios at the CVP/SWP Salvage Facilities, By Water Year Type	5-110
Table 5.4-7. Estimated Mean Entrainment Index (Number of Fish Lost, Based on Nonnormalized Salvage Data) of Juvenile Steelhead for NAA and PA Scenarios at the CVP/SWP Salvage Facilities, By Water Year Type	5-110
Table 5.4-8. Mean Annual Proportion of Winter-Run Chinook Salmon Salvaged, By Water Year-Type, from the Analysis Based on Zeug and Cavallo (2014).	5-117
Table 5.4-9. Median 15-minute Velocity in Important Delta Channels, from DSM2-HYDRO Modeling, with Green Shading Indicating PA is \geq 5% More than NAA and Red Shading Indicating PA is \geq 5% Less than NAA.	5-130
Table 5.4-10. Median 15-minute Negative Velocity in Important Delta Channels, from DSM2-HYDRO Modeling, with Green Shading Indicating PA is \geq 5% More than NAA and Red Shading Indicating PA is \geq 5% Less than NAA.	5-132
Table 5.4-11. Median Daily Proportion of Negative Velocity in Important Delta Channels, from DSM2-HYDRO Modeling, with Green Shading Indicating PA is \geq 5% Less than NAA and Red Shading Indicating PA is \geq 5% More than NAA.	5-134
Table 5.4-12. Median Daily Proportion of Flow Entering Important Delta Channels, from DSM2-HYDRO Modeling, with Green Shading Indicating PA is \geq 5% Less than NAA and Red Shading Indicating PA is \geq 5% More than NAA(Except for Sutter/Steamboat Sloughs, where Entry is Considered Beneficial and the Color Scheme is Reversed).	5-139
Table 5.4-13. Delta Passage Model: Winter-Run Chinook Salmon Mean Through-Delta (Total) Survival, Mainstem Sacramento River survival, and Proportion Using and Surviving Other Migration Routes.	5-148
Table 5.4-14. Delta Passage Model: Spring-Run Chinook Salmon Mean Through-Delta (Total) Survival, Mainstem Sacramento River survival, and Proportion Using and Surviving Other Migration Routes.	5-153
Table 5.4-15. Mean Annual Spring-Run Chinook Salmon Weighted Annual Through-Delta Survival Estimated from the Analysis Based on Newman (2003), Divided into Each NDD Bypass Flow Level.	5-161
Table 5.4-16. Mean South Delta Exports and Sacramento River Flow Downstream of the NDD in March-May, by Water-Year Type.	5-161
Table 5.4-17. Mean Annual Juvenile Winter-Run Chinook Salmon Weighted Survival from the Sacramento River at Georgiana Slough to Chipps Island By Water Year Type, Estimated from the Analysis Based on Perry (2010), Divided into Each NDD Bypass Flow Level.	5-167
Table 5.4-18. Mean Annual Juvenile Spring-Run Chinook Salmon Weighted Survival from the Sacramento River at Georgiana Slough to Chipps Island By Water Year Type, Estimated from the Analysis Based on Perry (2010), Divided into Each NDD Bypass Flow Level.	5-170

Table 5.4-19. Mean Annual Juvenile Chinook Salmon Weighted Survival from the Sacramento River at Georgiana Slough to Chipps Island By Water Year Type, Estimated from the Analysis Based on Perry (2010), Divided into Each NDD Bypass Flow Level, Assuming Equal Daily Weighting from December to June.	5-173
Table 5.4-20. Mean Annual San Joaquin River Spring-Run Chinook Salmon Smolt Annual Through-Delta Survival Estimated from the Juvenile Delta Module Survival Function of SalSim, Together with Weighted-Mean Flow into the Stockton Deepwater Ship Channel, Grouped by Water Year Type.....	5-177
Table 5.4-21. Mean Bench Inundation Index by Location, Bench Type, Water Year Type, and Season, for NAA and PA.	5-181
Table 5.4-22. Mean Percentage of Water at Collinsville Originating in the Sacramento River, from DSM2-QUAL Fingerprinting.....	5-187
Table 5.4-23. Mean Percentage of Water at Collinsville Originating in the San Joaquin River, from DSM2-QUAL Fingerprinting.....	5-187
Table 5.4-24. Estimated Mean Entrainment Index (Number of Fish Salvaged, Based on Nonnormalized Salvage Data) of Juvenile Green Sturgeon for NAA and PA Scenarios at the CVP/SWP Salvage Facilities, By Water Year Type	5-191
Table 5.4-25. Temporal Occurrence of Winter-Run Chinook Salmon by Life Stage, Sacramento River Upstream of the Delta.	5-223
Table 5.4-26. Spatial Distribution of Spawning Redds in the Sacramento River Based on Aerial Redd Surveys, Winter-Run Chinook Salmon, 2003–2014 (Source: CDFW).....	5-223
Table 5.4-27. Temporal Occurrence of Spring-Run Chinook Salmon by Life Stage, Sacramento River Upstream of the Delta.	5-224
Table 5.4-28. Spatial Distribution of Spawning Redds in the Sacramento River Based on Aerial Redd Surveys, Spring-Run Chinook Salmon, 2003–2014 (Source: CDFW).....	5-225
Table 5.4-29. Temporal Occurrence of California Central Valley Steelhead by Life Stage, Sacramento River Upstream of the Delta.	5-226
Table 5.4-30. Temporal Occurrence of Green Sturgeon by Life Stage, Sacramento River Upstream of the Delta	5-227
Table 5.4-31. Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) in River Segment 6 between Model Scenarios (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-238
Table 5.4-32. Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) in River Segment 5 between Model Scenarios (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-239
Table 5.4-33. Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) in River Segment 4 between Model Scenarios (green indicates PA is at least 5% higher [raw difference value] than NAA; red indicates PA is at least 5% lower).....	5-240

Table 5.4-34. Percent of Months during Spawning and Incubation Periods with CALSIM II Flow Greater than Redd Scouring Threshold Flow at Keswick Dam (27,300 cfs) and Red Bluff (21,800 cfs) between Model Scenarios	5-242
Table 5.4-35. Water Year and Month with Mean Flow > 27,300 cfs at Keswick Dam during the Winter-run Chinook Salmon Spawning and Incubation Period	5-242
Table 5.4-36. Water Years and Months with Mean Flow > 21,800 cfs at Red Bluff during the Winter-run Chinook Salmon Spawning and Incubation Period.....	5-242
Table 5.4-37. Winter-Run Chinook Salmon Percent of Redds Dewatered (Percent of Total Redds) and Differences (Percent Differences) between Model Scenarios (green indicates PA is at least 5% lower [raw difference] than NAA; red indicates PA is at least 5% higher)	5-247
Table 5.4-38. Mean Annual Winter-Run Chinook Salmon Mortality1 (# of Fish/Year) Predicted by SALMOD.....	5-249
Table 5.4-39. Winter-Run Chinook Salmon Egg Mortality (Percent of Total Individuals) and Differences (Percent Differences) between Model Scenarios, Reclamation Egg Mortality Model.....	5-258
Table 5.4-40. Winter-Run Chinook Salmon Fry Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 6 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-283
Table 5.4-41. Winter-Run Chinook Salmon Fry Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 5 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-284
Table 5.4-42. Winter-Run Chinook Salmon Fry Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 4 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-285
Table 5.4-43. Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 6 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-285
Table 5.4-44. Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 5 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-286
Table 5.4-45. Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 4 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-287
Table 5.4-46. Mean Annual Potential Production of Winter-Run Chinook Salmon and Differences between Model Scenarios, SALMOD.....	5-301
Table 5.4-47. Number of Years during which Winter-Run Chinook Salmon Production Would be Lower than Production Thresholds and Differences (Percent Differences) between Model Scenarios, SALMOD	5-303

Table 5.4-48. Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) in River Segment 6 between Model Scenarios (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-315
Table 5.4-49. Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) in River Segment 5 between Model Scenarios (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-316
Table 5.4-50. Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) in River Segment 4 between Model Scenarios (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-317
Table 5.4-51. Water Years and Months with Mean Flow > 27,300 cfs at Keswick Dam for the PA and/or the NAA during the Spring-run Chinook Salmon Spawning and Incubation Period	5-319
Table 5.4-52. Water Years and Months with Mean Flow > 21,800 cfs at Red Bluff for the NAA and/or the NAA during the Spring-run Chinook Salmon Spawning and Incubation Period	5-319
Table 5.4-53. Spring-Run Chinook Salmon Percent of Redds Dewatered (Percent of Total Redds) and Differences (Percent Differences) between Model Scenarios (green indicates PA is at least 5% lower [raw difference] than NAA; red indicates PA is at least 5% higher)	5-324
Table 5.4-54. Mean Annual Spring-Run Chinook Salmon Mortality1 (# of Fish/Year) Predicted by SALMOD.....	5-325
Table 5.4-55. Spring-run Chinook Salmon Egg Mortality (Percent of Total Individuals) and Differences (Percent Differences) between Model Scenarios, Reclamation Egg Mortality Model.....	5-330
Table 5.4-56. Spring-Run Chinook Salmon Fry Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 6 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-355
Table 5.4-57. Spring-Run Chinook Salmon Fry Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 5 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-355
Table 5.4-58. Spring-Run Chinook Salmon Fry Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 4 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-356
Table 5.4-59. Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 6 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-357
Table 5.4-60. Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in	

River Segment 5 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-359
Table 5.4-61. Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 4 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-361
Table 5.4-62. Mean Annual Potential Production of Spring-Run Chinook Salmon and Differences between Model Scenarios, SALMOD.....	5-375
Table 5.4-63. Number of Years during which Winter-Run Chinook Salmon Production Would be Lower than Production Thresholds and Differences (Percent Differences) between Model Scenarios, SALMOD	5-376
Table 5.4-64. Central Valley Steelhead Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) in River Segment 6 between Model Scenarios (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-387
Table 5.4-65. Central Valley Steelhead Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) in River Segment 5 between Model Scenarios (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-388
Table 5.4-66. Central Valley Steelhead Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) in River Segment 4 between Model Scenarios (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-389
Table 5.4-67. Water Years and Months with Mean Flow > 27,300 cfs at Keswick Dam for the PA and/or the NAA during the Central Valley Steelhead Spawning and Incubation Period	5-391
Table 5.4-68. Water Years and Months with Mean Flow > 21,800 cfs at Red Bluff for the NAA and/or the NAA during the Central Valley Steelhead Spawning and Incubation Period	5-392
Table 5.4-69. Central Valley Steelhead Percent of Redds Dewatered (Percent of Total Redds) and Differences (Percent Differences) between Model Scenarios (green indicates PA is at least 5% lower [raw difference] than NAA; red indicates PA is at least 5% higher)	5-398
Table 5.4-70. CCV Steelhead Fry Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 6 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-424
Table 5.4-71. CCV Steelhead Fry Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 5 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-425
Table 5.4-72. CCV Steelhead Fry Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 4 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-426

Table 5.4-73. CCV Steelhead Juvenile Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 6 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-427
Table 5.4-74. CCV Steelhead Juvenile Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 5 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-429
Table 5.4-75. CCV Steelhead Juvenile Rearing Weighted Usable Areas (WUA) and Differences (Percent Differences) between Model Scenarios in River Segment 4 (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower).....	5-431
Table 5.4-76 Number and Percent of the 656 Months within the California Central Valley Steelhead Adult Immigration Period from the 82-year CALSIM Record with Flow < 3,250 cfs	5-440
Table 5.4-77. Temporal Occurrence of California Central Valley Steelhead by Life Stage, American River.....	5-466
Table 5.4-78. Central Valley Steelhead Spawning Weighted Usable Area (WUA) and Differences (Percent Differences) between Model Scenarios (green indicates PA is at least 5% higher [raw difference] than NAA; red indicates PA is at least 5% lower)	5-471
Table 5.4-79. Water Years and Months with Mean Flow > 19,350 cfs at Hazel Avenue during the Central Valley Steelhead Spawning and Incubation Period in the American River.....	5-472
Table 5.4-80. Maximum Flow Reductions (cfs) for 3-Month Period after Central Valley Steelhead Spawning, and Differences in the Maximums (Percent Differences) between Model Scenarios (green indicates PA is at least 5% lower [raw difference] than NAA; red indicates PA is at least 5% higher)	5-476
Table 5.4-81. Number and Percent of the 574 Months within the California Central Valley Steelhead Adult Immigration Period from the 82-year CALSIM Record with Flow < 1,000 cfs.....	5-488
Table 5.5-1. Collections of Striped Bass and Listed Fish by Fyke Trapping during April-May for the Adult Striped Bass Monitoring Project at Knights Landing, Sacramento River, 2008-2012.	5-501
Table 5.5-2. Collections of Striped Bass and Listed Fish by Gill-Netting during April-May for the Adult Striped Bass Monitoring Project in the Lower Sacramento River and San Joaquin River, 2008-2009	5-501
Table 5.7-1. Delta Counties and California Population, 2000–2050.....	5-513
Table 5.7-2. Delta Communities Population, 2000 and 2010.....	5-514
Table 6.1-1. Interim Criteria for Injury to Fish from Pile Driving Activities.....	6-13
Table 6.1-2. Extent, Timing, and Duration of Pile Driving Noise Levels Predicted to Exceed the Interim Injury and Behavioral Thresholds at the North Delta Intake Sites.....	6-15
Table 6.1-3. Extent, Timing, and Duration of Pile Driving Noise Levels Predicted to Exceed the Interim Injury and Behavioral Thresholds at CCF.....	6-49

Table 6.1-4. Summary Statistics of CalSim-Modeled Average Monthly North Delta Diversion as a Percentage of Sacramento River at Freeport Flows for the Proposed Action.....	6-69
Table 6.1-5. Number of Delta Smelt Larvae Collected and Catch per Cubic Meter during the CDFW Striped Bass Egg and Larval Survey in the Action Area	6-71
Table 6.1-6. Number of Delta Smelt (≥ 60 mm Fork Length) Collected and Catch per Seine during USFWS Beach Seine Sampling in the Action Area (December–March).....	6-76
Table 6.1-7. Adult Delta Smelt Upstream Movement Analysis Based on DSM2-PTM: Fate (Mean Percentage) of Particles By Release Location, Water Year Type, and Flux or Entrainment Location After 30 Days.	6-79
Table 6.1-8. Number of Delta Smelt (≥ 60 mm Fork Length) Collected and Catch per Seine during USFWS Beach Seine Sampling in the Action Area (February–June).....	6-80
Table 6.1-9. Number of Delta Smelt Collected and Catch per Trawl during the Fall Midwater Trawl Survey (September–December).....	6-83
Table 6.1-10. Number of Juvenile Delta Smelt (< 60 mm Fork Length) Collected and Catch per Seine during USFWS Beach Seine Sampling in the Action Area (July–December).....	6-84
Table 6.1-11. Factors Affecting Delta Smelt Entrainment and Salvage.....	6-87
Table 6.1-12. Mean Estimated Annual Percentage Entrainment Loss of Adult Delta Smelt at CVP/SWP South Delta Export Facilities by Water-Year Type for the No Action Alternative (NAA) and Proposed Action (PA), Based on the Percentage Entrainment Regression	6-94
Table 6.1-13. Mean Annual Percentage Entrainment Loss of Larval and Juvenile Delta Smelt at CVP/SWP South Delta Export Facilities by Water-Year Type for the No Action Alternative (NAA) and Proposed Action (PA), Based on the Percentage Entrainment Regression Using Mean March-June Old and Middle River Flows and X2.	6-97
Table 6.1-14. Mean Annual Percentage Entrainment Loss of Larval and Juvenile Delta Smelt at CVP/SWP South Delta Export Facilities by Water-Year Type for the No Action Alternative (NAA) and Proposed Action (PA), Based on the Percentage Entrainment Regression Using Mean April-May Old and Middle River Flows and X2.	6-99
Table 6.1-15. Percentage of Particles Representing Delta Smelt Larvae Entrained over 30 Days into Clifton Court Forebay (State Water Project), Jones Pumping Plant (Central Valley Project), the North Delta Diversion, and the North Bay Aqueduct Barker Slough Pumping Plant, from DSM2 Particle Tracking Modeling	6-107
Table 6.1-16. Comparison of Trends in Delta Smelt Larval Entrainment Loss at the South Delta Export Facilities from the March-June Percentage Entrainment Regression and DSM2-PTM Results for March-June (Monthly Mean).....	6-117
Table 6.1-17. Comparison of Trends in Delta Smelt Larval Entrainment Loss at the South Delta Export Facilities from the April-May Percentage Entrainment Regression and DSM2-PTM Results for April-May (Monthly Mean).....	6-117

Table 6.1-18. Mean Fall Abiotic Habitat Index, Based on the Method of Feyrer et al. (2011).....	6-124
Table 6.1-19. Mean Monthly Suspended Sediment in the Sacramento River at Freeport, 1957-2014 (mg/l).....	6-132
Table 6.1-20. Percentiles of Phytoplankton Carbon Load Estimated to be Entrained (metric tons/day) by the NDD.....	6-135
Table 6.1-21. Mean Daily Biomass (metric tons) of Phytoplankton Carbon Estimated to be Present in the Delta During 2004-2015.....	6-135
Table 6.1-22. Range of Percentage of Phytoplankton Carbon Biomass in the Delta Estimated to be Entrained by the NDD.....	6-136
Table 6.1-23. Mean Percentage of Water at Collinsville Originating in the San Joaquin River, from DSM2-QUAL Fingerprinting.....	6-137
Table 6.1-24. Percentage of Modeled Years (1922-2003) in Which Mean Monthly Flow in the San Joaquin River Past Jersey Point (QWEST) Was Below, Within, and Above the Range for Microcystis Occurrence (Lehman et al. 2013).	6-142
Table 6.1-25. Percentage of Modeled Years (1922-2003) in Which Mean Monthly Flow in the Sacramento River at Rio Vista Was Below, Within, and Above the Range for Microcystis Occurrence (Lehman et al. 2013).....	6-144
Table 6.1-26. Summary Statistics of Residence Time (Days) in the Upper Sacramento River Subregion from DSM2-PTM.	6-146
Table 6.1-27. Summary Statistics of Residence Time (Days) in the Sacramento River Near Ryde Subregion from DSM2-PTM.	6-146
Table 6.1-28. Summary Statistics of Residence Time (Days) in the Sacramento River Ship Channel Subregion from DSM2-PTM.	6-146
Table 6.1-29. Summary Statistics of Residence Time (Days) in the Cache Slough and Liberty Island Subregion from DSM2-PTM.....	6-147
Table 6.1-30. Summary Statistics of Residence Time (Days) in the Sacramento River Near Rio Vista Subregion from DSM2-PTM.	6-147
Table 6.1-31. Summary Statistics of Residence Time (Days) in the Lower Sacramento River Subregion from DSM2-PTM.	6-148
Table 6.1-32. Summary Statistics of Residence Time (Days) in the Lower San Joaquin River Subregion from DSM2-PTM.	6-148
Table 6.1-33. Summary Statistics of Residence Time (Days) in the San Joaquin River at Twitchell Island Subregion from DSM2-PTM.	6-149
Table 6.1-34. Summary Statistics of Residence Time (Days) in the San Joaquin River at Prisoners Point from DSM2-PTM.	6-149
Table 6.1-35. Summary Statistics of Residence Time (Days) in the North and South Forks Mokelumne River Subregion from DSM2-PTM.....	6-150
Table 6.1-36. Summary Statistics of Residence Time (Days) in the Disappointment Slough Subregion from DSM2-PTM.....	6-150
Table 6.1-37. Summary Statistics of Residence Time (Days) in the San Joaquin River Near Stockton Subregion from DSM2-PTM.	6-151
Table 6.1-38. Summary Statistics of Residence Time (Days) in the Mildred Island Subregion from DSM2-PTM.	6-151
Table 6.1-39. Summary Statistics of Residence Time (Days) in the Holland Cut Subregion from DSM2-PTM.	6-151

Table 6.1-40. Summary Statistics of Residence Time (Days) in the Franks Tract Subregion from DSM2-PTM.	6-152
Table 6.1-41. Summary Statistics of Residence Time (Days) in the Rock Slough and Discovery Bay Subregion from DSM2-PTM.	6-152
Table 6.1-42. Summary Statistics of Residence Time (Days) in the Old River Subregion from DSM2-PTM.	6-153
Table 6.1-43. Summary Statistics of Residence Time (Days) in the Middle River Subregion from DSM2-PTM.	6-153
Table 6.1-44. Summary Statistics of Residence Time (Days) in the Victoria Canal Subregion from DSM2-PTM.	6-154
Table 6.1-45. Summary Statistics of Residence Time (Days) in the Grant Line Canal and Old River Subregion from DSM2-PTM.	6-154
Table 6.1-46. Summary Statistics of Residence Time (Days) in the Upper San Joaquin River Subregion from DSM2-PTM.	6-155
Table 6.1-47. Comparison of Number of Years with X2 in Suisun Bay (≤ 74.1 km), By Month, from CalSim Outputs for 1922-2003.	6-180
Table 6.1-48. Delta Counties and California Population, 2000–2050.	6-194
Table 6.1-49. Delta Communities Population, 2000 and 2010.	6-195
Table 6.3-1. Maximum Habitat Loss on Modeled Habitat for San Joaquin Kit Fox by Activity Type (Acres)	6-202
Table 6.3-2. Maximum Direct Effects on and Conservation of Modeled Habitat for San Joaquin Kit Fox.	6-202
Table 6.4-1. Maximum Habitat Loss on Modeled Foraging Habitat for California Least Tern by Activity Type (Acres).	6-211
Table 6.5-1. Maximum Habitat Loss on Habitat for Western Yellow-Billed Cuckoo by Activity Type (Acres)	6-224
Table 6.6-1. Maximum Habitat Loss of Modeled Habitat for Giant Garter Snake by Activity Type (Acres)	6-231
Table 6.6-2. Maximum Direct Effects on and Conservation of Modeled Habitat for Giant Garter Snake.	6-232
Table 6.6-3. Percentage of Modeled Years (1922-2003) in Which Mean Monthly Flow in the San Joaquin River Past Jersey Point (QWEST) Was Below, Within, and Above the Range for Microcystis Occurrence (Lehman et al. 2013).	6-238
Table 6.6-4. Percentage of Modeled Years (1922-2003) in Which Mean Monthly Flow in the Sacramento River at Rio Vista Was Below, Within, and Above the Range for Microcystis Occurrence (Lehman et al. 2013).	6-240
Table 6.6-5. Summary Statistics of Residence Time (Days) in the Upper Sacramento River Subregion from DSM2-PTM.	6-243
Table 6.6-6. Summary Statistics of Residence Time (Days) in the Sacramento River Near Ryde Subregion from DSM2-PTM.	6-243
Table 6.6-7. Summary Statistics of Residence Time (Days) in the Sacramento River Ship Channel Subregion from DSM2-PTM.	6-243
Table 6.6-8. Summary Statistics of Residence Time (Days) in the Cache Slough and Liberty Island Subregion from DSM2-PTM.	6-243
Table 6.6-9. Summary Statistics of Residence Time (Days) in the Sacramento River Near Rio Vista Subregion from DSM2-PTM.	6-244

Table 6.6-10. Summary Statistics of Residence Time (Days) in the Lower Sacramento River Subregion from DSM2-PTM.	6-244
Table 6.6-11. Summary Statistics of Residence Time (Days) in the Lower San Joaquin River Subregion from DSM2-PTM.	6-244
Table 6.6-12. Summary Statistics of Residence Time (Days) in the San Joaquin River at Twitchell Island Subregion from DSM2-PTM.	6-244
Table 6.6-13. Summary Statistics of Residence Time (Days) in the San Joaquin River at Prisoners Point from DSM2-PTM.	6-245
Table 6.6-14. Summary Statistics of Residence Time (Days) in the North and South Forks Mokelumne River Subregion from DSM2-PTM.	6-245
Table 6.6-15. Summary Statistics of Residence Time (Days) in the Disappointment Slough Subregion from DSM2-PTM.	6-245
Table 6.6-16. Summary Statistics of Residence Time (Days) in the San Joaquin River Near Stockton Subregion from DSM2-PTM.	6-245
Table 6.6-17. Summary Statistics of Residence Time (Days) in the Mildred Island Subregion from DSM2-PTM.	6-246
Table 6.6-18. Summary Statistics of Residence Time (Days) in the Holland Cut Subregion from DSM2-PTM.	6-246
Table 6.6-19. Summary Statistics of Residence Time (Days) in the Franks Tract Subregion from DSM2-PTM.	6-246
Table 6.6-20. Summary Statistics of Residence Time (Days) in the Rock Slough and Discovery Bay Subregion from DSM2-PTM.	6-246
Table 6.6-21. Summary Statistics of Residence Time (Days) in the Old River Subregion from DSM2-PTM.	6-247
Table 6.6-22. Summary Statistics of Residence Time (Days) in the Middle River Subregion from DSM2-PTM.	6-247
Table 6.6-23. Summary Statistics of Residence Time (Days) in the Victoria Canal Subregion from DSM2-PTM.	6-247
Table 6.6-24. Summary Statistics of Residence Time (Days) in the Grant Line Canal and Old River Subregion from DSM2-PTM.	6-247
Table 6.6-25. Summary Statistics of Residence Time (Days) in the Upper San Joaquin River Subregion from DSM2-PTM.	6-248
Table 6.7-1. Maximum Habitat Loss on Modeled Habitat for California Red-Legged Frog by Activity Type (Acres)	6-266
Table 6.7-2. Loss and Conservation of Modeled Habitat for California Red-Legged Frog....	6-266
Table 6.8-1. Maximum Habitat Loss on Modeled Habitat for California Tiger Salamander by Activity Type (Acres)	6-274
Table 6.8-2. Maximum Direct Effects on and Conservation of Modeled Habitat for California Tiger Salamander.....	6-274
Table 6.9-1. Loss of Valley Elderberry Longhorn Beetle Habitat (Elderberry Bushes) by Activity Type (Acres)	6-284
Table 6.9-2. Maximum Shrub and Stem Loss of Valley Elderberry Longhorn Beetle Habitat (Elderberry Bush) and Proposed Compensation (See Section 3.4.7.8.3 Compensation to Offset Effects, for compensation by activity type).....	6-285
Table 6.10-1. Maximum Modeled Habitat Affected for Vernal Pool Crustaceans by Activity Type (Acres)	6-300

Table 6.10-2. Maximum Affected Habitat for Vernal Pool Crustacean Habitat and
Proposed Offsetting Measures 6-300

Table 6.11-1. Maximum Habitat Loss on Habitat for Least Bell’s Vireo by Activity Type
(Acres)..... 6-308

Table 7-1. Determination of Effects for Species Addressed in This BA..... 7-36

LIST OF FIGURES

Figure 3.2-1. Modified Pipeline/Tunnel Alignment Overview (Alternative 4).....	follows 3-22
Figure 3.2-2. Alternatives 4 and 4A Conveyance Schematic	follows 3-22
Figure 3.4-1. Conceptual Design for Restored Tidal Freshwater Emergent Wetland Natural Communities	follows 3-130
Figure 4-1 California WaterFix Action Area.....	4-2
Figure 4-2. California Water Fix Action Area for Purposes of Southern Resident Killer Whale	4-3
Figure 4-3. Observed Mean Sea Level Trend for the San Francisco Tide Gage near the Golden Gate	4-8
Figure 4-4. Past Global Mean Sea Level and Future Mean Sea Level Based on Global Mean Temperature Projections	4-9
Figure 4-5. DWR-Generated Future Sea Level Rise Projections for the Bay Delta Using the Rahmstorf Method and Regionally Downscaled Data.....	4-10
Figure 4-6. Delta Smelt Abundance Indices	4-44
Figure 5.4-1. Estimated Screen Passage Time for Juvenile Chinook Salmon (4.4-cm Standard Length) Encountering Proposed NDD Fish Screens at Approach Velocity of 0.2 Feet per Second during the Day and Night.....	5-104
Figure 5.4-2. Estimated Screen Passage Time for Juvenile Chinook Salmon (7.9-cm Standard Length) Encountering Proposed NDD Fish Screens at Approach Velocity of 0.2 Feet per Second during the Day and Night.....	5-105
Figure 5.4-3. Predicted Proportion of Annual Salvage of Juvenile Winter-Run Chinook Salmon in October-June, from the Analysis Based on Zeug and Cavallo (2014).....	5-114
Figure 5.4-4. Box Plots of Annual Proportion of Juvenile Winter-Run Chinook Salmon Salvaged, Grouped by Water-Year Type, from the Analysis Based on Zeug and Cavallo (2014).....	5-115
Figure 5.4-5. Exceedance Plot of Annual Number of Juvenile Winter-Run Chinook Salmon Salvaged, from the Analysis Based on Zeug and Cavallo (2014).....	5-116
Figure 5.4-6. 95% Confidence Interval of Annual Number of Winter-Run Chinook Salmon Salvaged (From 1,000,000 Released), from the Analysis Based on Zeug and Cavallo (2014).	5-118
Figure 5.4-7. Duration of Delta Cross Channel Openings that Began in November, from CalSim Modeling of 1921-2002.	5-122
Figure 5.4-8. Box Plots of Winter-Run Chinook Salmon Annual Through-Delta Survival Estimated from the Delta Passage Model, Grouped by Water Year Type.	5-146
Figure 5.4-9. Exceedance Plot of Winter-Run Chinook Salmon Annual Through-Delta Survival Estimated from the Delta Passage Model.....	5-147
Figure 5.4-10. Time Series of 95% Confidence Interval Annual Juvenile Winter-Run Chinook Salmon Through-Delta Survival Estimated from the Delta Passage Model.	5-149
Figure 5.4-11. Delta Passage Model: Annual mean Sacramento River Flow into Reach Sac3 (Downstream of Georgiana Slough) and South Delta Exports, Weighted by Proportional Entry into the Delta of Winter-Run Chinook Salmon,	

Classified into Years of Overlapping and Non-overlapping Through-Delta Survival 95% Confidence Intervals.	5-150
Figure 5.4-12. Box Plots of Spring-Run Chinook Salmon Annual Through-Delta Survival Estimated from the Delta Passage Model, Grouped by Water Year Type.	5-154
Figure 5.4-13. Exceedance Plot of Spring-Run Chinook Salmon Annual Through-Delta Survival Estimated from the Delta Passage Model.....	5-155
Figure 5.4-14. Time Series of 95% Confidence Interval Annual Juvenile Spring-Run Chinook Salmon Through-Delta Estimated from the Delta Passage Model.	5-156
Figure 5.4-15. Box Plots of Spring-Run Chinook Salmon Annual Through-Delta Survival Estimated from the Analysis Based on Newman (2003), Grouped by Water Year Type.....	5-158
Figure 5.4-16. Exceedance Plot of Spring-Run Chinook Salmon Annual Through-Delta Survival Estimated from the Analysis Based on Newman (2003).	5-159
Figure 5.4-17. Time Series of Spring-Run Chinook Salmon Annual Through-Delta Survival Estimated from the Analysis Based on Newman (2003).	5-161
Figure 5.4-18. Box Plots of Juvenile Winter-Run Chinook Salmon Annual Total Survival from the Sacramento River at Georgiana Slough to Chipps Island, Estimated from the Analysis Based on Perry (2010), Grouped by Water Year Type.	5-165
Figure 5.4-19. Exceedance Plot of Juvenile Winter-Run Chinook Salmon Annual Total Survival from the Sacramento River at Georgiana Slough to Chipps Island, Estimated from the Analysis Based on Perry (2010).....	5-166
Figure 5.4-20. Box Plots of Juvenile Spring-Run Chinook Salmon Annual Total Survival from the Sacramento River at Georgiana Slough to Chipps Island, Estimated from the Analysis Based on Perry (2010), Grouped by Water Year Type.	5-168
Figure 5.4-21. Exceedance Plot of Juvenile Spring-Run Chinook Salmon Annual Total Survival from the Sacramento River at Georgiana Slough to Chipps Island, Estimated from the Analysis Based on Perry (2010).....	5-169
Figure 5.4-22. Box Plots of Juvenile Chinook Salmon Annual Total Survival from the Sacramento River at Georgiana Slough to Chipps Island, Estimated from the Analysis Based on Perry (2010), Grouped by Water Year Type, Assuming Equal Daily Weighting from December to June.....	5-171
Figure 5.4-23. Exceedance Plot of Juvenile Chinook Salmon Annual Total Survival from the Sacramento River at Georgiana Slough to Chipps Island, Estimated from the Analysis Based on Perry (2010), Assuming Equal Daily Weighting from December to June.....	5-172
Figure 5.4-24. Box Plots of San Joaquin River Spring-Run Chinook Salmon Smolt Annual Through-Delta Survival Estimated from the Juvenile Delta Module Survival Function of SalSim, Grouped by Water Year Type.	5-176
Figure 5.4-25. Exceedance Plot of San Joaquin River Spring-Run Chinook Salmon Smolt Annual Through-Delta Survival Estimated from the Juvenile Delta Module Survival Function of SalSim.	5-177
Figure 5.4-26. White Sturgeon Year-Class Index (YCI) for 1980-2011 as function of Mean April-May Delta Outflow (Upper Panel) and Mean March-July Delta Outflow (Lower Panel).	5-197
Figure 5.4-27. Box Plots of White Sturgeon Year Class Index from the Mean April-May Delta Outflow Regression, Grouped by Water Year Type.	5-198

Figure 5.4-28. Exceedance Plot of White Sturgeon Year Class Index from the Mean April-May Delta Outflow Regression.....	5-199
Figure 5.4-29. Box Plots of White Sturgeon Year Class Index from the Mean March-July Delta Outflow Regression, Grouped by Water Year Type.....	5-200
Figure 5.4-30. Exceedance Plot of White Sturgeon Year Class Index from the Mean March-July Delta Outflow Regression.....	5-201
Figure 5.4-31. Time Series of 95% Prediction Interval Annual White Sturgeon Year Class Index, Estimated from the Mean April-May Delta Outflow Regression.....	5-202
Figure 5.4-32. Time Series of 95% Prediction Interval Annual White Sturgeon Year Class Index, Estimated from the Mean March-July Delta Outflow Regression.....	5-203
Figure 5.4-33. Two-Dimensional Near-Surface Particle Pathlines Estimated from Data Collected with a Side-Looking Acoustic Doppler Current Profiler at the Head of Old River, 5/23/2012, 1615 PST, with River Discharge in the San Joaquin River near Lathrop (Q) of 2,250 cfs.....	5-207
Figure 5.4-34. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, All Water Years.....	5-229
Figure 5.4-35. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Wet Water Years.....	5-229
Figure 5.4-36. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Above Normal Water Years.....	5-230
Figure 5.4-37. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Below Normal Water Years.....	5-230
Figure 5.4-38. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Dry Water Years.....	5-231
Figure 5.4-39. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Critical Water Years.....	5-231
Figure 5.4-40. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, All Water Years.....	5-232
Figure 5.4-41. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Wet Water Years.....	5-232
Figure 5.4-42. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Above Normal Water Years.....	5-233
Figure 5.4-43. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Below Normal Water Years.....	5-233

Figure 5.4-44. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Dry Water Years	5-234
Figure 5.4-45. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Critical Water Years	5-234
Figure 5.4-46. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, All Water Years	5-235
Figure 5.4-47. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Wet Water Years.....	5-235
Figure 5.4-48. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Above Normal Water Years.....	5-236
Figure 5.4-49. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Below Normal Water Years.....	5-236
Figure 5.4-50. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Dry Water Years	5-237
Figure 5.4-51. Exceedance Plot of Winter-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Critical Water Years	5-237
Figure 5.4-52. Exceedance Plot of Winter-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, All Water Years.....	5-244
Figure 5.4-53. Exceedance Plot of Winter-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Wet Water Years	5-244
Figure 5.4-54. Exceedance Plot of Winter-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Above Normal Water Years	5-245
Figure 5.4-55. Exceedance Plot of Winter-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Below Normal Water Years	5-245
Figure 5.4-56. Exceedance Plot of Winter-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Dry Water Years.....	5-246
Figure 5.4-57. Exceedance Plot of Winter-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Critical Water Years.....	5-246
Figure 5.4-58. Exceedance Plot of Annual Flow-Based Mortality (#of Fish/Year) of Winter-Run Chinook Salmon Spawning, Egg Incubation, and Alevins.....	5-251
Figure 5.4-59. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Red Bluff in August of Above Normal Water Years	5-252
Figure 5.4-60. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Red Bluff in September of Above Normal Water Years	5-252
Figure 5.4-61. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Red Bluff in September of Below Normal Water Years.....	5-253

Figure 5.4-62. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Bend Bridge in September of Below Normal Water Years	5-253
Figure 5.4-63. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River above Clear Creek in May of Below Normal Water Years	5-255
Figure 5.4-64. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Balls Ferry in May of Below Normal Water Years	5-256
Figure 5.4-65. Exceedance Plot of Winter-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, All Water Years ..	5-258
Figure 5.4-66. Exceedance Plot of Winter-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Wet Water Years	5-259
Figure 5.4-67. Exceedance Plot of Winter-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Above Normal Water Years	5-259
Figure 5.4-68. Exceedance Plot of Winter-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Below Normal Water Years	5-260
Figure 5.4-69. Exceedance Plot of Winter-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Dry Water Years	5-260
Figure 5.4-70. Exceedance Plot of Winter-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Critical Water Years	5-261
Figure 5.4-71. Exceedance Plot of Annual Water Temperature-Based Mortality (#of Fish/Year) of Winter-Run Chinook Salmon Spawning, Egg Incubation, and Alevins.....	5-262
Figure 5.4-72. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, All Water Years	5-265
Figure 5.4-73. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Wet Water Years.....	5-265
Figure 5.4-74. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Above Normal Water Years.....	5-266
Figure 5.4-75. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Below Normal Water Years.....	5-266
Figure 5.4-76. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Dry Water Years	5-267
Figure 5.4-77. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Critical Water Years	5-267

Figure 5.4-78. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, All Water Years	5-268
Figure 5.4-79. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Wet Water Years.....	5-268
Figure 5.4-80. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Above Normal Water Years.....	5-269
Figure 5.4-81. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Below Normal Water Years.....	5-269
Figure 5.4-82. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Dry Water Years	5-270
Figure 5.4-83. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Critical Water Years	5-270
Figure 5.4-84. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, All Water Years	5-271
Figure 5.4-85. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Wet Water Years.....	5-271
Figure 5.4-86. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Above Normal Water Years.....	5-272
Figure 5.4-87. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Below Normal Water Years.....	5-272
Figure 5.4-88. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Dry Water Years	5-273
Figure 5.4-89. Exceedance Plot of Winter-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Critical Water Years	5-273
Figure 5.4-90. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, All Water Years	5-274
Figure 5.4-91. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Wet Water Years.....	5-274
Figure 5.4-92. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Above Normal Water Years.....	5-275

Figure 5.4-93. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Below Normal Water Years	5-275
Figure 5.4-94. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Dry Water Years	5-276
Figure 5.4-95. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Critical Water Years	5-276
Figure 5.4-96. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, All Water Years	5-277
Figure 5.4-97. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Wet Water Years.....	5-277
Figure 5.4-98. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Above Normal Water Years.....	5-278
Figure 5.4-99. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Below Normal Water Years.....	5-278
Figure 5.4-100. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Dry Water Years	5-279
Figure 5.4-101. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Critical Water Years	5-279
Figure 5.4-102. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, All Water Years	5-280
Figure 5.4-103. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Wet Water Years.....	5-280
Figure 5.4-104. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Above Normal Water Years.....	5-281
Figure 5.4-105. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Below Normal Water Years.....	5-281
Figure 5.4-106. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Dry Water Years	5-282
Figure 5.4-107. Exceedance Plot of Winter-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Critical Water Years	5-282

Figure 5.4-108. Exceedance Plot of Annual Flow-Based Mortality (# of Fish/Year) of Winter-Run Chinook Salmon Fry and Juveniles	5-288
Figure 5.4-109. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Wilkins Slough/Knights Landing in August of Below Normal Water Years	5-290
Figure 5.4-110. Exceedance Plot of Annual Water Temperature-Based Mortality (# of Fish/Year) of Winter-Run Chinook Salmon Fry and Juveniles.....	5-292
Figure 5.4-111. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Red Bluff in August of Below Normal Water Years	5-297
Figure 5.4-112. Exceedance Plot for Annual Potential Production (# of Fish/Year) of Winter-Run Chinook Salmon, SALMOD.....	5-303
Figure 5.4-113. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, All Water Years	5-305
Figure 5.4-114. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Wet Water Years.....	5-306
Figure 5.4-115. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Above Normal Water Years.....	5-306
Figure 5.4-116. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Below Normal Water Years.....	5-307
Figure 5.4-117. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Dry Water Years	5-307
Figure 5.4-118. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Critical Water Years	5-308
Figure 5.4-119. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, All Water Years	5-308
Figure 5.4-120. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Wet Water Years.....	5-309
Figure 5.4-121. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Above Normal Water Years.....	5-309
Figure 5.4-122. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Below Normal Water Years.....	5-310
Figure 5.4-123. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Dry Water Years	5-310

Figure 5.4-124. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Critical Water Years	5-311
Figure 5.4-125. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, All Water Years	5-311
Figure 5.4-126. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Wet Water Years.....	5-312
Figure 5.4-127. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Above Normal Water Years.....	5-312
Figure 5.4-128. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Below Normal Water Years.....	5-313
Figure 5.4-129. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Dry Water Years	5-313
Figure 5.4-130. Exceedance Plot of Spring-Run Chinook Salmon Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Critical Water Years	5-314
Figure 5.4-131. Exceedance Plot of Spring-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, All Water Years.....	5-320
Figure 5.4-132. Exceedance Plot of Spring-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Wet Water Years	5-321
Figure 5.4-133. Exceedance Plot of Spring-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Above Normal Water Years	5-321
Figure 5.4-134. Exceedance Plot of Spring-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Below Normal Water Years	5-322
Figure 5.4-135. Exceedance Plot of Spring-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Dry Water Years.....	5-322
Figure 5.4-136. Exceedance Plot of Spring-Run Chinook Salmon Percent of Redds Dewatered for NAA and PA Model Scenarios, Critical Water Years.....	5-323
Figure 5.4-137. Exceedance Plot of Annual Flow-Based Mortality (#of Fish/Year) of Spring-Run Chinook Salmon Spawning, Egg Incubation, and Alevins	5-327
Figure 5.4-138. Exceedance Plot of Spring-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, All Water Years ..	5-330
Figure 5.4-139. Exceedance Plot of Spring-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Wet Water Years	5-331
Figure 5.4-140. Exceedance Plot of Spring-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Above Normal Water Years	5-331
Figure 5.4-141. Exceedance Plot of Spring-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Below Normal Water Years	5-332

Figure 5.4-142. Exceedance Plot of Spring-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Dry Water Years	5-332
Figure 5.4-143. Exceedance Plot of Spring-Run Chinook Salmon Egg Mortality for NAA and PA Model Scenarios, Reclamation Egg Mortality Model, Critical Water Years	5-333
Figure 5.4-144. Exceedance Plot of Annual Water Temperature-Based Mortality (#of Fish/Year) of Spring-Run Chinook Salmon Spawning, Egg Incubation, and Alevins	5-334
Figure 5.4-145. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, All Water Years	5-336
Figure 5.4-146. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Wet Water Years.....	5-337
Figure 5.4-147. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Above Normal Water Years.....	5-337
Figure 5.4-148. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Below Normal Water Years.....	5-338
Figure 5.4-149. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Dry Water Years	5-338
Figure 5.4-150. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Critical Water Years	5-339
Figure 5.4-151. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, All Water Years	5-339
Figure 5.4-152. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Wet Water Years.....	5-340
Figure 5.4-153. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Above Normal Water Years.....	5-340
Figure 5.4-154. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Below Normal Water Years.....	5-341
Figure 5.4-155. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Dry Water Years	5-341
Figure 5.4-156. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Critical Water Years	5-342

Figure 5.4-157. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, All Water Years	5-342
Figure 5.4-158. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Wet Water Years.....	5-343
Figure 5.4-159. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Above Normal Water Years.....	5-343
Figure 5.4-160. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Below Normal Water Years.....	5-344
Figure 5.4-161. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Dry Water Years	5-344
Figure 5.4-162. Exceedance Plot of Spring-Run Chinook Salmon Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Critical Water Years	5-345
Figure 5.4-163. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, All Water Years	5-345
Figure 5.4-164. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Wet Water Years.....	5-346
Figure 5.4-165. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Above Normal Water Years.....	5-346
Figure 5.4-166. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Below Normal Water Years.....	5-347
Figure 5.4-167. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Dry Water Years	5-347
Figure 5.4-168. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Critical Water Years	5-348
Figure 5.4-169. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, All Water Years	5-348
Figure 5.4-170. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Wet Water Years.....	5-349
Figure 5.4-171. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Above Normal Water Years.....	5-349

Figure 5.4-172. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Below Normal Water Years	5-350
Figure 5.4-173. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Dry Water Years	5-350
Figure 5.4-174. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Critical Water Years	5-351
Figure 5.4-175. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, All Water Years	5-351
Figure 5.4-176. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Wet Water Years.....	5-352
Figure 5.4-177. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Above Normal Water Years.....	5-352
Figure 5.4-178. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Below Normal Water Years.....	5-353
Figure 5.4-179. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Dry Water Years	5-353
Figure 5.4-180. Exceedance Plot of Spring-Run Chinook Salmon Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Critical Water Years	5-354
Figure 5.4-181. Exceedance Plot of Annual Flow-Based Mortality (# of Fish/Year) of Spring-Run Chinook Salmon Fry and Juveniles, SALMOD.....	5-364
Figure 5.4-182. Exceedance Plot of Annual Water Temperature-Based Mortality (# of Fish/Year) of Spring-Run Chinook Salmon Fry and Juveniles, SALMOD	5-368
Figure 5.4-183. Exceedance Plot for Annual Potential Production (# of Fish/Year) of Spring-Run Chinook Salmon, SALMOD	5-376
Figure 5.4-184. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, All Water Years	5-378
Figure 5.4-185. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Wet Water Years	5-378
Figure 5.4-186. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Above Normal Water Years	5-379
Figure 5.4-187. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Below Normal Water Years	5-379

Figure 5.4-188. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Dry Water Years	5-380
Figure 5.4-189. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Critical Water Years	5-380
Figure 5.4-190. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, All Water Years	5-381
Figure 5.4-191. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Wet Water Years	5-381
Figure 5.4-192. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Above Normal Water Years	5-382
Figure 5.4-193. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Below Normal Water Years	5-382
Figure 5.4-194. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Dry Water Years	5-383
Figure 5.4-195. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Critical Water Years	5-383
Figure 5.4-196. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, All Water Years	5-384
Figure 5.4-197. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Wet Water Years	5-384
Figure 5.4-198. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Above Normal Water Years	5-385
Figure 5.4-199. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Below Normal Water Years	5-385
Figure 5.4-200. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Dry Water Years	5-386
Figure 5.4-201. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Critical Water Years	5-386
Figure 5.4-202. Exceedance Plot of Central Valley Steelhead Percent of Redds Dewatered for NAA and PA Model Scenarios, All Water Years.....	5-395
Figure 5.4-203. Exceedance Plot of Central Valley Steelhead Percent of Redds Dewatered for NAA and PA Model Scenarios, Wet Water Years	5-395

Figure 5.4-204. Exceedance Plot of Central Valley Steelhead Percent of Redds Dewatered for NAA and PA Model Scenarios, Above Normal Water Years	5-396
Figure 5.4-205. Exceedance Plot of Central Valley Steelhead Percent of Redds Dewatered for NAA and PA Model Scenarios, Below Normal Water Years	5-396
Figure 5.4-206. Exceedance Plot of Central Valley Steelhead Percent of Redds Dewatered for NAA and PA Model Scenarios, Dry Water Years.....	5-397
Figure 5.4-207. Exceedance Plot of Central Valley Steelhead Percent of Redds Dewatered for NAA and PA Model Scenarios, Critical Water Years.....	5-397
Figure 5.4-208. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Bend Bridge in February of Critical Water Years.....	5-399
Figure 5.4-209. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Red Bluff in February of Critical Water Years.....	5-400
Figure 5.4-210. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, All Water Years	5-406
Figure 5.4-211. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Wet Water Years	5-406
Figure 5.4-212. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Above Normal Water Years	5-407
Figure 5.4-213. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Below Normal Water Years	5-407
Figure 5.4-214. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Dry Water Years	5-408
Figure 5.4-215. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Critical Water Years	5-408
Figure 5.4-216. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, All Water Years	5-409
Figure 5.4-217. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Wet Water Years	5-409
Figure 5.4-218. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Above Normal Water Years	5-410
Figure 5.4-219. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Below Normal Water Years	5-410
Figure 5.4-220. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Dry Water Years	5-411

Figure 5.4-221. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Critical Water Years	5-411
Figure 5.4-222. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, All Water Years	5-412
Figure 5.4-223. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Wet Water Years	5-412
Figure 5.4-224. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Above Normal Water Years	5-413
Figure 5.4-225. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Below Normal Water Years	5-413
Figure 5.4-226. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Dry Water Years	5-414
Figure 5.4-227. Exceedance Plot of CCV Steelhead Fry Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Critical Water Years	5-414
Figure 5.4-228. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, All Water Years	5-415
Figure 5.4-229. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Wet Water Years	5-415
Figure 5.4-230. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Above Normal Water Years	5-416
Figure 5.4-231. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Below Normal Water Years	5-416
Figure 5.4-232. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Dry Water Years	5-417
Figure 5.4-233. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 6, Critical Water Years	5-417
Figure 5.4-234. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, All Water Years	5-418
Figure 5.4-235. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Wet Water Years	5-418

Figure 5.4-236. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Above Normal Water Years	5-419
Figure 5.4-237. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Below Normal Water Years	5-419
Figure 5.4-238. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Dry Water Years	5-420
Figure 5.4-239. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 5, Critical Water Years	5-420
Figure 5.4-240. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, All Water Years	5-421
Figure 5.4-241. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Wet Water Years	5-421
Figure 5.4-242. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Above Normal Water Years	5-422
Figure 5.4-243. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Below Normal Water Years	5-422
Figure 5.4-244. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Dry Water Years	5-423
Figure 5.4-245. Exceedance Plot of CCV Steelhead Juvenile Rearing Weighted Usable Area (WUA) for NAA and PA Model Scenarios in River Segment 4, Critical Water Years	5-423
Figure 5.4-246. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Keswick Dam in May of Below Normal Water Years.....	5-437
Figure 5.4-247. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Bend Bridge in May of Below Normal Water Years	5-438
Figure 5.4-248. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Hamilton City in July of Critical Water Years.....	5-445
Figure 5.4-249. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Hamilton City in August of Below Normal Water Years	5-448
Figure 5.4-250. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Hamilton City in September of Above Normal Water Years	5-449
Figure 5.4-251. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the Sacramento River at Hamilton City in September of Below Normal Water Years	5-449
Figure 5.4-252. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios, All Water Years	5-468

Figure 5.4-253. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios, Wet Water Years.....	5-468
Figure 5.4-254. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios, Above Normal Water Years ...	5-469
Figure 5.4-255. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios, Below Normal Water Years....	5-469
Figure 5.4-256. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios, Dry Water Years	5-470
Figure 5.4-257. Exceedance Plot of Central Valley Steelhead Spawning Weighted Usable Area (WUA) for NAA and PA Model Scenarios, Critical Water Years	5-470
Figure 5.4-258. Exceedance Plot of Maximum Flow Reductions (%) for 3-Month Period after Central Valley Steelhead Spawning for NAA and PA Model Scenarios, All Water Years	5-473
Figure 5.4-259. Exceedance Plot of Maximum Flow Reductions (%) for 3-Month Period after Central Valley Steelhead Spawning for NAA and PA Model Scenarios, Wet Water Years.....	5-474
Figure 5.4-260. Exceedance Plot of Maximum Flow Reductions (%) for 3-Month Period after Central Valley Steelhead Spawning for NAA and PA Model Scenarios, Above Normal Water Years.....	5-474
Figure 5.4-261. Exceedance Plot of Maximum Flow Reductions (%) for 3-Month Period after Central Valley Steelhead Spawning for NAA and PA Model Scenarios, Below Normal Water Years.....	5-475
Figure 5.4-262. Exceedance Plot of Maximum Flow Reductions for 3-Month Period after Central Valley Steelhead Spawning for NAA and PA Model Scenarios, Dry Water Years	5-475
Figure 5.4-263. Exceedance Plot of Maximum Flow Reductions for 3-Month Period after Central Valley Steelhead Spawning for NAA and PA Model Scenarios, Critical Water Years	5-476
Figure 5.4-264. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the American River at Watt Avenue in March of Critical Water Years.....	5-478
Figure 5.4-265. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the American River at Watt Avenue in August of Critical Water Years.....	5-482
Figure 5.4-266. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the American River at Hazel Avenue in June of Above Normal Water Years	5-485
Figure 5.4-267. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the American River at Watt Avenue in June of Critical Water Years.....	5-486
Figure 5.4-268. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the American River at Hazel Avenue in October of Above Normal Water Years.....	5-489
Figure 5.4-269. Exceedance Plot of Mean Monthly Water Temperatures (°F) in the American River at Watt Avenue in October of Above Normal Water Years	5-489
Figure 6.1-1. Survey Station Locations Used to Assess the Potential Presence of Delta Smelt Near the Proposed CVP/SWP North Delta Intakes	6-66
Figure 6.1-2. Estimated Number of Screen Contacts of Adult Delta Smelt Encountering Fish Screens the Length of Intakes 2 and 5 (1,350 feet) and Intake 3 (1,110 feet) at an Approach Velocity of 0.2 feet per second during the Day	6-73

Figure 6.1-3. Estimated 48-hour Mortality of Juvenile and Adult Delta Smelt Encountering Fish Screens The Length of Intakes 2 and 5 (1,350 feet) and Intake 3 (1,110 feet) at an Approach Velocity of 0.2 feet per second during the Day and Night	6-74
Figure 6.1-4. Empirical Trends in Predictions of Adult Delta Smelt Salvage (y-axis) During December–March, 1993–2013, as a Function of Old and Middle River Flow (O.M. flow, cfs), X2 (km from Golden Gate Bridge), and Turbidity at Clifton Court Forebay (CCFNTU, NTU)	6-89
Figure 6.1-5. Frequency of December Old and Middle River Flows in Water-Year 1922–2003 Period Simulated with CalSim.....	6-91
Figure 6.1-6. Frequency of December Old and Middle River Flows in Water-Year 1922–2003 Period Simulated with CalSim.....	6-91
Figure 6.1-7. Frequency of February Old and Middle River Flows in Water-Year 1922–2003 Period Simulated with CalSim.....	6-92
Figure 6.1-8. Frequency of March Old and Middle River Flows in Water-Year 1922–2003 Period Simulated with CalSim.....	6-92
Figure 6.1-9. Box Plots of Adult Delta Smelt Percentage Entrainment, Grouped by Water Year Type.....	6-94
Figure 6.1-10. Exceedance Plot of Adult Delta Smelt Percentage Entrainment	6-95
Figure 6.1-11. Box Plots of Larval/Juvenile Delta Smelt Percentage Entrainment, Grouped by Water Year Type, Based on Mean March-June Old and Middle River Flows and X2	6-98
Figure 6.1-12. Exceedance Plot of Larval/Juvenile Delta Smelt Percentage Entrainment, Based on Mean March-June Old and Middle River Flows and X2.....	6-99
Figure 6.1-13. Box Plots of Larval/Juvenile Delta Smelt Percentage Entrainment, Grouped by Water Year Type, Based on Mean April-May Old and Middle River Flows and X2	6-100
Figure 6.1-14. Exceedance Plot of Larval/Juvenile Delta Smelt Percentage Entrainment, Based on Mean April-May Old and Middle River Flows and X2.....	6-101
Figure 6.1-15. Time Series of 95% Prediction Interval Larval/Juvenile Delta Smelt Percentage Entrainment, Based on Mean March-June Old and Middle River Flows and X2.	6-102
Figure 6.1-16. Time Series of 95% Prediction Interval Larval/Juvenile Delta Smelt Percentage Entrainment, Based on Mean April-May Old and Middle River Flows and X2.	6-103
Figure 6.1-17. Box Plot of Percentage of Particles Representing Delta Smelt Larvae Entrained over 30 Days into Clifton Court Forebay (State Water Project), Jones Pumping Plant (Central Valley Project), the North Delta Diversion, and the North Bay Aqueduct Barker Slough Pumping Plant, Grouped by Water Year Type, from DSM2 Particle Tracking Modeling of March 1922–2003	6-109
Figure 6.1-18. Exceedance Plot of Percentage of Particles Representing Delta Smelt Larvae Entrained over 30 Days into Clifton Court Forebay (State Water Project), Jones Pumping Plant (Central Valley Project), the North Delta Diversion, and the North Bay Aqueduct Barker Slough Pumping Plant, Grouped by Water Year Type, from DSM2 Particle Tracking Modeling of March 1922–2003	6-110

Figure 6.1-19. Box Plot of Percentage of Particles Representing Delta Smelt Larvae Entrained over 30 Days into Clifton Court Forebay (State Water Project), Jones Pumping Plant (Central Valley Project), the North Delta Diversion, and the North Bay Aqueduct Barker Slough Pumping Plant, Grouped by Water Year Type, from DSM2 Particle Tracking Modeling of April 1922–2003	6-111
Figure 6.1-20. Exceedance Plot of Percentage of Particles Representing Delta Smelt Larvae Entrained over 30 Days into Clifton Court Forebay (State Water Project), Jones Pumping Plant (Central Valley Project), the North Delta Diversion, and the North Bay Aqueduct Barker Slough Pumping Plant, Grouped by Water Year Type, from DSM2 Particle Tracking Modeling of April 1922–2003	6-112
Figure 6.1-21. Box Plot of Percentage of Particles Representing Delta Smelt Larvae Entrained over 30 Days into Clifton Court Forebay (State Water Project), Jones Pumping Plant (Central Valley Project), the North Delta Diversion, and the North Bay Aqueduct Barker Slough Pumping Plant, Grouped by Water Year Type, from DSM2 Particle Tracking Modeling of May 1922–2003	6-113
Figure 6.1-22. Exceedance Plot of Percentage of Particles Representing Delta Smelt Larvae Entrained over 30 Days into Clifton Court Forebay (State Water Project), Jones Pumping Plant (Central Valley Project), the North Delta Diversion, and the North Bay Aqueduct Barker Slough Pumping Plant, Grouped by Water Year Type, from DSM2 Particle Tracking Modeling of May 1922–2003	6-114
Figure 6.1-23. Box Plot of Percentage of Particles Representing Delta Smelt Larvae Entrained over 30 Days into Clifton Court Forebay (State Water Project), Jones Pumping Plant (Central Valley Project), the North Delta Diversion, and the North Bay Aqueduct Barker Slough Pumping Plant, Grouped by Water Year Type, from DSM2 Particle Tracking Modeling of June 1922–2003	6-115
Figure 6.1-24. Exceedance Plot of Percentage of Particles Representing Delta Smelt Larvae Entrained over 30 Days into Clifton Court Forebay (State Water Project), Jones Pumping Plant (Central Valley Project), the North Delta Diversion, and the North Bay Aqueduct Barker Slough Pumping Plant, Grouped by Water Year Type, from DSM2 Particle Tracking Modeling of June 1922-2003	6-116
Figure 6.1-25. Box Plot of Mean Fall Abiotic Habitat Index, Grouped by Water Year Type, Based on the Method of Feyrer et al. (2011)	6-125
Figure 6.1-26. Exceedance Plot of Mean Fall Abiotic Habitat Index, Based on the Method of Feyrer et al. (2011).	6-126
Figure 6.1-27. Box Plot of Predicted Monthly Mean Delta Smelt Tissue Selenium Concentration at Prisoners Point, Based on 1922-2003.....	6-159
Figure 6.1-28. Comparison of Predicted Monthly Mean Delta Smelt Tissue Selenium Concentration at Prisoners Point for NAA and PA Scenarios, In Relation to the 7.2- μ g/g Effects Threshold (Red Line).....	6-160

- Figure 6.2-1. Impacts to Riparian Brush Rabbit Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option
- Figure 6.2-2. Impacts to Riparian Brush Rabbit Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Operable Barrier
- Figure 6.3-1. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option
- Figure 6.3-2. Impacts to San Joaquin Kit Fox Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, New Forebay
- Figure 6.3-3. Impacts to San Joaquin Kit Fox Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.3-4. Impacts to San Joaquin Kit Fox Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.3-5. Impacts to San Joaquin Kit Fox Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.3-6. Impacts to San Joaquin Kit Fox Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.4-1. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option
- Figure 6.4-2. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 2
- Figure 6.4-3. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 3
- Figure 6.4-4. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 5
- Figure 6.4-5. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - Intermediate Forebay
- Figure 6.4-6. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material & Transmission Line
- Figure 6.4-7. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line

- Figure 6.4-8. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area
- Figure 6.4-9. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Shaft & Tunnel Work Area
- Figure 6.4-10. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line
- Figure 6.4-11. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line
- Figure 6.4-12. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.4-13. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, New Forebay
- Figure 6.4-14. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.4-15. Impacts to California Least Tern Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Operable Barrier
- Figure 6.5-1. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option
- Figure 6.5-2. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 2
- Figure 6.5-3. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 3
- Figure 6.5-4. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 5
- Figure 6.5-5. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - Intermediate Forebay
- Figure 6.5-6. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6.5-7. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material at Intermediate Forebay

- Figure 6.5-8. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material at Intermediate Forebay
- Figure 6.5-9. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line
- Figure 6.5-10. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material
- Figure 6.5-11. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line
- Figure 6.5-12. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.5-13. Impacts to Least Bell's Vireo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, New Forebay
- Figure 6.6-1. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option
- Figure 6.6-2. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 2
- Figure 6.6-3. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 3
- Figure 6.6-4. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 5
- Figure 6.6-5. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - Intermediate Forebay
- Figure 6.6-6. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6.6-7. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material at Intermediate Forebay
- Figure 6.6-8. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material at Intermediate Forebay
- Figure 6.6-9. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line

- Figure 6.6-10. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line
- Figure 6.6-11. Impacts to Western Yellow-Billed Cuckoo Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.7-1. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option
- Figure 6.7-2. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 2
- Figure 6.7-3. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 3
- Figure 6.7-4. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 5
- Figure 6.7-5. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - Electrical Substation
- Figure 6.7-6. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6.7-7. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6.7-8. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6.7-9. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6.7-10. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6.7-11. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6.7-12. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6.7-13. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg

- Figure 6.7-14. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - Intermediate Forebay
- Figure 6.7-15. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material at Intermediate Forebay
- Figure 6.7-16. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material at Intermediate Forebay
- Figure 6.7-17. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Safe Haven Work Area
- Figure 6.7-18. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Safe Haven Work Area
- Figure 6.7-19. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Shaft & Safe Haven Work Area
- Figure 6.7-20. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Shaft & Reusable Tunnel Material
- Figure 6.7-21. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material
- Figure 6.7-22. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material
- Figure 6.7-23. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Safe Haven Work Area & Barge Unloading Area
- Figure 6.7-24. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area
- Figure 6.7-25. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line
- Figure 6.7-26. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Shaft & Tunnel Work Area
- Figure 6.7-27. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line
- Figure 6.7-28. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line

- Figure 6.7-29. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.7-30. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, New Forebay
- Figure 6.7-31. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, New Forebay
- Figure 6.7-32. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.7-33. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line & Reusable Tunnel Material
- Figure 6.7-34. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line
- Figure 6.7-35. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line
- Figure 6.7-36. Impacts to Giant Garter Snake Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Operable Barrier
- Figure 6.8-1. Impacts to California Red-Legged Frog Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option
- Figure 6.8-2. Impacts to California Red-Legged Frog Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, New Forebay
- Figure 6.8-3. Impacts to California Red-Legged Frog Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.8-4. Impacts to California Red-Legged Frog Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line
- Figure 6.8-5. Impacts to California Red-Legged Frog Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line
- Figure 6.8-6. Impacts to California Red-Legged Frog Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line
- Figure 6.9-1. Impacts to California Tiger Salamander Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option

- Figure 6.9-2. Impacts to California Tiger Salamander Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6-10-1. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option
- Figure 6-10-2. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 2
- Figure 6-10-3. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction, Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 3
- Figure 6-10-4. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Intake 5
- Figure 6-10-5. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - Intermediate Forebay
- Figure 6-10-6. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6-10-7. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6-10-8. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - East leg
- Figure 6-10-9. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material at Intermediate Forebay
- Figure 6-10-10. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Transmission Line - Intermediate Forebay
- Figure 6-10-11. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material at Intermediate Forebay
- Figure 6-10-12. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area
- Figure 6-10-13. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Road Interchange & Shaft
- Figure 6-10-14. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material & Transmission Line

- Figure 6-10-15. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material
- Figure 6-10-16. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Reusable Tunnel Material
- Figure 6-10-17. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line
- Figure 6-10-18. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area
- Figure 6-10-19. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Shaft & Tunnel Work Area
- Figure 6-10-20. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line
- Figure 6-10-21. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Tunnel Work Area & Transmission Line
- Figure 6-10-22. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6-10-23. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, New Forebay
- Figure 6-10-24. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6-10-25. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6-10-26. Impacts to Valley Elderberry Longhorn Beetle Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Operable Barrier
- Figure 6.11-1. Impacts to Vernal Pool Crustacean Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option
- Figure 6.11-2. Impacts to Vernal Pool Crustacean Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay
- Figure 6.11-3. Impacts to Vernal Pool Crustacean Modeled Habitat from Water Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court Forebay Option, Clifton Court Forebay

Figure 6.11-4. Impacts to Vernal Pool Crustacean Modeled Habitat from Water
Conveyance Facility Construction Modified Pipeline Tunnel/Clifton Court
Forebay Option, Clifton Court Forebay

ABBREVIATIONS AND ACRONYMS

°C	Celsius
°F	Fahrenheit
7DADM	seven day average daily maximum
af	acre feet
AFRP	Anadromous Fish Restoration Program
AMMs	avoidance and minimization measures
ARG	American River Group
A-weighted decibel	dBA
B2IT	b2 interagency team
BA	Biological Assessment
BAFF	bioacoustic fish fence
Banks PP	Banks Pumping Plant
Bay-Delta Plan	WQCP for the San Francisco Bay/Sacramento-San Joaquin Delta Estuary
BDCP	Bay Delta Conservation Plan
Biological Review	Biological Review for Endangered Species Act Compliance of the WY 2015 Updated Drought Contingency Plan for July–November Project Description
BiOp	biological opinion
BMPs	best management practices
CALFED	CALFED Bay-Delta Program
CAMT	Collaborative Adaptive Management Team
CCF	Clifton Court Forebay
CCFPP	Clifton Court Forebay Pump Plant
CCPP	CCF pumping plant
CCV	California Central Valley
CCWD	Contra Costa Water District
CDFG	California Department of Fish and Game
CDFW	California Department of Fish and Wildlife
CESA	California Endangered Species Act
cfs	cubic feet per second
CIDH	cast-in-drilled-hole
CNDDB	California Natural Diversity Database
COA	Coordinated Operation Agreement
CPT	cone penetration testing
CSAMP	Cooperative Science and Adaptive Management Program
CV	Central Valley
CVP	Central Valley Project
CVPA	Central Valley Project Act
CVPIA	Central Valley Project Improvement Act
cy	cubic yards
D-1641	State Water Resources Control Board Decision-1641
dB	decibels
DCC	Delta Cross Channel

DCT	Delta Condition Team
DDT	dichlorodiphenyltrichloroethane
DEIS	draft environmental impact statement
Delta	Sacramento–San Joaquin Delta
DHCCP	Delta Habitat Conservation and Conveyance Program
DOP	CPV and SWP Drought Operations Plan and Operational Forecast for April 1, 2014 through November 15, 2014
DOSS	Delta Operations for Salmon and Sturgeon
DOT	Washington Department of Transportation
DPM	Delta Passage Model
DPS	distinct population segment
DWR	California Department of Water Resources
E/I	export/inflow
EIS	environmental impact statement
ENSO	El Niño Southern Oscillation
EOS	end-of-September
EPA	U.S. Environmental Protection Agency
ESA	Endangered Species Act
ESA of 1972, as the amended	Section 7 of the Endangered Species Act
ESRP	Endangered Species Recovery Program
ESU	evolutionarily significant unit
FCRPS	Federal Columbia River Power System
FERC	Federal Energy Regulatory Commission
FERC DEIR PA	Facilities Relicensing Draft Environmental Impact Report Proposed Project Alternative
FFGS	Floating Fish Guidance Structure
FFTT	Fish Facilities Technical Team’s
FL	fork length
FR	Federal Register
FRFH	Feather River Fish Hatchery
ft/s	foot per second
GCID	Glenn Colusa Irrigation District’s
general excavation	General Excavation for the NCCF and SCCF
GIS	Geographical Information System
H to V	horizontal to vertical
HCP	habitat conservation plan
HCP/NCCP	East Contra Costa County Habitat Conservation Plan/Natural Communities Conservation Plan
HFC	High Flow Channel
HMMP	Hazardous Material Management Plan
HOR	Head of Old River
HORB	Head of Old River Barrier
I-	Interstates
I 205	Interstate 205
I 580	Interstate 580

IEP	Interagency Ecological Program
IES	Illuminating Engineering Society
IF	Intermediate Forebay
Interior	U.S. Department of the Interior's
IOS	Interactive Object-Oriented Salmon Simulation
IRP footnote	Independent Review Panel
ITP	Incidental Take Permit
Jones PP	C.W. 'Bill' Jones Pumping Plant
LFC	Low Flow Channel
LOO footnote	Long-term Operations Opinions
LSNFH	Livingston Stone National Fish Hatchery
LSZ	low-salinity zone
M&I	municipal and industrial
mg/L	milligrams per liter
MIDS	Morrow Island Distribution System
MOA	Memorandum of Agreement
mph	miles per hour
NAA	No Action Alternative
NBA	North Bay Aqueduct
NCCF	North Clifton Court Forebay
NDOI	Net Delta Outflow Index
NEPA	National Environmental Policy Act
new CCF embankment	New Clifton Court Forebay Embankment
new CCF spillway and stilling basin	New Spillway and Stilling Basin
new forebay structures	New Forebay Structures
NMFS	National Marine Fisheries Service
NPB	Nonphysical Fish Barrier
NWR	National Wildlife Refuge
NWS	National Weather Service
OBAN	Oncorhynchus Bayesian Analysis
OMR	Old and Middle River
ORV	off-road vehicles
PA	proposed action
PBDEs	polybrominated diphenyl ethers
PBFs	physical and biological features
PCBs	polychlorinated biphenyls
PCEs	primary constituent elements
PDO	Pacific Decadal Oscillation
PG&E	Pacific Gas and Electric Company
PGS	Pittsburg Generating Station
Plan	Water Quality Control Plan
POD	Pelagic Organism Decline
Project Description	Updated Project Description for July-November 2015 Drought Response Actions to Support Endangered Species Act Consultations

Reclamation	United States Department of Interior, Bureau of Reclamation
RM	river mile
RMS	root mean square
RPA	reasonable and prudent alternative
RRDS	Roaring River Distribution System
RTDOT	Real Time Drought Operations Management Team
RTM	reusable tunnel material
RTO	Real-Time Operational
SA	Settlement Agreement
SCCF	South CCF
SCT	Section 7 Consultation Team
Secretary	Secretary of the Interior
SEL	sound exposure level
SFCWA	State and Federal Contractors Water Agency
Skinner	John E. Skinner Delta Fish Protective Facility
SMSCG	Suisun Marsh Salinity Control Gates
SMUD	Sacramento Municipal Utility District
south CCF	South Clifton Court Forebay
SPCCP	Spill Prevention, Containment, and Countermeasure Plan
SPL	sound pressure level
SPT	standard penetration test
SR	State Route
SRTTG	Sacramento River Temperature Task Group
SRWTP	Sacramento Regional Wastewater Treatment Plan
State Water Board	State Water Resources Control Board
SWG	Smelt Working Group
SWP	State Water Project
SWPPP	Stormwater Pollution Prevention Plan
SWRCB	State Water Resources Control Board
TBM	tunnel boring machine
TBP	Temporary Barriers Project
TCAs	Temperature Control Actions
Temperature Management Plan	Revised Sacramento River Water Temperature Management Plan June 2015
TFCF	Tracy Fish Collection Facility
Tracy PP	Tracy Pumping Plant
TUCP	Temporary Urgency Change Petition
U.S.C.	United States Code
USACE	U.S. Army Corps of Engineers
USFWS	U.S. Fish and Wildlife Service
USGS	U.S. Geological Survey
Western	Western Area Power Administration
WOMT	Water Operations Management Team
WQCP	Water Quality Control Plan
WSE	water surface elevation
WUA	weighted usable area

X2

an indicator of habitat suitability for many San Francisco Estuary organisms and is associated with variance in abundance of diverse components of the ecosystem

YCI

Year-Class Index