

# Water Quality Report

Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 05/15/1952 00:00			Sample Code: WDIS_0857042	
Depth: Feet Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description: Historic WDIS Database - Agency: Non-DWR - Lab: DWR / Est. R.L.				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	249	1	mg/L as CaCO3	UnkH Alkalinity [UnkH]
Dissolved Boron	0.5	0.1	mg/L	UnkH Boron [UnkH]
Dissolved Calcium	83	1	mg/L	UnkH Calcium [UnkH]
Dissolved Chloride	415	0.1	mg/L	UnkH Chloride [UnkH]
Conductance	2080	1	µS/cm	UnkH Conductance [UnkH]
Dissolved Fluoride	0.7	0.1	mg/L	UnkH Fluoride [UnkH]
Total Hardness	466	1	mg/L as CaCO3	UnkH Hardness [UnkH]
Dissolved Magnesium	63	0.1	mg/L	UnkH Magnesium [UnkH]
Dissolved Nitrate	5.6	0.1	mg/L	UnkH Nitrate [UnkH]
Dissolved Potassium	2.7	0.1	mg/L	UnkH Potassium [UnkH]
Dissolved Silica (SiO2)	< R.L.	0.5	mg/L	UnkH Silica [UnkH]
Dissolved Sodium	265	1	mg/L	UnkH Sodium [UnkH]
Dissolved Sulfate	204	1	mg/L	UnkH Sulfate [UnkH]
pH	8	0.1	pH Units	UnkH pH [UnkH]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 05/27/1998 10:20			Sample Code: NA0598A0299	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description: N14854				
Analyte	Result	Rpt Limit	Units	Method [*]
Dissolved Ammonia	0.02	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Boron	0.4	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Calcium	75	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	194	10	mg/L	EPA 325.2 [1]
Dissolved Magnesium	52	1	mg/L	EPA 200.7 (D) [1]
Dissolved Nitrate + Nitrite	0.18	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	Std Method 4500-P, F [1]
Total Phosphorus	< R.L.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.7	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	175	1	mg/L	EPA 200.7 (D) [1]
Dissolved Sulfate	252	10	mg/L	EPA 375.2 [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 03/05/2001 15:45			Sample Code: NA0301B2675	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		

Description: N2675				
Analyte	Result	Rpt Limit	Units	Method [*]
1,1,1,2-Tetrachloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1,1-Trichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1,2,2-Tetrachloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1,2-Trichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1-Dichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1-Dichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1-Dichloropropene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,3-Trichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,3-Trichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,4-Trichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,4-Trimethylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dibromo-3-chloropropane (DBCP)	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dibromoethane (EDB)	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,3,5-Trimethylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,3-Dichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,3-Dichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,4-Dichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
2,2-Dichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
2,4,5-T	< R.L.	0.1	µg/L	EPA 615 [1]
2,4,5-TP (Silvex)	< R.L.	0.1	µg/L	EPA 615 [1]
2,4-D	< R.L.	0.1	µg/L	EPA 615 [1]
2,4-DB	< R.L.	0.1	µg/L	EPA 615 [1]
2-Chlorotoluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
3-Hydroxycarbofuran	< R.L.	3	µg/L	EPA 531.1 [1]
4-Chlorotoluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
4-Isopropyltoluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Alachlor	< R.L.	0.05	µg/L	EPA 608 [1]
Aldicarb	< R.L.	3	µg/L	EPA 531.1 [1]
Aldicarb sulfone	< R.L.	4	µg/L	EPA 531.1 [1]
Aldicarb sulfoxide	< R.L.	3	µg/L	EPA 531.1 [1]
Aldrin	< R.L.	0.01	µg/L	EPA 608 [1]
Dissolved Ammonia	0.03	0.01	mg/L as N	EPA 350.1 [1]
Atrazine	< R.L.	0.02	µg/L	EPA 608 [1]
Azinphos methyl (Guthion)	< R.L.	0.05	µg/L	EPA 614 [1]
BHC-alpha	< R.L.	0.01	µg/L	EPA 608 [1]
BHC-beta	< R.L.	0.01	µg/L	EPA 608 [1]
BHC-delta	< R.L.	0.01	µg/L	EPA 608 [1]

BHC-gamma (Lindane)	< R.L.	0.01	µg/L	EPA 608 [1]
Benfluralin	< R.L.	0.01	µg/L	EPA 614 [1]
Benzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Boron	< R.L.	0.1	mg/L	EPA 200.7 (D) [1]
Bromacil	< R.L.	1	µg/L	EPA 614 [1]
Bromobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromochloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromodichloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromoform	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromomethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Calcium	19	1	mg/L	EPA 200.7 (D) [1]
Captan	< R.L.	0.02	µg/L	EPA 608 [1]
Carbaryl	< R.L.	5	µg/L	EPA 531.1 [1]
Carbofuran	< R.L.	5	µg/L	EPA 531.1 [1]
Carbon tetrachloride	< R.L.	0.5	µg/L	EPA 502.2 [1]
Carbophenothion (Trithion)	< R.L.	0.02	µg/L	EPA 614 [1]
Chlordane	< R.L.	0.05	µg/L	EPA 608 [1]
Dissolved Chloride	9	1	mg/L	EPA 300.0 28d Hold [1]
Chlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chloroform	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chlorothalonil	< R.L.	0.01	µg/L	EPA 608 [1]
Chlorpropham	< R.L.	0.02	µg/L	EPA 608 [1]
Chlorpyrifos	< R.L.	0.01	µg/L	EPA 608 [1]
Chlorpyrifos	< R.L.	0.01	µg/L	EPA 614 [1]
Cyanazine	< R.L.	0.3	µg/L	EPA 614 [1]
Cyanazine	< R.L.	0.3	µg/L	EPA 608 [1]
Dacthal (DCPA)	< R.L.	0.1	µg/L	EPA 615 [1]
Dacthal (DCPA)	< R.L.	0.01	µg/L	EPA 608 [1]
Demeton (Demeton O + Demeton S)	< R.L.	0.02	µg/L	EPA 614 [1]
Diazinon	< R.L.	0.01	µg/L	EPA 614 [1]
Dibromochloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dibromomethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dicamba	< R.L.	0.1	µg/L	EPA 615 [1]
Dichloran	< R.L.	0.01	µg/L	EPA 608 [1]
Dichlorodifluoromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dichlorprop	< R.L.	0.1	µg/L	EPA 615 [1]
Dicofol	< R.L.	0.05	µg/L	EPA 608 [1]
Dieldrin	< R.L.	0.01	µg/L	EPA 608 [1]
Dimethoate	< R.L.	0.01	µg/L	EPA 614 [1]
Dinoseb (DNPB)	< R.L.	0.1	µg/L	EPA 615 [1]

Disulfoton	< R.L.	0.01	µg/L	EPA 614 [1]
Diuron	< R.L.	0.25	µg/L	EPA 608 [1]
Endosulfan sulfate	< R.L.	0.02	µg/L	EPA 608 [1]
Endosulfan-I	< R.L.	0.01	µg/L	EPA 608 [1]
Endosulfan-II	< R.L.	0.01	µg/L	EPA 608 [1]
Endrin	< R.L.	0.01	µg/L	EPA 608 [1]
Endrin aldehyde	< R.L.	0.01	µg/L	EPA 608 [1]
Ethion	< R.L.	0.01	µg/L	EPA 614 [1]
Ethyl benzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Glyphosate	< R.L.	25	µg/L	EPA 547 [1]
Dissolved Hardness	80	1	mg/L as CaCO <sub>3</sub>	Std Method 2340 B (D) [1]
Heptachlor	< R.L.	0.01	µg/L	EPA 608 [1]
Heptachlor epoxide	< R.L.	0.01	µg/L	EPA 608 [1]
Hexachlorobutadiene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Isopropylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
MCPA	< R.L.	0.1	µg/L	EPA 615 [1]
MCPP	< R.L.	0.1	µg/L	EPA 615 [1]
Dissolved Magnesium	8	1	mg/L	EPA 200.7 (D) [1]
Malathion	< R.L.	0.01	µg/L	EPA 614 [1]
Methidathion	< R.L.	0.02	µg/L	EPA 614 [1]
Methomyl	< R.L.	2	µg/L	EPA 531.1 [1]
Methoxychlor	< R.L.	0.05	µg/L	EPA 608 [1]
Methyl tert-butyl ether (MTBE)	< R.L.	1	µg/L	EPA 502.2 [1]
Methylene chloride	< R.L.	0.5	µg/L	EPA 502.2 [1]
Metolachlor	< R.L.	0.2	µg/L	EPA 608 [1]
Mevinphos	< R.L.	0.01	µg/L	EPA 614 [1]
Naled	< R.L.	0.02	µg/L	EPA 614 [1]
Naphthalene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Napropamide	< R.L.	5	µg/L	EPA 614 [1]
Dissolved Nitrate	0.3	0.1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Nitrate + Nitrite	0.1	0.1	mg/L as N	Std Method 4500-NO <sub>3</sub> -F (28Day) [1]
Norflurazon	< R.L.	5	µg/L	EPA 614 [1]
Dissolved Ortho-phosphate	0.18	0.01	mg/L as P	Std Method 4500-P, F [1]
Oxamyl	< R.L.	20	µg/L	EPA 531.1 [1]
Oxyfluorfen	< R.L.	0.2	µg/L	EPA 608 [1]
PCB-1016	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1221	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1232	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1242	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1248	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1254	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1260	< R.L.	0.1	µg/L	EPA 608 [1]

Parathion, Ethyl	< R.L.	0.01	µg/L	EPA 614 [1]
Parathion, Methyl	< R.L.	0.01	µg/L	EPA 614 [1]
Pendimethalin	< R.L.	5	µg/L	EPA 614 [1]
Pentachloronitrobenzene (PCNB)	< R.L.	0.01	µg/L	EPA 608 [1]
Pentachlorophenol (PCP)	< R.L.	0.1	µg/L	EPA 615 [1]
Phorate	< R.L.	0.01	µg/L	EPA 614 [1]
Phosalone	< R.L.	0.02	µg/L	EPA 614 [1]
Phosmet	< R.L.	0.02	µg/L	EPA 614 [1]
Total Phosphorus	0.47	0.01	mg/L as P	EPA 365.4 [1]
Picloram	< R.L.	0.1	µg/L	EPA 615 [1]
Dissolved Potassium	3.3	0.5	mg/L	EPA 200.7 (D) [1]
Profenofos	< R.L.	0.01	µg/L	EPA 614 [1]
Prometryn	< R.L.	0.05	µg/L	EPA 614 [1]
Propetamphos	< R.L.	0.1	µg/L	EPA 614 [1]
Simazine	< R.L.	0.02	µg/L	EPA 608 [1]
Dissolved Sodium	18	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	87	2.5	mg/L	EPA 160.2 [1]
Total Dissolved Solids	127	1	mg/L	Std Method 2540 C [1]
Styrene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Sulfate	15	1	mg/L	EPA 300.0 28d Hold [1]
Tetrachloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Thiobencarb	< R.L.	0.02	µg/L	EPA 608 [1]
Toluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Toxaphene	< R.L.	0.4	µg/L	EPA 608 [1]
Trichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Trichlorofluoromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Triclopyr	< R.L.	0.1	µg/L	EPA 615 [1]
Trifluralin	< R.L.	0.01	µg/L	EPA 614 [1]
Vinyl chloride	< R.L.	0.5	µg/L	EPA 502.2 [1]
cis-1,2-Dichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
cis-1,3-Dichloropropene	< R.L.	0.5	µg/L	EPA 502.2 [1]
m + p Xylene	< R.L.	0.5	µg/L	EPA 502.2 [1]
n-Butylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
n-Propylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
o-Xylene	< R.L.	0.5	µg/L	EPA 502.2 [1]
p,p'-DDD	< R.L.	0.01	µg/L	EPA 608 [1]
p,p'-DDE	< R.L.	0.01	µg/L	EPA 608 [1]
p,p'-DDT	< R.L.	0.05	µg/L	EPA 608 [1]
s,s,s-Tributyl Phosphorotrithioate (DEF)	< R.L.	0.01	µg/L	EPA 614 [1]
sec-Butylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
tert-Butylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
trans-1,2-Dichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]

trans-1,3-Dichloropropene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 04/09/2001 09:00			Sample Code: NA0401B0657	
Depth: 0.15 Meters Matrix: Water, Purified		Purpose: Normal Sample Sample Parent: 0		
Description: N				
Analyte	Result	Rpt Limit	Units	Method [*]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Calcium	128	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	708	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Hardness	587	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Hardness	587	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	65	1	mg/L	EPA 200.7 (D) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	Std Method 4500-P, F [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.6	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	365	10	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	1590	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	8	1	mg/L	EPA 160.2 [1]
Total Suspended Solids	7	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	164	1	mg/L	EPA 300.0 28d Hold [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 02/20/2002 11:30			Sample Code: NA0202B0627	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Dissolved Boron	0.4	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	87	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	87	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	215	50	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	399	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	399	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Magnesium	44	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	44	1	mg/L	EPA 200.7 (D) [1]
Dissolved Nitrate + Nitrite	0.18	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	173	1	mg/L	EPA 200.7 (D) [1]

Total Dissolved Solids	971	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	2	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	972	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	202	5	mg/L	EPA 300.0 28d Hold [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 03/07/2002 09:30 Sample Code: NA0302B0740

Depth: 0.15 Meters Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Dissolved Boron	0.5	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	98	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	92	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	341	5	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	471	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	448	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Magnesium	55	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	53	1	mg/L	EPA 200.7 (D) [1]
Dissolved Nitrate + Nitrite	0.05	0.05	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	219	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	1150	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	1	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	214	5	mg/L	EPA 300.0 28d Hold [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 03/18/2002 11:20 Sample Code: NA0302B0790

Depth: 0.15 Meters Matrix: Water, Purified Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
Dissolved Boron	0.5	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	94	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	92	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	371	5	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	465	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	456	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Magnesium	56	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	55	1	mg/L	EPA 200.7 (D) [1]
Dissolved Nitrate + Nitrite	0.02	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]

Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.9	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	251	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	1180	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	2	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	205	5	mg/L	EPA 300.0 28d Hold [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 04/10/2002 16:45 Sample Code: NA0402B1017

Depth: 0.15 Meters Matrix: Water, Purified Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	93	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	86	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	502	10	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	467	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	441	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Magnesium	57	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	55	1	mg/L	EPA 200.7 (D) [1]
Dissolved Nitrate + Nitrite	0.09	0.05	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.3	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	296	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	1330	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	29	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	200	10	mg/L	EPA 300.0 28d Hold [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 05/13/2002 08:45 Sample Code: NA0502B1473

Depth: 0.15 Meters Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Dissolved Boron	0.7	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	108	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	109	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	698	10	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	537	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	540	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Magnesium	65	1	mg/L	EPA 200.7 (T) [1]



Dissolved Magnesium	65	1	mg/L	EPA 200.7 (D) [1]
Dissolved Nitrate + Nitrite	0.5	0.05	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.06	0.02	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.6	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	389	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	192	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	1	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	215	10	mg/L	EPA 300.0 28d Hold [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 12/18/2002 15:15 Sample Code: NA1202B3184

Depth: 0.15 Meters Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	100	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	42	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	40	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	133	5	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	179	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	170	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	17	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	18	1	mg/L	EPA 200.7 (T) [1]
Dissolved Nitrate + Nitrite	0.91	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	0.05	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.14	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.9	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	76	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	425	1	mg/L	Std Method 2540 C [1]
Total Dissolved Solids	424	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	17	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	50	1	mg/L	EPA 300.0 28d Hold [1]
pH	6.6	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 01/09/2003 12:15 Sample Code: NA0103B3703

Depth: 0.15 Meters Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	196	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Boron	0.3	0.1	mg/L	EPA 200.7 (D) [1]

Total Calcium	64	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	63	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	186	5	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	275	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	273	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	28	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	28	1	mg/L	EPA 200.7 (T) [1]
Dissolved Nitrate + Nitrite	0.5	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.03	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	114	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	< R.L.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	666	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	91	1	mg/L	EPA 300.0 28d Hold [1]
pH	7.4	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
--	--------------------------

Collection Date: 01/23/2003 10:50	Sample Code: NA0103B3912
-----------------------------------	--------------------------

Depth: 0.15 Meters Matrix: Water, Natural	Purpose: Normal Sample Sample Parent: 0
---	---

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	116	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Boron	0.1	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	28	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	26	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	15	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Hardness	114	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	123	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Magnesium	12	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	13	1	mg/L	EPA 200.7 (T) [1]
Dissolved Nitrate + Nitrite	0.11	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	0.09	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.22	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.7	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	25	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	217	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	54	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	38	1	mg/L	EPA 300.0 28d Hold [1]
pH	7.2	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 02/06/2003 10:00			Sample Code: NA0203B4238	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	271	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Boron	0.3	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	79	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	79	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	166	5	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	354	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	354	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	38	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	38	1	mg/L	EPA 200.7 (T) [1]
Dissolved Nitrate + Nitrite	0.09	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.9	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	127	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	6	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	758	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	148	5	mg/L	EPA 300.0 28d Hold [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 03/11/2003 14:25			Sample Code: NA0303B4541	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	283	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Boron	0.5	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	85	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	84	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	281	5	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	406	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	403	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	47	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	47	1	mg/L	EPA 200.7 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]

Dissolved Ortho-phosphate	2.8	0.5	mg/L	EPA 200.7 (DWR Modified) [1]
Dissolved Potassium	2.8	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	195	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	1021	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	9	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	189	5	mg/L	EPA 300.0 28d Hold [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
Collection Date: 03/17/2003 11:45	Sample Code: NA0303B4819
Depth: 0.15 Meters Matrix: Water, Natural	Purpose: Normal Sample Sample Parent: 0

Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	181	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	47	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	46	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	66	1	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	208	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	201	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	21	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	22	1	mg/L	EPA 200.7 (T) [1]
Dissolved Nitrate + Nitrite	0.07	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	0.03	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.16	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.4	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	66	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	10	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	422	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	87	1	mg/L	EPA 300.0 28d Hold [1]
pH	7.6	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
Collection Date: 04/08/2003 13:10	Sample Code: NA0403B5165
Depth: 0.15 Meters Matrix: Water, Natural	Purpose: Normal Sample Sample Parent: 0

Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	304	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Boron	0.5	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	93	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	91	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	331	10	mg/L	EPA 300.0 28d Hold [1]

Total Hardness	446	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	433	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	50	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	52	1	mg/L	EPA 200.7 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.4	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	223	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	5	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	1136	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	188	10	mg/L	EPA 300.0 28d Hold [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
Collection Date: 04/28/2003 11:00	Sample Code: NA0403B5395
Depth: 0.15 Meters Matrix: Water, Natural	Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	257	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Total Calcium	90	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	95	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	441	10	mg/L	EPA 300.0 28d Hold [1]
Total Hardness	451	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	468	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	56	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	55	1	mg/L	EPA 200.7 (T) [1]
Dissolved Nitrate + Nitrite	0.02	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.03	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Sodium	284	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	72	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	1308	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	187	10	mg/L	EPA 300.0 28d Hold [1]
pH	7.3	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
Collection Date: 05/14/2003 12:40	Sample Code: NA0503B5508
Depth: 0.15 Meters Matrix: Water, Natural	Purpose: Normal Sample Sample Parent: 0

Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	265	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	3.68	1.59	µg/L	EPA 1638 (D) [1]
Total Aluminum	51.9	0.207	µg/L	EPA 1638 (T) [1]
Total Arsenic	2.34	0.012	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.94	0.021	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	0.03	0.003	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	0.079	0.006	µg/L	EPA 1638 (D) [1]
Total Calcium	83	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	81	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	379	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	8.1	0.067	µg/L	EPA 1638 (D) [1]
Total Chromium	6.51	0.059	µg/L	EPA 1638 (T) [1]
Total Copper	4.69	0.041	µg/L	EPA 1638 (T) [1]
Dissolved Copper	4.46	0.014	µg/L	EPA 1638 (D) [1]
Total Hardness	413	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	404	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	59.5	1.35	µg/L	EPA 1638 (T) [1]
Dissolved Iron	< R.L.	3.31	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.058	0.025	µg/L	EPA 1638 (D) [1]
Total Lead	0.042	0.003	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	49	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	50	1	mg/L	EPA 200.7 (T) [1]
Total Manganese	9.03	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	0.17	0.026	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	2.57	0.031	µg/L	EPA 1638 (D) [1]
Total Nickel	3.14	0.013	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	7.37	0.151	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	7.33	0.089	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.197	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.131	0.025	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	261	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	5	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	1302	1	mg/L	Std Method 2540 C [1]

Dissolved Sulfate	191	10	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	1.25	0.039	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	0.86	0.103	µg/L	EPA 1638 (D) [1]
pH	7.4	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 01/06/2004 11:30			Sample Code: NA0104B0033	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	182	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	559	0.079	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	143	0.342	µg/L	EPA 1638 (D) [1]
Dissolved Arsenic	1.4	0.017	µg/L	EPA 1638 (D) [1]
Total Arsenic	1.45	0.027	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	< R.L.	0.008	µg/L	EPA 1638 (D) [1]
Total Cadmium	< R.L.	0.016	µg/L	EPA 1638 (T) [1]
Total Calcium	61	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	60	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	108	5	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	3.64	0.046	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	3.4	0.028	µg/L	EPA 1638 (D) [1]
Dissolved Copper	2.25	0.028	µg/L	EPA 1638 (D) [1]
Total Copper	3.28	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Hardness	257	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	264	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	92.3	3.25	µg/L	EPA 1638 (D) [1]
Total Iron	691	2.93	µg/L	EPA 1638 (T) [1]
Total Lead	0.256	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.036	0.003	µg/L	EPA 1638 (D) [1]
Dissolved Magnesium	26	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	27	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	9.48	0.055	µg/L	EPA 1638 (D) [1]
Total Manganese	42.9	0.008	µg/L	EPA 1638 (T) [1]
Total Nickel	3.56	0.004	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	2.32	0.028	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.95	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	0.04	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.09	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.1	0.5	mg/L	EPA 200.7 (D) [1]

Dissolved Selenium	3.02	0.072	µg/L	EPA 1638 (D) [1]
Total Selenium	3.07	0.248	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.007	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.014	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	83	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	520	1	mg/L	Std Method 2540 C [1]
Total Dissolved Solids	520	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	6	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	98	5	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	2.74	0.02	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	0.46	0.191	µg/L	EPA 1638 (D) [1]
pH	8.1	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 02/04/2004 13:00			Sample Code: NA0204B0234	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	144	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	1399	0.158	µg/L	EPA 1638 (D) [1]
Total Aluminum	2065	0.049	µg/L	EPA 1638 (T) [1]
Total Arsenic	1.46	0.015	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.34	0.006	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	0.016	0.011	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.011	µg/L	EPA 1638 (D) [1]
Total Calcium	40	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	38	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	42	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	2.76	0.053	µg/L	EPA 1638 (D) [1]
Total Chromium	3.06	0.138	µg/L	EPA 1638 (T) [1]
Total Copper	4.75	0.174	µg/L	EPA 1638 (T) [1]
Dissolved Copper	4.71	0.035	µg/L	EPA 1638 (D) [1]
Total Hardness	174	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	161	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	1600	0.783	µg/L	EPA 1638 (T) [1]
Dissolved Iron	1289	0.663	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.266	0.004	µg/L	EPA 1638 (D) [1]
Total Lead	0.507	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	16	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	18	1	mg/L	EPA 200.7 (T) [1]
Total Manganese	32.3	0.006	µg/L	EPA 1638 (T) [1]



Total Manganese	13.1	0.002	µg/L	EPA 1638 (D) [1]
Dissolved Manganese	13.1	0.002	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	3.27	0.001	µg/L	EPA 1638 (D) [1]
Total Nickel	3.79	0.008	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.17	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	0.07	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.15	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.2	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	1.25	0.282	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	0.66	0.076	µg/L	EPA 1638 (D) [1]
Total Silver	0.207	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.015	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	46	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	7	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	311	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	61	1	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	5.21	0.026	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	4.24	0.024	µg/L	EPA 1638 (D) [1]
pH	8	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 02/17/2004 13:30

Sample Code: NA0204B0526

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	64	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	1280	0.049	µg/L	EPA 1638 (D) [1]
Total Aluminum	6149	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	0.01	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.91	0.018	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.26	0.012	µg/L	EPA 1638 (D) [1]
Dissolved Boron	< R.L.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	0.025	0.006	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.015	µg/L	EPA 1638 (D) [1]
Total Calcium	20	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	12	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	3	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	5.74	0.259	µg/L	EPA 1638 (D) [1]
Total Chromium	11	0.181	µg/L	EPA 1638 (T) [1]
Dissolved Copper	5.45	0.034	µg/L	EPA 1638 (D) [1]
Total Copper	14.9	0.081	µg/L	EPA 1638 (T) [1]
Total Hardness	91	1	mg/L as CaCO3	Std Method 2340 B (T) [1]

Dissolved Hardness	51	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	966	1.91	µg/L	EPA 1638 (D) [1]
Total Iron	7420	2.91	µg/L	EPA 1638 (T) [1]
Total Lead	2.91	0.004	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.782	0.02	µg/L	EPA 1638 (D) [1]
Total Magnesium	10	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	5	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	203	0.008	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	36.1	0.029	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	3.58	0.066	µg/L	EPA 1638 (D) [1]
Total Nickel	15.8	0.072	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.05	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	0.1	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.45	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.7	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	0.38	0.257	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	0.26	0.121	µg/L	EPA 1638 (D) [1]
Total Silver	0.056	0.01	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.016	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	9	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	303	2.5	mg/L	EPA 160.2 [1]
Total Dissolved Solids	113	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	14	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	4.53	0.182	µg/L	EPA 1638 (D) [1]
Total Zinc	24.9	0.011	µg/L	EPA 1638 (T) [1]
pH	7.2	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 03/08/2004 12:45

Sample Code: NA0304B0738

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	271	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	55.5	0.108	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	42.5	0.451	µg/L	EPA 1638 (D) [1]
Dissolved Arsenic	0.719	0.008	µg/L	EPA 1638 (D) [1]
Total Arsenic	0.97	0.013	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.3	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	0.006	0.004	µg/L	EPA 1638 (D) [1]
Total Cadmium	0.013	0.005	µg/L	EPA 1638 (T) [1]
Total Calcium	78	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	73	1	mg/L	EPA 200.7 (D) [1]

Dissolved Chloride	55	1	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	1.86	0.042	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	1.62	0.081	µg/L	EPA 1638 (D) [1]
Dissolved Copper	1.56	0.046	µg/L	EPA 1638 (D) [1]
Total Copper	1.95	0.011	µg/L	EPA 1638 (T) [1]
Dissolved Hardness	326	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	347	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	15.5	1.91	µg/L	EPA 1638 (D) [1]
Total Iron	59	0.474	µg/L	EPA 1638 (T) [1]
Total Lead	0.094	0.018	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.009	0.001	µg/L	EPA 1638 (D) [1]
Dissolved Magnesium	35	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	37	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	1.66	0.002	µg/L	EPA 1638 (D) [1]
Total Manganese	3.57	0.006	µg/L	EPA 1638 (T) [1]
Total Nickel	2.32	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	2.11	0.041	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.24	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	0.02	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.05	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.2	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	1.34	0.132	µg/L	EPA 1638 (D) [1]
Total Selenium	2.38	0.204	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.054	0.001	µg/L	EPA 1638 (D) [1]
Total Silver	0.09	0.065	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	73	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	551	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	< R.L.	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	136	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.82	0.009	µg/L	EPA 1638 (D) [1]
Total Zinc	1.05	0.018	µg/L	EPA 1638 (T) [1]
pH	8.3	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 04/07/2004 10:15

Sample Code: NA0404B1096

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	261	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	4.17	0.11	µg/L	EPA 1638 (D) [1]
Total Aluminum	49.5	0.078	µg/L	EPA 1638 (T) [1]
Total Arsenic	1.27	0.01	µg/L	EPA 1638 (T) [1]

Dissolved Arsenic	1.01	0.004	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.4	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.006	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.005	µg/L	EPA 1638 (D) [1]
Total Calcium	75	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	75	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	197	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	3.6	0.091	µg/L	EPA 1638 (D) [1]
Total Chromium	3.62	0.078	µg/L	EPA 1638 (T) [1]
Total Copper	3.01	0.163	µg/L	EPA 1638 (T) [1]
Dissolved Copper	2.36	0.039	µg/L	EPA 1638 (D) [1]
Total Hardness	377	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	377	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	67.1	1.93	µg/L	EPA 1638 (T) [1]
Dissolved Iron	< R.L.	2.76	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.05	0.022	µg/L	EPA 1638 (D) [1]
Total Lead	0.065	0.011	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	46	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	46	1	mg/L	EPA 200.7 (T) [1]
Total Manganese	4.6	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	1.15	0.002	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	2.4	0.005	µg/L	EPA 1638 (D) [1]
Total Nickel	2.58	0.003	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.16	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.7	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	4.48	0.093	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	4.26	0.112	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.031	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.03	0.007	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	160	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	847	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	2	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	843	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	202	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	1.3	0.017	µg/L	EPA 1638 (D) [1]
Total Zinc	1.65	0.017	µg/L	EPA 1638 (T) [1]
pH	8.3	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 05/05/2004 11:50			Sample Code: Nb0504B1442	

Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	259	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	1.75	0.008	µg/L	EPA 1638 (D) [1]
Total Aluminum	3.71	0.238	µg/L	EPA 1638 (T) [1]
Total Arsenic	2.25	0.007	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	2.21	0.005	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	0.021	0.003	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	0.011	0.004	µg/L	EPA 1638 (D) [1]
Total Calcium	82	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	84	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	426	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	6.03	0.011	µg/L	EPA 1638 (D) [1]
Total Chromium	6.49	0.077	µg/L	EPA 1638 (T) [1]
Total Copper	3.24	0.011	µg/L	EPA 1638 (T) [1]
Dissolved Copper	3.18	0.039	µg/L	EPA 1638 (D) [1]
Total Hardness	427	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	440	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	10.5	1.29	µg/L	EPA 1638 (T) [1]
Dissolved Iron	< R.L.	3.73	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.035	0.007	µg/L	EPA 1638 (D) [1]
Total Lead	0.038	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	56	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	54	1	mg/L	EPA 200.7 (T) [1]
Total Manganese	2.41	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	0.85	0.008	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	2.82	0.002	µg/L	EPA 1638 (D) [1]
Total Nickel	2.85	0.011	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.4	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	8.22	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	8.2	0.166	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.044	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.09	0.001	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	287	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	2	1	mg/L	EPA 160.2 [1]

Total Dissolved Solids	1252	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	201	10	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	1.4	0.056	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	1.38	0.017	µg/L	EPA 1638 (D) [1]
pH	8.1	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 07/29/2004 00:00			Sample Code: NA0704B1917	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
*No Lab Analyses (Field Measures Only)	N.S.			None [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 10/05/2004 14:30			Sample Code: NA1004B2762	
Depth: 0.15 Meters Matrix: Water, Purified		Purpose: Normal Sample Sample Parent: 0		
Description: Not Sampled Because there was No Flow				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.25	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.25	µg/L	EPA 1638 (T) [1]
Total Arsenic	N.S.	0.16	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.16	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Total Copper	N.S.	0.066	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.066	µg/L	EPA 1638 (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	N.S.	1	µg/L	EPA 1638 (T) [1]
Dissolved Iron	N.S.	1	µg/L	EPA 1638 (D) [1]
Dissolved Lead	N.S.	0.195	µg/L	EPA 1638 (D) [1]
Total Lead	N.S.	0.195	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Total Manganese	N.S.	0.126	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.126	µg/L	EPA 1638 (D) [1]

Dissolved Manganese	N.S.	0.120	µg/L	EPA 1631 (D) [1]
Dissolved Nickel	N.S.	0.057	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.057	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.186	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.186	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.045	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.045	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	N.S.	0.112	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	N.S.	0.112	µg/L	EPA 1638 (D) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 11/08/2004 09:50

Sample Code: NA1104B3204

Depth: 0.15 Meters Matrix: Water, Purified

Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	249	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	19.8	0.34	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	5.18	0.853	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	9.86	0.036	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	8.84	0.012	µg/L	EPA 1638 (D) [1]
Dissolved Boron	1	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	0.187	0.008	µg/L	EPA 1638 (D) [1]
Total Cadmium	0.195	0.007	µg/L	EPA 1638 (T) [1]
Dissolved Calcium	252	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	252	1	mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	1730	50	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	7	0.063	µg/L	EPA 1638 (D) [1]
Total Chromium	7.37	0.108	µg/L	EPA 1638 (T) [1]
Total Copper	7.65	0.072	µg/L	EPA 1638 (T) [1]
Dissolved Copper	3	0.118	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	1206	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	1206	1	mg/L as CaCO3	Std Method 2340 B (T) [1]

Total Hardness	1206	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Iron	67.3	1.35	µg/L	EPA 1638 (T) [1]
Dissolved Iron	23.4	1.71	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.059	0.001	µg/L	EPA 1638 (D) [1]
Total Lead	0.142	0.003	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	140	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	140	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	27.2	0.005	µg/L	EPA 1638 (D) [1]
Total Manganese	43.1	0.011	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	4.98	0.007	µg/L	EPA 1638 (D) [1]
Total Nickel	9.72	0.013	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Organic Nitrogen	0.4	0.1	mg/L as N	EPA 351.2/EPA 350.1 (Dissolved) [1]
Dissolved Ortho-phosphate	0.01	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	4.2	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	30.4	0.063	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	30	0.149	µg/L	EPA 1638 (D) [1]
Total Silver	0.107	0.063	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.082	0.006	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	759	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	< R.L.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	3520	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	280	50	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	1.78	0.002	µg/L	EPA 1638 (D) [1]
Total Zinc	1.81	0.018	µg/L	EPA 1638 (T) [1]
pH	7.9	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 12/07/2004 12:45

Sample Code: NA1204B3401

Depth: 0.15 Meters Matrix: Water, Purified

Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	251	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	134	0.095	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	21.9	0.2	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	5.05	0.035	µg/L	EPA 1638 (D) [1]
Total Arsenic	5.2	0.004	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	0.176	0.012	µg/L	EPA 1638 (D) [1]



Total Cadmium	0.36	0.034	µg/L	EPA 1638 (T) [1]
Dissolved Calcium	116	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	120	1	mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	729	10	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	8.43	0.322	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	5.97	0.358	µg/L	EPA 1638 (D) [1]
Dissolved Copper	3.75	0.048	µg/L	EPA 1638 (D) [1]
Total Copper	4.04	0.032	µg/L	EPA 1638 (T) [1]
Dissolved Hardness	570	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	584	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	11.8	4.5	µg/L	EPA 1638 (D) [1]
Total Iron	175	3.34	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.244	0.01	µg/L	EPA 1638 (D) [1]
Total Lead	0.293	0.01	µg/L	EPA 1638 (T) [1]
Total Magnesium	69	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	68	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	30.6	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	1.07	0.014	µg/L	EPA 1638 (D) [1]
Total Nickel	3.49	0.024	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	3.29	0.022	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.08	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Organic Nitrogen	0.4	0.1	mg/L as N	EPA 351.2/EPA 350.1 (Dissolved) [1]
Dissolved Ortho-phosphate	0.01	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.05	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.4	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	10.5	0.163	µg/L	EPA 1638 (D) [1]
Total Selenium	10.6	0.24	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.05	0.011	µg/L	EPA 1638 (D) [1]
Total Silver	0.086	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	389	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	1733	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	4.4	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	194	10	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	1.44	0.049	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	0.99	0.029	µg/L	EPA 1638 (D) [1]
pH	7.6	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 01/10/2005 13:30

Sample Code: NA0105B2277

Depth: 0.15 Meters Matrix: Water, Purified

Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
			mg/l as	

Total Alkalinity	154	1	mg/L as CaCO <sub>3</sub>	Std Method 2320 B [1]
Total Aluminum	1369	0.112	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	458	0.122	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	0.01	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	1.06	0.02	µg/L	EPA 1638 (D) [1]
Total Arsenic	1.23	0.022	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	0.035	0.011	µg/L	EPA 1638 (D) [1]
Total Cadmium	0.037	0.007	µg/L	EPA 1638 (T) [1]
Total Calcium	43	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	40	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	50	1	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	3.67	0.088	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	2.74	0.04	µg/L	EPA 1638 (D) [1]
Total Copper	3.74	0.054	µg/L	EPA 1638 (T) [1]
Dissolved Copper	2.72	0.017	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	170	1	mg/L as CaCO <sub>3</sub>	Std Method 2340 B (D) [1]
Total Hardness	186	1	mg/L as CaCO <sub>3</sub>	Std Method 2340 B (T) [1]
Total Iron	1285	2.18	µg/L	EPA 1638 (T) [1]
Dissolved Iron	331	2.24	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.111	0.002	µg/L	EPA 1638 (D) [1]
Total Lead	0.428	0.003	µg/L	EPA 1638 (T) [1]
Total Magnesium	19	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	17	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	2.61	0.02	µg/L	EPA 1638 (D) [1]
Total Manganese	32.1	0.006	µg/L	EPA 1638 (T) [1]
Total Nickel	3.48	0.024	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	2.24	0.01	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.31	0.01	mg/L as N	Std Method 4500-NO <sub>3</sub> -F (28Day) [1]
Dissolved Ortho-phosphate	0.05	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.12	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	1.69	0.103	µg/L	EPA 1638 (D) [1]
Total Selenium	1.84	0.136	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.009	0.003	µg/L	EPA 1638 (D) [1]
Total Silver	0.015	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	45	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	32	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	336	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	31	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	70	1	mg/L	EPA 300.0 28d Hold [1]

Total Zinc	4.64	0.018	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	1.46	0.022	µg/L	EPA 1638 (D) [1]
pH	6.8	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 02/02/2005 10:45			Sample Code: NA0205B2377	
Depth: 0.15 Meters Matrix: Water, Purified		Purpose: Normal Sample Sample Parent: 0		
Description: N				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	260	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	121	0.088	µg/L	EPA 1638 (D) [1]
Total Aluminum	182	0.028	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.19	0.015	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.19	0.022	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.3	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	0.524	0.066	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	0.104	0.011	µg/L	EPA 1638 (D) [1]
Total Calcium	74	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	73	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	114	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	2.72	0.013	µg/L	EPA 1638 (D) [1]
Total Chromium	2.87	0.158	µg/L	EPA 1638 (T) [1]
Dissolved Copper	1.84	0.029	µg/L	EPA 1638 (D) [1]
Total Copper	2.03	0.042	µg/L	EPA 1638 (T) [1]
Total Hardness	325	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	322	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	73.8	1.86	µg/L	EPA 1638 (D) [1]
Total Iron	178	0.957	µg/L	EPA 1638 (T) [1]
Total Lead	0.117	0.003	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.095	0.006	µg/L	EPA 1638 (D) [1]
Total Magnesium	34	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	34	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	19.8	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	7.35	0.011	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	2.15	0.009	µg/L	EPA 1638 (D) [1]
Total Nickel	2.63	0.007	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.34	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	0.02	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.2	0.5	mg/L	EPA 200.7 (D) [1]

Total Selenium	2.87	0.172	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	2.32	0.222	µg/L	EPA 1638 (D) [1]
Total Silver	0.007	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.004	0.001	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	103	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	618	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	3	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	619	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	135	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.99	0.079	µg/L	EPA 1638 (D) [1]
Total Zinc	1.45	0.177	µg/L	EPA 1638 (T) [1]
pH	7.8	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 03/10/2005 13:00			Sample Code: NA0305B2608	
Depth: 0.15 Meters Matrix: Water, Purified		Purpose: Normal Sample Sample Parent: 0		
Description: N				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	266	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	4.5	0.075	µg/L	EPA 1638 (D) [1]
Total Aluminum	23.6	0.081	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.26	0.035	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.19	0.02	µg/L	EPA 1638 (D) [1]
Dissolved Boron	< R.L.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	0.13	0.011	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	0.082	0.033	µg/L	EPA 1638 (D) [1]
Total Calcium	75	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	76	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	112	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	3.28	0.029	µg/L	EPA 1638 (D) [1]
Total Chromium	3.72	0.108	µg/L	EPA 1638 (T) [1]
Dissolved Copper	1.86	0.017	µg/L	EPA 1638 (D) [1]
Total Copper	2.21	0.022	µg/L	EPA 1638 (T) [1]
Total Hardness	348	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	350	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	< R.L.	3.34	µg/L	EPA 1638 (D) [1]
Total Iron	32.1	1.9	µg/L	EPA 1638 (T) [1]
Total Lead	0.057	0.022	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.05	0.002	µg/L	EPA 1638 (D) [1]
Total Magnesium	39	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	39	1	mg/L	EPA 200.7 (D) [1]

Dissolved Magnesium	6.21	0.009	µg/L	EPA 1638 (T) [1]
Total Manganese	6.21	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	1.17	0.009	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	1.53	0.009	µg/L	EPA 1638 (D) [1]
Total Nickel	2.29	0.014	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.08	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	3	0.19	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	3	0.245	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.036	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.001	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	115	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	2	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	672	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	157	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.73	0.007	µg/L	EPA 1638 (D) [1]
Total Zinc	3.86	0.068	µg/L	EPA 1638 (T) [1]
pH	8.5	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
Collection Date: 04/19/2005 07:20	Sample Code: NA0405B2686
Depth: 0.15 Meters Matrix: Water, Purified	Purpose: Normal Sample Sample Parent: 0

Description: N				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	268	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	4.24	0.095	µg/L	EPA 1638 (D) [1]
Total Aluminum	4.98	0.108	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.36	0.036	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.25	0.022	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.5	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	0.031	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	0.028	0.022	µg/L	EPA 1638 (D) [1]
Total Calcium	78	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	76	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	217	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	4.9	0.108	µg/L	EPA 1638 (D) [1]
Total Chromium	4.92	0.045	µg/L	EPA 1638 (T) [1]
Dissolved Copper	1.79	0.031	µg/L	EPA 1638 (D) [1]
Total Copper	2.56	0.015	µg/L	EPA 1638 (T) [1]
Total Hardness	384	1	mg/L as CaCO3	Std Method 2340 B (T) [1]

			CaCO3	
Dissolved Hardness	375	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	< R.L.	5.67	µg/L	EPA 1638 (D) [1]
Total Iron	< R.L.	3.58	µg/L	EPA 1638 (T) [1]
Total Lead	0.147	0.007	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.054	0.003	µg/L	EPA 1638 (D) [1]
Total Magnesium	46	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	45	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	3.02	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	2.44	0.027	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	2.12	0.018	µg/L	EPA 1638 (D) [1]
Total Nickel	2.15	0.013	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.11	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.7	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	5.06	0.258	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	4.22	0.095	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.003	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	168	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	877	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	2	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	879	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	195	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.81	0.022	µg/L	EPA 1638 (D) [1]
Total Zinc	0.88	0.258	µg/L	EPA 1638 (T) [1]
pH	8	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 05/19/2005 09:50

Sample Code: NA0505B2576

Depth: 0.15 Meters Matrix: Water, Purified

Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	272	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	2.52	0.078	µg/L	EPA 1638 (D) [1]
Total Aluminum	6.37	0.17	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.8	0.01	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.65	0.011	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.4	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.015	µg/L	EPA 1638 (T) [1]

Dissolved Cadmium	< R.L.	0.058	µg/L	EPA 1638 (D) [1]
Total Calcium	80	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	78	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	224	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	3.47	0.081	µg/L	EPA 1638 (D) [1]
Total Chromium	4.86	0.14	µg/L	EPA 1638 (T) [1]
Dissolved Copper	1.93	0.069	µg/L	EPA 1638 (D) [1]
Total Copper	2.69	0.034	µg/L	EPA 1638 (T) [1]
Total Hardness	389	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	376	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	< R.L.	4.53	µg/L	EPA 1638 (D) [1]
Total Iron	11.1	3.39	µg/L	EPA 1638 (T) [1]
Total Lead	0.038	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.006	0.006	µg/L	EPA 1638 (D) [1]
Total Magnesium	46	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	44	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	2.12	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	0.73	0.043	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	1.43	0.034	µg/L	EPA 1638 (D) [1]
Total Nickel	2.09	0.017	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.04	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.7	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	4.46	0.317	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	4.07	0.399	µg/L	EPA 1638 (D) [1]
Total Silver	0.021	0.018	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.009	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	173	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	< R.L.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	869	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	179	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.7	0.037	µg/L	EPA 1638 (D) [1]
Total Zinc	0.74	0.01	µg/L	EPA 1638 (T) [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 06/28/2005 13:30

Sample Code: NA0605B2865

Depth: 0.15 Meters Matrix: Water, Purified

Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	264	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	4.44	1.16	µg/l	EPA 1638 (T) [1]

Parameter	Value	Unit	Method
Dissolved Aluminum	4	0.392 µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.01 mg/L as N	EPA 350.1 [1]
Total Arsenic	2.57	0.042 µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	2.01	0.027 µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.7	0.1 mg/L	EPA 200.7 (D) [1]
Total Cadmium	0.04	0.012 µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	0.036	0.009 µg/L	EPA 1638 (D) [1]
Dissolved Calcium	97	1 mg/L	EPA 200.7 (D) [1]
Total Calcium	98	1 mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	610	50 mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	0.93	0.204 µg/L	EPA 1638 (D) [1]
Total Chromium	4.4	0.24 µg/L	EPA 1638 (T) [1]
Specific Conductance	2670	1 uS/cm@25degC	Std Method 2510-B [1]
Total Copper	3.3	0.04 µg/L	EPA 1638 (T) [1]
Dissolved Copper	2.21	0.072 µg/L	EPA 1638 (D) [1]
Total Hardness	508	1 mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	502	1 mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	10.5	3.68 µg/L	EPA 1638 (D) [1]
Total Iron	12.2	3.3 µg/L	EPA 1638 (T) [1]
Total Lead	0.099	0.027 µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.094	0.009 µg/L	EPA 1638 (D) [1]
Dissolved Magnesium	63	1 mg/L	EPA 200.7 (D) [1]
Total Magnesium	64	1 mg/L	EPA 200.7 (T) [1]
Total Manganese	6.88	0.013 µg/L	EPA 1638 (T) [1]
Dissolved Manganese	2.4	0.02 µg/L	EPA 1638 (D) [1]
Dissolved Nickel	1.96	0.027 µg/L	EPA 1638 (D) [1]
Total Nickel	2.45	0.009 µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01 mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	< R.L.	0.01 mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01 mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.1	0.5 mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	5.68	0.14 µg/L	EPA 1638 (D) [1]
Total Selenium	5.9	0.354 µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.05	0.002 µg/L	EPA 1638 (D) [1]
Total Silver	0.173	0.027 µg/L	EPA 1638 (T) [1]
Dissolved Sodium	371	1 mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	3	1 mg/L	EPA 160.2 [1]
Total Dissolved Solids	1590	1 mg/L	Std Method 2540 C [1]
Dissolved Sulfate	197	50 mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.91	0.009 µg/L	EPA 1638 (D) [1]
Total Zinc	1.72	0.077 µg/L	EPA 1638 (T) [1]
pH	8	0.1 pH Units	Std Method 2320 B [1]



Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 07/24/2005 00:00			Sample Code: NA0705B2943	
Depth: 0.15 Meters Matrix: Water, Purified		Purpose: Normal Sample Sample Parent: 0		
Description: N				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	N.S.	0.25	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	N.S.	0.25	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.16	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.16	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.066	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.066	µg/L	EPA 1638 (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	N.S.	1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.195	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.195	µg/L	EPA 1638 (D) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Total Manganese	N.S.	0.126	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.126	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.057	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.057	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	N.S.	0.186	µg/L	EPA 1638 (D) [1]
Total Selenium	N.S.	0.186	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.045	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.045	µg/L	EPA 1638 (T) [1]

Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.112	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.112	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 08/22/2005 00:00 Sample Code: NA0805B3093

Depth: 0.15 Meters Matrix: Water, Purified Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	N.S.	0.25	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	N.S.	0.25	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.16	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.16	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	N.S.	0.066	µg/L	EPA 1638 (D) [1]
Total Copper	N.S.	0.066	µg/L	EPA 1638 (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	N.S.	1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	1	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.195	µg/L	EPA 1638 (D) [1]
Total Lead	N.S.	0.195	µg/L	EPA 1638 (T) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.126	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.126	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.057	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	N.S.	0.057	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]

Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (D) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.186	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.186	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.045	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.045	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.112	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.112	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 09/26/2005 00:00

Sample Code: NA0905B3259

Depth: 0.15 Meters Matrix: Water, Purified

Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	N.S.	0.25	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	N.S.	0.25	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.16	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.16	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	µS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	N.S.	0.066	µg/L	EPA 1638 (D) [1]
Total Copper	N.S.	0.066	µg/L	EPA 1638 (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	N.S.	1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	1	µg/L	EPA 1638 (T) [1]

Dissolved Lead	N.S.	0.195	µg/L	EPA 1638 (D) [1]
Total Lead	N.S.	0.195	µg/L	EPA 1638 (T) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.126	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.126	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.057	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	N.S.	0.057	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (D) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.186	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.186	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.045	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.045	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.112	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.112	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 10/24/2005 00:00

Sample Code: NA1005B3353

Depth: 0.15 Meters Matrix: Water, Purified

Purpose: Normal Sample Sample Parent: 0

Description: N

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	N.S.	0.25	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	N.S.	0.25	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.16	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.16	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]

Dissolved Chromium	N.S.	0.078	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.078	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	N.S.	0.066	µg/L	EPA 1638 (D) [1]
Total Copper	N.S.	0.066	µg/L	EPA 1638 (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	N.S.	1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	1	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.195	µg/L	EPA 1638 (D) [1]
Total Lead	N.S.	0.195	µg/L	EPA 1638 (T) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.126	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.126	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.057	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	N.S.	0.057	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (D) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.186	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.186	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.045	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.045	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.112	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.112	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 11/14/2005 09:35			Sample Code: NA1105B3460	
Depth: 0.15 Meters Matrix: Water, Purified		Purpose: Normal Sample Sample Parent: 0		
Description: N				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	269	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	2.27	0.09	µg/L	EPA 1638 (D) [1]
Total Aluminum	2.66	0.09	µg/L	EPA 1638 (T) [1]

Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	8.32	0.018	µg/L	EPA 1638 (D) [1]
Total Arsenic	8.66	0.018	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.8	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	< R.L.	0.009	µg/L	EPA 1638 (D) [1]
Total Cadmium	< R.L.	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Calcium	271	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	257	1	mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	1520	25	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	3.78	0.063	µg/L	EPA 1638 (D) [1]
Total Chromium	3.87	0.063	µg/L	EPA 1638 (T) [1]
Specific Conductance	5121	1	µS/cm@25degC	Std Method 2510-B [1]
Total Copper	4.13	0.01	µg/L	EPA 1638 (T) [1]
Dissolved Copper	4	0.01	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	1258	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	1190	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Iron	36.2	3.13	µg/L	EPA 1638 (T) [1]
Dissolved Iron	28	3.13	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.007	0.004	µg/L	EPA 1638 (D) [1]
Total Lead	0.008	0.004	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	141	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	133	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	20.3	0.006	µg/L	EPA 1638 (D) [1]
Total Manganese	21.2	0.006	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	7.73	0.009	µg/L	EPA 1638 (D) [1]
Total Nickel	8.27	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	2.4	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Organic Carbon	2.2	0.5	mg/L as C	EPA 415.1 (D) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	4	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	20.7	0.186	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	20.6	0.186	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.009	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	645	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	< R.L.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	3068	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	282	25	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	1.57	0.112	µg/L	EPA 1638 (T) [1]

Dissolved Zinc	1.55	0.027	µg/L	EPA 1638 (D) [1]
pH	8.3	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 12/14/2005 10:15			Sample Code: NA1205B3769	
Depth: 0.15 Meters Matrix: Water, Purified		Purpose: Normal Sample Sample Parent: 0		
Description: N				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	274	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	2.94	0.177	µg/L	EPA 1638 (D) [1]
Total Aluminum	3.44	0.177	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	6.79	0.02	µg/L	EPA 1638 (D) [1]
Total Arsenic	7.14	0.02	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.7	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	0.011	0.005	µg/L	EPA 1638 (D) [1]
Total Cadmium	0.014	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Calcium	237	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	238	1	mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	1330	50	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	5.18	0.034	µg/L	EPA 1638 (D) [1]
Total Chromium	8.08	0.034	µg/L	EPA 1638 (T) [1]
Specific Conductance	4603	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	4.38	0.004	µg/L	EPA 1638 (T) [1]
Dissolved Copper	1.88	0.004	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	1107	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	1101	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Iron	41	1.51	µg/L	EPA 1638 (T) [1]
Dissolved Iron	33.1	1.51	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.008	0.002	µg/L	EPA 1638 (D) [1]
Total Lead	0.014	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	125	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	123	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	17.1	0.001	µg/L	EPA 1638 (D) [1]
Total Manganese	19	0.001	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	8	0.009	µg/L	EPA 1638 (D) [1]
Total Nickel	8.64	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	1.8	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Organic Carbon	1.6	0.5	mg/L as C	EPA 415.1 (D) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]

Dissolved Potassium	3.1	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	22.6	0.149	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	21.4	0.149	µg/L	EPA 1638 (D) [1]
Total Silver	0.041	0.001	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.001	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	608	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	< R.L.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	2648	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	249	50	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	1.36	0.177	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	1.04	0.177	µg/L	EPA 1638 (D) [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 01/24/2006 11:45			Sample Code: NA0106B0039	
Depth: 0.15 Meters Matrix: Water, Purified		Purpose: Normal Sample Sample Parent: 0		
Description: N				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	268	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	23.1	0.213	µg/L	EPA 1638 (D) [1]
Total Aluminum	28.1	0.213	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	1.76	0.022	µg/L	EPA 1638 (D) [1]
Total Arsenic	1.81	0.022	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.4	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	< R.L.	0.002	µg/L	EPA 1638 (D) [1]
Total Cadmium	< R.L.	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Calcium	88	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	86	1	mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	233	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	5.42	0.059	µg/L	EPA 1638 (D) [1]
Total Chromium	5.65	0.059	µg/L	EPA 1638 (T) [1]
Specific Conductance	1611	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	2.96	0.007	µg/L	EPA 1638 (T) [1]
Dissolved Copper	1.65	0.007	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	397	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	388	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Iron	40	3.17	µg/L	EPA 1638 (T) [1]
Dissolved Iron	14.3	3.17	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.013	0.003	µg/L	EPA 1638 (D) [1]
Total Lead	0.021	0.003	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	43	1	mg/L	EPA 200.7 (D) [1]



Total Magnesium	42	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	29.4	0.006	µg/L	EPA 1638 (D) [1]
Total Manganese	32.6	0.006	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	3.34	0.001	µg/L	EPA 1638 (D) [1]
Total Nickel	3.9	0.001	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.08	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	4	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Organic Carbon	2.7	0.5	mg/L as C	EPA 415.1 (D) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.3	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	5.63	0.186	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	5.53	0.186	µg/L	EPA 1638 (D) [1]
Total Silver	0.011	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.005	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	181	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	3	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	925	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	158	10	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	0.87	0.02	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	0.84	0.02	µg/L	EPA 1638 (D) [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 02/22/2006 09:45 Sample Code: NA0206B0270

Depth: 0.15 Meters Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	306	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	9.09	0.136	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	7.08	0.136	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.84	0.023	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.79	0.023	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.5	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.009	µg/L	EPA 1638 (D) [1]
Total Calcium	96	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	93	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	351	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	7.91	0.045	µg/L	EPA 1638 (D) [1]
Total Chromium	8.93	0.045	µg/L	EPA 1638 (T) [1]
Specific Conductance	1994	1	uS/cm@25degC	Std Method 2510-B [1]

Dissolved Copper	2.49	0.031	µg/L	EPA 1638 (D) [1]
Total Copper	2.75	0.031	µg/L	EPA 1638 (T) [1]
Total Hardness	458	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	442	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	7.9	2.63	µg/L	EPA 1638 (D) [1]
Total Iron	20.6	2.63	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.045	µg/L	EPA 1638 (D) [1]
Total Lead	0.009	0.005	µg/L	EPA 1638 (T) [1]
Total Magnesium	53	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	51	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	13.9	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	8.96	0.009	µg/L	EPA 1638 (D) [1]
Total Nickel	3.39	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	3.57	0.002	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.27	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	1.9	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Organic Carbon	2.2	0.5	mg/L as C	EPA 415.1 (D) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	< R.L.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.9	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	7.05	0.149	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	6.31	0.149	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.009	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	239	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	1	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	1165	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	198	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.91	0.045	µg/L	EPA 1638 (D) [1]
Total Zinc	1.03	0.045	µg/L	EPA 1638 (T) [1]
pH	8	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
Collection Date: 03/01/2006 10:25	Sample Code: NA0306B0370

Depth: 0.15 Meters Matrix: Water, Natural	Purpose: Normal Sample Sample Parent: 0
---	---

Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	128	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	1991	0.136	µg/L	EPA 1638 (D) [1]
Total Aluminum	2268	0.136	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	0.01	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	1.41	0.023	µg/L	EPA 1638 (D) [1]

Total Arsenic	1.49	0.023	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	0.011	0.009	µg/L	EPA 1638 (D) [1]
Total Cadmium	0.051	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Calcium	36	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	38	1	mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	37	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	4.32	0.045	µg/L	EPA 1638 (D) [1]
Total Chromium	4.57	0.045	µg/L	EPA 1638 (T) [1]
Specific Conductance	486	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	5.77	0.031	µg/L	EPA 1638 (T) [1]
Dissolved Copper	5	0.031	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	156	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	165	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Iron	2282	2.63	µg/L	EPA 1638 (T) [1]
Dissolved Iron	1370	2.63	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.536	0.045	µg/L	EPA 1638 (D) [1]
Total Lead	1.38	0.005	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	16	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	17	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	29.8	0.009	µg/L	EPA 1638 (D) [1]
Total Manganese	46.9	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	4.79	0.002	µg/L	EPA 1638 (D) [1]
Total Nickel	5.55	0.002	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.26	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	10.3	0.5	mg/L as C	EPA 415.1 (T) Cmbst [PS-2]
Dissolved Organic Carbon	8.2	0.5	mg/L as C	EPA 415.1 (D) Cmbst [PS-2]
Dissolved Ortho-phosphate	0.09	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.19	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.4	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	1.06	0.149	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	0.8	0.149	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.009	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.009	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	43	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	285	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	31	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	288	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	54	1	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	7.11	0.045	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	6.47	0.045	µg/L	EPA 1638 (D) [1]
pH	8	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 04/17/2006 08:30			Sample Code: NA0406B0454	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	273	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	265	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	206	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Total Arsenic	0.774	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	0.77	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Calcium	72	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	73	1	mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	37	1	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	1.42	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	1.27	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	842	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	1.38	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	1.48	0.05	µg/L	EPA 1638 (T) [1]
Total Hardness	331	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	328	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Iron	181	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	236	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	0.089	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.054	0.04	µg/L	EPA 1638 (D) [1]
Dissolved Magnesium	36	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	36	1	mg/L	EPA 200.7 (T) [1]
Total Manganese	14.1	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	9.99	0.05	µg/L	EPA 1638 (D) [1]
Total Nickel	3.23	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	2.65	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.14	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Organic Carbon	2.9	0.5	mg/L as C	EPA 415.1 (D) Cmbst [PS-2]
Total Organic Carbon	2.7	0.5	mg/L as C	EPA 415.1 (T) Cmbst [PS-2]
Dissolved Ortho-phosphate	0.02	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.8	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	1.75	0.2	µg/L	EPA 1638 (D) [1]

Total Selenium	1.99	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	67	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	503	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	4	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	124	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	1.27	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	1.61	0.1	µg/L	EPA 1638 (T) [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 05/17/2006 10:00			Sample Code: NA0506B0650	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	234	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	2.37	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	4.04	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.81	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.75	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.4	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	11	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	66	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	212	5	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	4.28	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	4.03	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	1452	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	1.78	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	1.98	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Hardness	342	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	52	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	0.7	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	4.3	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	< R.L.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Dissolved Magnesium	43	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	6	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	1.65	0.05	µg/L	EPA 1638 (D) [1]

Total Manganese	1.73	0.05	µg/L	EPA 1638 (T) [1]
Total Nickel	1.98	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	1.59	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.04	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	2.7	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.9	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	5.38	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	5.93	0.2	µg/L	EPA 1638 (T) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	179	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	1	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	841	1	mg/L	Std Method 2540 C [1]
Total Dissolved Solids	843	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	185	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.9	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	0.93	0.1	µg/L	EPA 1638 (T) [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 06/27/2006 09:00

Sample Code: NA0606B0814

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	274	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	34	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	1.39	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	3.08	0.1	µg/L	EPA 1638 (D) [1]
Total Arsenic	3.53	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Total Calcium	95	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	90	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	585	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	1.05	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	1.48	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	2612	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	1.99	0.05	µg/L	EPA 1638 (T) [1]

Dissolved Copper	1.26	0.05	µg/L	EPA 1638 (D) [1]
Total Hardness	497	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	472	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	70.5	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Iron	22.9	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Lead	< R.L.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	60	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	63	1	mg/L	EPA 200.7 (T) [1]
Total Manganese	39.4	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	8.27	0.05	µg/L	EPA 1638 (D) [1]
Total Nickel	3.46	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	2.15	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	3.9	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.4	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	3.97	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	3.58	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	0.165	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.087	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	341	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	1511	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	3	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	206	10	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	0.64	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	0.6	0.1	µg/L	EPA 1638 (D) [1]
pH	8	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 07/26/2006 00:00

Sample Code: NA0706B0972

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]

Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	µS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Cmbst [PS-2]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 10/24/2006 00:00			Sample Code: NA1006B2957	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]



Total Alkalinity	N.S.	1	mg/L as CaCO <sub>3</sub>	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO <sub>3</sub>	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO <sub>3</sub>	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO <sub>3</sub> -F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]

Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 12/12/2006 10:30			Sample Code: NA1206B3109	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	303	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	135	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	598	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Total Arsenic	9.96	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	6.74	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.8	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	189	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	188	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	1230	50	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	9.05	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	5.1	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	3733	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	4.32	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	6.1	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Hardness	898	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	913	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	53.2	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	222	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	0.122	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Dissolved Magnesium	104	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	107	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	18.5	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	71.3	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	4.37	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	6.92	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.03	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	2.9	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]

Dissolved Potassium	3	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	15.6	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	21.8	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	585	5	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	8	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	2446	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	232	50	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.79	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	3.78	0.1	µg/L	EPA 1638 (T) [1]
pH	8	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 01/09/2007 11:30			Sample Code: NA0107B0012	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	274	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	11.1	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	74.1	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Total Arsenic	5.7	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	5.49	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.7	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	179	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	172	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	1080	50	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	4.83	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	4	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	3711	1	µS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	1.82	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	1.94	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Hardness	813	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	847	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	42.7	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	117	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	0.215	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.2	0.04	µg/L	EPA 1638 (D) [1]

Total Magnesium	97	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	93	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	32.8	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	80.2	0.05	µg/L	EPA 1638 (T) [1]
Total Mercury	0.29	0.2	ng/L	EPA 1631 E (T) [1]
Total Mercury	0.29	0.2	ng/L	EPA 1631 E (T) [1]
Dissolved Nickel	3.07	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	3.23	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.18	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	2.2	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.4	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	20.6	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	19.6	0.2	µg/L	EPA 1638 (D) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	542	5	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	2240	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	1	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	228	50	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	1.04	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	2.53	0.1	µg/L	EPA 1638 (T) [1]
pH	7.9	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
Collection Date: 02/27/2007 08:30	Sample Code: NA0207B0782
Depth: 0.15 Meters Matrix: Water, Natural	Purpose: Normal Sample Sample Parent: 0

Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	267	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	36.9	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	34.6	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	3.41	0.1	µg/L	EPA 1638 (D) [1]
Total Arsenic	3.86	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Total Calcium	122	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	112	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	807	50	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	1.69	0.05	µg/L	EPA 1638 (T) [1]

Dissolved Chromium	0.98	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	2205	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	3.9	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	3.96	0.05	µg/L	EPA 1638 (T) [1]
Total Hardness	605	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	556	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	81.1	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Iron	57.9	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Lead	0.05	0.04	µg/L	EPA 1638 (D) [1]
Total Lead	0.121	0.04	µg/L	EPA 1638 (T) [1]
Total Magnesium	73	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	67	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	28	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	29.3	0.05	µg/L	EPA 1638 (T) [1]
Total Nickel	3.79	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	2.59	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.04	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	2.8	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.8	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	9.75	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	13.7	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	432	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	1690	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	2	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	190	50	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	3.01	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	1.32	0.1	µg/L	EPA 1638 (D) [1]
pH	8.1	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 03/20/2007 09:50			Sample Code: NA0307B0844	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	219	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	5.74	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	64.1	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]

Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Total Arsenic	3.49	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	3.26	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.7	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	115	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	112	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	856	25	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	1.03	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	0.66	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	3047	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	1.1	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	1.35	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Hardness	560	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	580	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	61.1	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	215	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	0.062	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	71	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	68	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	35.3	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	89.4	0.05	µg/L	EPA 1638 (T) [1]
Total Mercury	0.92	0.2	ng/L	EPA 1631 E (T) [1]
Total Mercury	0.92	0.2	ng/L	EPA 1631 E (T) [1]
Dissolved Nickel	1.2	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	1.44	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	3	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.8	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	7.26	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	6.1	0.2	µg/L	EPA 1638 (D) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	443	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	1871	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	5	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	201	25	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.97	0.1	µg/L	EPA 1638 (D) [1]

Total Zinc	2.79	0.1	µg/L	EPA 1638 (T) [1]
pH	8.1	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 04/18/2007 08:00			Sample Code: NA0407B0881	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	249	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	4.48	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	16.4	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	4.38	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	4.19	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.7	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	132	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	133	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	996	25	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	0.97	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	0.91	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	3363	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	0.69	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	0.83	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Hardness	649	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	643	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	47.3	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	89.4	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	0.068	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.06	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	76	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	77	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	25.6	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	41.4	0.05	µg/L	EPA 1638 (T) [1]
Total Mercury	2.3	0.2	ng/L	EPA 1631 E (T) [1]
Total Nickel	1.38	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	1.3	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	2.4	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]

Dissolved Potassium	2.6	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	5.73	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	5.93	0.2	µg/L	EPA 1638 (T) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	498	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	1	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	2030	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	218	25	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	2.42	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	1.03	0.1	µg/L	EPA 1638 (D) [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 05/30/2007 00:00			Sample Code: NA0507B1235	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]



Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 08/28/2007 00:00

Sample Code: NA0807B1509

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]

Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 09/13/2007 00:00

Sample Code: NA0907B1630

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]

Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 10/31/2007 00:00			Sample Code: NA1007B1697	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]

Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]

Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 01/23/2008 11:30			Sample Code: NA0108B0028	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	54	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	9.77	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	3188	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	0.02	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	2.23	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.41	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.1	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	19	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	16	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	13	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	0.41	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	8.39	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	220	1	µS/cm@25degC	Std Method 2510-B [1]
Total Copper	10.8	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	5.11	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	71	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	89	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	42.3	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	3247	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	2.04	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.06	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	10	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	6	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	92.6	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	2.41	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	3.43	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	9.39	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	1.22	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	12.4	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	0.16	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.28	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.8	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	0.9	0.2	µg/L	EPA 1638 (T) [1]

Dissolved Selenium	0.65	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	0.033	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	16	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	57	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	152	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	20	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.5	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	16.3	0.1	µg/L	EPA 1638 (T) [1]
pH	7.5	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 02/27/2008 10:05

Sample Code: NA0208B0098

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	179	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	770	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	1.94	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	1.12	0.1	µg/L	EPA 1638 (D) [1]
Total Arsenic	1.4	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Total Calcium	53	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	50	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	54	1	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	1.87	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	0.21	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	680	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	2.49	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	3.5	0.05	µg/L	EPA 1638 (T) [1]
Total Hardness	231	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	215	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	634	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Iron	4.1	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Lead	0.272	0.04	µg/L	EPA 1638 (T) [1]
Total Magnesium	24	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	22	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	0.54	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	30.8	0.05	µg/L	EPA 1638 (T) [1]

Total Nickel	2.46	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	1.66	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.79	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	4.1	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	0.02	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.04	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.3	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	2.2	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	2.5	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	55	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	5	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	402	1	mg/L	Std Method 2540 C [1]
Total Dissolved Solids	403	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	90	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.64	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	4.66	0.1	µg/L	EPA 1638 (T) [1]
pH	8.1	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 03/26/2008 09:10

Sample Code: NA0308B0182

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	278	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	33.5	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	0.94	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	1.57	0.1	µg/L	EPA 1638 (D) [1]
Total Arsenic	2.15	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Boron	0.4	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Total Calcium	84	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	82	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	241	5	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	0.49	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	0.36	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	1695	1	µS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	2.97	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	3.01	0.05	µg/L	EPA 1638 (T) [1]
Total Hardness	395	1	mg/L as CaCO3	Std Method 2340 B (T) [1]

Dissolved Hardness	390	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	62.7	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Iron	2.7	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Lead	0.064	0.04	µg/L	EPA 1638 (T) [1]
Total Magnesium	45	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	45	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	1.63	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	27.9	0.05	µg/L	EPA 1638 (T) [1]
Total Nickel	3.1	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	2.13	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	0.13	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	2.4	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.7	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	3.53	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	4.02	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	215	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	986	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	3	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	165	5	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	2.42	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	0.8	0.1	µg/L	EPA 1638 (D) [1]
pH	8	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 04/23/2008 09:50

Sample Code: NA0408B0260

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	249	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	1.73	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	50.6	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	2.97	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	2.63	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	80	1	mg/L	EPA 200.7 (T) [1]



Dissolved Calcium	79	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	511	20	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	0.53	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	0.55	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	2294	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	3.86	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	3.82	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	407	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	410	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	7.9	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	78.4	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	0.059	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.046	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	51	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	51	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	19.1	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	8.33	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	3.77	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	3.86	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	3.2	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.2	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	9.75	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	9.54	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	306	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	< R.L.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	1330	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	179	20	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	1.28	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	2.94	0.1	µg/L	EPA 1638 (T) [1]
pH	7.9	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 07/23/2008 00:00			Sample Code: NB0708B2374	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]

Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]

pH	N.S.	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 04/22/2009 00:00			Sample Code: NA0409B0239	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description: Not Sampled Because the site was dry				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]

Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 05/28/2009 00:00			Sample Code: NA0509B0357	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]

Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 06/25/2009 00:00 Sample Code: NA0609B0383

Depth: 0.15 Meters Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	µS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]

Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 07/28/2009 00:00

Sample Code: NA0709B0396

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]

Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 08/27/2009 00:00

Sample Code: NA0809B0480

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]

Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	µS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	



Collection Date: 09/24/2009 09:00			Sample Code: NA0909B0493	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]

Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#) Station Number: A0043500

Collection Date: 10/21/2009 00:00 Sample Code: NA1009B0541

Depth: 0.15 Meters Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]

Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
Collection Date: 11/18/2009 00:00	Sample Code: NA1109B0747
Depth: 0.15 Meters Matrix: Water, Natural	Purpose: Normal Sample Sample Parent: 0

Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]

Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 12/09/2009 00:00

Sample Code: NA1209B0782

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]

Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 01/26/2010 10:45

Sample Code: NA0110B0007

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	66	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	27.1	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	3100	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	0.02	0.01	mg/L as N	EPA 350.1 [1]

Total Arsenic	1.42	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	0.682	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.1	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	21	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	18	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	14	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	0.26	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	7.11	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	216	1	µS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	3.01	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	9.95	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Hardness	73	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Hardness	79	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	93	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	54.8	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	33.5	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	1.91	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	10	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	7	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	106	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	1.52	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	4.36	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	8.87	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.3	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	8.9	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	0.1	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.25	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.2	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	0.63	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	0.59	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	15	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	172	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	143	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	16	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	0.86	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	16.1	0.1	µg/L	EPA 1638 (T) [1]
pH	7.9	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 03/02/2010 12:20			Sample Code: NA0310B0614	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	198	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	3.34	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	960	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.45	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.16	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	59	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	57	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	100	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	0.27	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	2.29	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	841	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	4.4	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	2.85	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	247	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	257	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	11.5	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	854	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	0.438	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	27	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	26	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	46.6	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	0.69	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	2.29	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	2.98	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.32	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	6.2	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	0.02	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.05	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.1	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	2.54	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	2.02	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]

Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	83	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	476	1	mg/L	Std Method 2540 C [1]
Total Dissolved Solids	477	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	24	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	83	1	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	5.48	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	1.08	0.1	µg/L	EPA 1638 (D) [1]
pH	8.2	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 03/24/2010 09:05			Sample Code: NB0310B3254	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	251	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	0.66	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	8.66	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.87	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	1.85	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.5	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	80	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	79	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	283	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	0.43	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	0.47	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	1624	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	2.41	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	2.34	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	389	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	393	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	3	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	19.2	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	< R.L.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	47	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	46	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	14.4	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	2.65	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	1.57	0.1	µg/L	EPA 1638 (D) [1]



Total Nickel	2.33	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.05	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	3	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	5.56	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	4.97	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	179	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	952	1	mg/L	Std Method 2540 C [1]
Total Dissolved Solids	952	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	2	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	178	5	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	2.44	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	1.04	0.1	µg/L	EPA 1638 (D) [1]
pH	8.1	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 04/21/2010 09:00

Sample Code: NA0410B0670

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	213	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	3.61	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	175	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	1.12	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	0.961	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.4	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	61	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	60	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	230	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	0.48	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	0.73	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	1439	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	2.86	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	2.21	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	295	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	301	1	mg/L as CaCO3	Std Method 2340 B (T) [1]

Dissolved Iron	3.8	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	225	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	0.087	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	36	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	35	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	12.6	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	1.64	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	1.51	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	1.98	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	4	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.02	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	1.6	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	3	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	2.93	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	169	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	10	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	816	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	127	5	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	1.06	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	2.7	0.1	µg/L	EPA 1638 (T) [1]
pH	8	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 05/26/2010 08:50

Sample Code: NA0510B0819

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	244	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	1.45	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	1.46	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	4.12	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	4.07	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.6	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	83	2	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	83	1	mg/L	EPA 200.7 (D) [1]

Dissolved Chloride	563	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	0.62	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	0.68	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	2468	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	2.39	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	2.28	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	448	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	454	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	1.4	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	5.1	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	< R.L.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	60	2	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	58	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	1.34	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	0.14	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	2	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	2.06	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	< R.L.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	3.1	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	< R.L.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	2.2	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	4.4	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	4.31	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	323	2	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	2	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	1430	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	188	10	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	1.85	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	2.52	0.1	µg/L	EPA 1638 (T) [1]
pH	7.9	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 06/29/2010 00:00

Sample Code: NB0610B3440

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]

Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 08/31/2010 00:00			Sample Code: NB0810B3616	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]

Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]
Station Name: <a href="#">STONE CORRAL C NR SI</a>			Station Number: A0043500	
Collection Date: 10/26/2010 00:00			Sample Code: NA1010B3614	
Depth: 0.15 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	N.S.	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	N.S.	0.01	mg/L as N	EPA 350.1 [1]
Dissolved Arsenic	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Arsenic	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Boron	N.S.	0.1	mg/L	EPA 200.7 (D) [1]
Dissolved Cadmium	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Total Cadmium	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Total Calcium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Total Chromium	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Chromium	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Specific Conductance	N.S.	1	uS/cm@25degC	Std Method 2510-B [1]
Dissolved Copper	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Copper	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Hardness	N.S.	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Total Iron	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Iron	N.S.	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Lead	N.S.	0.04	µg/L	EPA 1638 (D) [1]
Total Lead	N.S.	0.04	µg/L	EPA 1638 (T) [1]
Total Magnesium	N.S.	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Dissolved Manganese	N.S.	0.05	µg/L	EPA 1638 (D) [1]
Total Manganese	N.S.	0.05	µg/L	EPA 1638 (T) [1]
Total Nickel	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nickel	N.S.	0.1	µg/L	EPA 1638 (D) [1]

Dissolved Nitrate + Nitrite	N.S.	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	N.S.	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	N.S.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	N.S.	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	N.S.	0.5	mg/L	EPA 200.7 (D) [1]
Dissolved Selenium	N.S.	0.2	µg/L	EPA 1638 (D) [1]
Total Selenium	N.S.	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Silver	N.S.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	N.S.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	N.S.	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	N.S.	1	mg/L	Std Method 2540 C [1]
Total Suspended Solids	N.S.	1	mg/L	EPA 160.2 [1]
Dissolved Sulfate	N.S.	1	mg/L	EPA 300.0 28d Hold [1]
Total Zinc	N.S.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Zinc	N.S.	0.1	µg/L	EPA 1638 (D) [1]
pH	N.S.	0.1	pH Units	Std Method 2320 B [1]

Station Name: [STONE CORRAL C NR SI](#)

Station Number: A0043500

Collection Date: 11/30/2010 10:30

Sample Code: NA1110B3686

Depth: 0.15 Meters Matrix: Water, Natural

Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	227	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	2.35	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	6.7	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	6.24	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	6.04	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.8	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	260	5	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	259	5	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	1570	50	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	2.2	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	2.44	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	5474	1	µS/cm@25degC	Std Method 2510-B [1]
Total Copper	3.04	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	2.79	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	1248	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	1263	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	9.9	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	48.4	0.1	µg/L	EPA 1638 (T) [1]

Total Lead	< R.L.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	149	5	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	146	5	mg/L	EPA 200.7 (D) [1]
Total Manganese	75.9	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	63.4	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	2.04	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	2.1	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.01	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	2.2	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	4.3	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	1.42	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	1.36	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	717	5	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	3	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	3240	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	263	50	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	2.7	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	3.76	0.1	µg/L	EPA 1638 (T) [1]
pH	7.8	0.1	pH Units	Std Method 2320 B [1]

Station Name: <a href="#">STONE CORRAL C NR SI</a>	Station Number: A0043500
Collection Date: 12/13/2010 10:10	Sample Code: NA1210B3732
Depth: 0.15 Meters Matrix: Water, Natural	Purpose: Normal Sample Sample Parent: 0

Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	232	1	mg/L as CaCO3	Std Method 2320 B [1]
Dissolved Aluminum	1.23	0.1	µg/L	EPA 1638 (D) [1]
Total Aluminum	2.25	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	6.22	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	6	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Boron	0.7	0.1	mg/L	EPA 200.7 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Calcium	230	5	mg/L	EPA 200.7 (T) [1]
Dissolved Calcium	217	5	mg/L	EPA 200.7 (D) [1]
Dissolved Chloride	1360	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Chromium	3.55	0.05	µg/L	EPA 1638 (D) [1]



Total Chromium	3.73	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	4700	1	µS/cm@25degC	Std Method 2510-B [1]
Total Copper	4.22	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	4.11	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Hardness	1003	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Total Hardness	1056	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Iron	5.2	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	19.6	0.1	µg/L	EPA 1638 (T) [1]
Total Lead	< R.L.	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	< R.L.	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	117	5	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	112	5	mg/L	EPA 200.7 (D) [1]
Total Manganese	16	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	0.29	0.05	µg/L	EPA 1638 (D) [1]
Dissolved Nickel	1.93	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	2.61	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate + Nitrite	0.02	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Total Organic Carbon	1.7	0.5	mg/L as C	EPA 415.1 (T) Ox [PS-3]
Dissolved Ortho-phosphate	< R.L.	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.01	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	4	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	1.88	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	1.74	0.2	µg/L	EPA 1638 (D) [1]
Total Silver	0.12	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Silver	0.089	0.03	µg/L	EPA 1638 (D) [1]
Dissolved Sodium	597	5	mg/L	EPA 200.7 (D) [1]
Total Suspended Solids	6	1	mg/L	EPA 160.2 [1]
Total Dissolved Solids	2780	1	mg/L	Std Method 2540 C [1]
Dissolved Sulfate	236	1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Zinc	2.17	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	2.5	0.1	µg/L	EPA 1638 (T) [1]
pH	7.7	0.1	pH Units	Std Method 2320 B [1]

**NOTE:** Codes in brackets ([ ]) following the analytical method refer to the Method Comparability Code. For more information, please [click here](#).

Query executed: 2019-Jul-08 11:59:49.

Elapsed time = 3 seconds.

Sample count = 81 records.

Retrieval rate, samples/second = 27.0000

Back

New Search

