

Water Quality Report

Station Name: 17N03W32M001M			Station Number: 17N03W32M001M	
Collection Date: 09/04/1970 10:00			Sample Code: WDIS_0706171	
Depth: Feet Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description: Historic WDIS Database - Agency: DWR - Lab: DWR				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	257	1	mg/L as CaCO3	EPA 310.1 [1]
Dissolved Boron	0.2	0.1	mg/L	Std Method 4500-B, C [1]
Dissolved Calcium	42	1	mg/L	EPA 215.2 [1]
Dissolved Chloride	13	0.1	mg/L	Std Method 4500-Cl, B [1]
Conductance	596	1	µS/cm	EPA 120.1 [1]
Total Hardness	173	1	mg/L as CaCO3	EPA 130.2 [1]
Dissolved Magnesium	16	0.1	mg/L	Std Method 3500-Mg, E [1]
Dissolved Nitrate	7.6	0.1	mg/L	EPA 352.1 (DWR Modified) [P/A]
Dissolved Potassium	0.6	0.1	mg/L	Std Method 3500-K, D [1]
Dissolved Sodium	71	1	mg/L	Std Method 3500-Na, D [1]
Total Dissolved Solids	341	1	mg/L at 180°C	EPA 160.1 [1]
Dissolved Sulfate	49	1	mg/L	EPA 375.3 [1]
pH	8.1	0.1	pH Units	EPA 150.1 [1]
Station Name: 17N03W32M001M			Station Number: 17N03W32M001M	
Collection Date: 08/24/1972 07:45			Sample Code: WDIS_0706173	
Depth: Feet Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description: Historic WDIS Database - Agency: DWR - Lab: DWR				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	249	1	mg/L as CaCO3	EPA 310.1 [1]
Dissolved Chloride	14	0.1	mg/L	Std Method 4500-Cl, B [1]
Conductance	606	1	µS/cm	EPA 120.1 [1]
Total Hardness	177	1	mg/L as CaCO3	EPA 130.2 [1]
pH	8.2	0.1	pH Units	EPA 150.1 [1]
Station Name: 17N03W32M001M			Station Number: 17N03W32M001M	
Collection Date: 05/16/1977 10:30			Sample Code: WDIS_0706178	
Depth: Feet Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description: Historic WDIS Database - Agency: DWR - Lab: DWR				
Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	262	1	mg/L as CaCO3	EPA 310.1 [1]
Dissolved Boron	0.2	0.1	mg/L	Std Method 4500-B, C [1]
Dissolved Calcium	43	1	ma/L	EPA 215.1 [1]

Dissolved Chloride	12	0.1	mg/L	Std Method 4500-Cl, B [1]
Conductance	634	1	µS/cm	EPA 120.1 [1]
Total Hardness	182	1	mg/L as CaCO3	EPA 130.2 [1]
Dissolved Magnesium	18	0.1	mg/L	EPA 242.1 [1]
Dissolved Nitrate	6.8	0.1	mg/L	EPA 352.1 (DWR Modified) [P/A]
Dissolved Potassium	0.3	0.1	mg/L	EPA 258.1 [1]
Dissolved Sodium	70	1	mg/L	EPA 273.1 [1]
Total Dissolved Solids	313	1	mg/L at 180°C	EPA 160.1 [1]
Dissolved Sulfate	46	1	mg/L	EPA 375.3 [1]
pH	8.5	0.1	pH Units	EPA 150.1 [1]

Station Name: [17N03W32M001M](#) Station Number: 17N03W32M001M

Collection Date: 06/16/1982 07:50 Sample Code: WDIS_0706183

Depth: Feet Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description: Historic WDIS Database - Agency: DWR - Lab: DWR

Analyte	Result	Rpt Limit	Units	Method [*]
Total Alkalinity	263	1	mg/L as CaCO3	EPA 310.1 [1]
Dissolved Calcium	40	1	mg/L	EPA 215.1 [1]
Dissolved Chloride	11	1	mg/L	EPA 325.2 [1]
Conductance	604	1	µS/cm	EPA 120.1 [1]
Dissolved Hardness	174	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	18	0.1	mg/L	EPA 242.1 [1]
Dissolved Potassium	0.4	0.1	mg/L	EPA 258.1 [1]
Dissolved Sodium	72	1	mg/L	EPA 273.1 [1]
pH	8.6	0.1	pH Units	EPA 150.1 [1]

Station Name: [17N03W32M001M](#) Station Number: 17N03W32M001M

Collection Date: 09/26/1988 10:30 Sample Code: WDIS_0706189

Depth: Feet Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description: Historic WDIS Database - Agency: DWR - Lab: DWR

Analyte	Result	Rpt Limit	Units	Method [*]
*No Lab Analyses (Field Measures Only)	N.S.			EPA 353.2 (DWR Modified) [P/A]
Total Alkalinity	274	1	mg/L as CaCO3	EPA 310.1 [1]
Dissolved Boron	0.3	0.1	mg/L	USGS I-2115-85 [1]
Dissolved Calcium	43	1	mg/L	EPA 215.1 [1]
Dissolved Chloride	9	1	mg/L	EPA 325.2 [1]
Conductance	595	1	µS/cm	EPA 120.1 [1]
Dissolved Hardness	189	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Dissolved Magnesium	20	0.1	mg/L	EPA 242.1 [1]
Dissolved Potassium	0.5	0.1	mg/L	EPA 258.1 [1]

Dissolved Sodium	72	1	mg/L	EPA 273.1 [1]
Total Dissolved Solids	354	1	mg/L at 180°C	EPA 160.1 [1]
Dissolved Sulfate	43	1	mg/L	EPA 375.2 [1]
pH	8.7	0.1	pH Units	EPA 150.1 [1]
Station Name: 17N03W32M001M			Station Number: 17N03W32M001M	
Collection Date: 06/25/1990 00:00			Sample Code: WDIS_0301043	
Depth: Feet Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description: Historic WDIS Database - Agency: DWR - Lab: Non-DWR / Est. R.L.				
Analyte	Result	Rpt Limit	Units	Method [*]
*No Lab Analyses (Field Measures Only)	N.S.			UnkMod Nitrate [Unk]
Total Alkalinity	266	1	mg/L as CaCO3	UnkMod Alkalinity [Unk]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	UnkMod Ammonia [Unk]
Dissolved Arsenic	< R.L.	0.001	mg/L	UnkMod Arsenic [Unk]
Dissolved Barium	0.04	0.01	mg/L	UnkMod Barium [Unk]
Dissolved Boron	0.25	0.1	mg/L	UnkMod Boron [Unk]
Dissolved Cadmium	< R.L.	0.001	mg/L	UnkMod Cadmium [Unk]
Dissolved Calcium	42	1	mg/L	UnkMod Calcium [Unk]
Dissolved Chloride	8.4	1	mg/L	UnkMod Chloride [Unk]
Dissolved Chromium	< R.L.	0.001	mg/L	UnkMod Chromium [Unk]
Dissolved Copper	< R.L.	0.001	mg/L	UnkMod Copper [Unk]
Dissolved Fluoride	0.5	0.1	mg/L	UnkMod Fluoride [Unk]
Total Hardness	175	1	mg/L as CaCO3	UnkMod Hardness [Unk]
Dissolved Iron	< R.L.	0.001	mg/L	UnkMod Iron [Unk]
Dissolved Lead	< R.L.	0.001	mg/L	UnkMod Lead [Unk]
Dissolved Magnesium	17	0.1	mg/L	UnkMod Magnesium [Unk]
Dissolved Manganese	< R.L.	0.001	mg/L	UnkMod Manganese [Unk]
Dissolved Mercury	< R.L.	0.001	mg/L	UnkH Mercury [UnkH]
Dissolved Nitrate	2.82	0.01	mg/L as N	UnkMod Nitrate [Unk]
Total Organic Nitrogen	< R.L.	0.1	mg/L as N	UnkMod Nitrogen & Ammonia [Unk]
Dissolved Ortho-phosphate	0.01	0.01	mg/L as P	UnkMod Orthophosphate [Unk]
Total Phosphorus	0.04	0.01	mg/L as P	UnkMod Phosphorus [Unk]
Dissolved Potassium	0.3	0.1	mg/L	UnkMod Potassium [Unk]
Dissolved Selenium	< R.L.	0.001	mg/L	UnkMod Selenium [Unk]
Dissolved Silica (SiO2)	19	0.5	mg/L	UnkMod Silica [Unk]
Dissolved Silver	< R.L.	0.001	mg/L	UnkMod Silver [Unk]
Dissolved Sodium	72	1	mg/L	UnkMod Sodium [Unk]
Total Dissolved Solids	357	1	mg/L at 180°C	UnkMod TDS [Unk]
Dissolved Sulfate	42	1	mg/L	UnkMod Sulfate [Unk]
Dissolved Zinc	0.06	0.01	mg/L	UnkMod Zinc [Unk]

Station Name: 17N03W32M001M			Station Number: 17N03W32M001M	
Collection Date: 01/08/2001 13:30			Sample Code: NA1200B1050	
Depth: 1 Meters Matrix: Water, Natural		Purpose: Normal Sample Sample Parent: 0		
Description:				
Analyte	Result	Rpt Limit	Units	Method [*]
1,1,1,2-Tetrachloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1,1-Trichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1,2,2-Tetrachloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1,2-Trichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1-Dichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1-Dichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1-Dichloropropene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,3-Trichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,3-Trichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,4-Trichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,4-Trimethylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dibromo-3-chloropropane (DBCP)	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dibromoethane (EDB)	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,3,5-Trimethylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,3-Dichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,3-Dichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,4-Dichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
2,2-Dichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
2,4,5-T	< R.L.	0.1	µg/L	EPA 615 [1]
2,4,5-TP (Silvex)	< R.L.	0.1	µg/L	EPA 615 [1]
2,4-D	< R.L.	0.1	µg/L	EPA 615 [1]
2,4-DB	< R.L.	0.1	µg/L	EPA 615 [1]
2-Chlorotoluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
3-Hydroxycarbofuran	< R.L.	2	µg/L	EPA 531.1 [1]
4-Chlorotoluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
4-Isopropyltoluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Alachlor	< R.L.	0.05	µg/L	EPA 608 [1]
Aldicarb	< R.L.	2	µg/L	EPA 531.1 [1]
Aldicarb sulfone	< R.L.	2	µg/L	EPA 531.1 [1]
Aldicarb sulfoxide	< R.L.	2	µg/L	EPA 531.1 [1]
Aldrin	< R.L.	0.01	µg/L	EPA 608 [1]
Total Aluminum	0.016	0.01	mg/L	EPA 200.8 (T) [1]
Aminomethylphosphonic Acid (AMPA)	< R.L.	100	µg/L	EPA 547 [1]
Dissolved Ammonia	< R.L.	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	< R.L.	0.001	mg/L	EPA 200.8 (T) [1]

Atrazine	< R.L.	0.02	µg/L	EPA 608 [1]
Azinphos methyl (Guthion)	< R.L.	0.05	µg/L	EPA 614 [1]
BHC-alpha	< R.L.	0.01	µg/L	EPA 608 [1]
BHC-beta	< R.L.	0.01	µg/L	EPA 608 [1]
BHC-delta	< R.L.	0.01	µg/L	EPA 608 [1]
BHC-gamma (Lindane)	< R.L.	0.01	µg/L	EPA 608 [1]
Benfluralin	< R.L.	0.01	µg/L	EPA 614 [1]
Benzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Boron	0.3	0.1	mg/L	EPA 200.7 (D) [1]
Bromacil	< R.L.	1	µg/L	EPA 614 [1]
Bromobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromochloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromodichloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromoform	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromomethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Total Cadmium	< R.L.	0.001	mg/L	EPA 200.8 (T) [1]
Dissolved Calcium	46	1	mg/L	EPA 200.7 (D) [1]
Captan	< R.L.	0.02	µg/L	EPA 608 [1]
Carbaryl	< R.L.	2	µg/L	EPA 531.1 [1]
Carbofuran	< R.L.	2	µg/L	EPA 531.1 [1]
Carbon tetrachloride	< R.L.	0.5	µg/L	EPA 502.2 [1]
Carbophenothion (Trithion)	< R.L.	0.02	µg/L	EPA 614 [1]
Chlordane	< R.L.	0.05	µg/L	EPA 608 [1]
Dissolved Chloride	9	1	mg/L	EPA 300.0 28d Hold [1]
Chlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chloroform	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chlorothalonil	< R.L.	0.01	µg/L	EPA 608 [1]
Chlorpropham	< R.L.	0.02	µg/L	EPA 608 [1]
Chlorpyrifos	< R.L.	0.01	µg/L	EPA 614 [1]
Chlorpyrifos	< R.L.	0.01	µg/L	EPA 608 [1]
Total Chromium	< R.L.	0.005	mg/L	EPA 200.8 (T) [1]
Total Copper	0.062	0.001	mg/L	EPA 200.8 (T) [1]
Cyanazine	< R.L.	0.3	µg/L	EPA 608 [1]
Cyanazine	< R.L.	0.3	µg/L	EPA 614 [1]
Dacthal (DCPA)	< R.L.	0.01	µg/L	EPA 608 [1]
Dacthal (DCPA)	< R.L.	0.1	µg/L	EPA 615 [1]
Demeton (Demeton O + Demeton S)	< R.L.	0.02	µg/L	EPA 614 [1]
Diazinon	< R.L.	0.01	µg/L	EPA 614 [1]
Dibromochloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dibromomethane	< R.L.	0.5	µg/L	EPA 502.2 [1]

Dicamba	< R.L.	0.1	µg/L	EPA 615 [1]
Dichloran	< R.L.	0.01	µg/L	EPA 608 [1]
Dichlorodifluoromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dichlorprop	< R.L.	0.1	µg/L	EPA 615 [1]
Dicofol	< R.L.	0.05	µg/L	EPA 608 [1]
Dieldrin	< R.L.	0.01	µg/L	EPA 608 [1]
Dimethoate	< R.L.	0.01	µg/L	EPA 614 [1]
Dinoseb (DNPB)	< R.L.	0.1	µg/L	EPA 615 [1]
Disulfoton	< R.L.	0.01	µg/L	EPA 614 [1]
Diuron	< R.L.	0.25	µg/L	EPA 608 [1]
Endosulfan sulfate	< R.L.	0.02	µg/L	EPA 608 [1]
Endosulfan-I	< R.L.	0.01	µg/L	EPA 608 [1]
Endosulfan-II	< R.L.	0.01	µg/L	EPA 608 [1]
Endrin	< R.L.	0.01	µg/L	EPA 608 [1]
Endrin aldehyde	< R.L.	0.01	µg/L	EPA 608 [1]
Ethion	< R.L.	0.01	µg/L	EPA 614 [1]
Ethyl benzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Formetanate hydrochloride	< R.L.	100	µg/L	EPA 531.1 [1]
Glyphosate	< R.L.	100	µg/L	EPA 547 [1]
Dissolved Hardness	197	1	mg/L as CaCO ₃	Std Method 2340 B (D) [1]
Heptachlor	< R.L.	0.01	µg/L	EPA 608 [1]
Heptachlor epoxide	< R.L.	0.01	µg/L	EPA 608 [1]
Hexachlorobutadiene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Total Iron	0.014	0.005	mg/L	EPA 200.8 (T) [1]
Isopropylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Total Lead	0.002	0.001	mg/L	EPA 200.8 (T) [1]
MCPA	< R.L.	0.1	µg/L	EPA 615 [1]
MCPP	< R.L.	0.1	µg/L	EPA 615 [1]
Dissolved Magnesium	20	1	mg/L	EPA 200.7 (D) [1]
Malathion	< R.L.	0.01	µg/L	EPA 614 [1]
Total Manganese	< R.L.	0.005	mg/L	EPA 200.8 (T) [1]
Total Mercury	< R.L.	0.0002	mg/L	EPA 245.1(T) [1]
Methidathion	< R.L.	0.02	µg/L	EPA 614 [1]
Methiocarb	< R.L.	4	µg/L	EPA 531.1 [1]
Methomyl	< R.L.	2	µg/L	EPA 531.1 [1]
Methoxychlor	< R.L.	0.05	µg/L	EPA 608 [1]
Methyl tert-butyl ether (MTBE)	< R.L.	1	µg/L	EPA 502.2 [1]
Methylene chloride	< R.L.	0.5	µg/L	EPA 502.2 [1]
Metolachlor	< R.L.	0.2	µg/L	EPA 608 [1]
Mevinphos	< R.L.	0.01	µg/L	EPA 614 [1]
Naled	< R.L.	0.02	µg/L	EPA 614 [1]
Naphthalene	< R.L.	0.5	µg/L	EPA 502.2 [1]

Napropamide	< R.L.	5	µg/L	EPA 614 [1]
Total Nickel	0.001	0.001	mg/L	EPA 200.8 (T) [1]
Dissolved Nitrate	63.2	0.1	mg/L	EPA 300.0 28d Hold [1]
Norflurazon	< R.L.	5	µg/L	EPA 614 [1]
Dissolved Ortho-phosphate	0.02	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Oxamyl	< R.L.	2	µg/L	EPA 531.1 [1]
Oxyfluorfen	< R.L.	0.2	µg/L	EPA 608 [1]
PCB-1016	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1221	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1232	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1242	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1248	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1254	< R.L.	0.1	µg/L	EPA 608 [1]
PCB-1260	< R.L.	0.1	µg/L	EPA 608 [1]
Parathion, Ethyl	< R.L.	0.01	µg/L	EPA 614 [1]
Parathion, Methyl	< R.L.	0.01	µg/L	EPA 614 [1]
Pendimethalin	< R.L.	5	µg/L	EPA 614 [1]
Pentachloronitrobenzene (PCNB)	< R.L.	0.01	µg/L	EPA 608 [1]
Pentachlorophenol (PCP)	< R.L.	0.1	µg/L	EPA 615 [1]
Phorate	< R.L.	0.01	µg/L	EPA 614 [1]
Phosalone	< R.L.	0.02	µg/L	EPA 614 [1]
Phosmet	< R.L.	0.02	µg/L	EPA 614 [1]
Total Phosphorus	0.03	0.01	mg/L as P	EPA 365.4 [1]
Picloram	< R.L.	0.1	µg/L	EPA 615 [1]
Dissolved Potassium	0.5	0.5	mg/L	EPA 200.7 (D) [1]
Profenofos	< R.L.	0.01	µg/L	EPA 614 [1]
Prometryn	< R.L.	0.05	µg/L	EPA 614 [1]
Propetamphos	< R.L.	0.1	µg/L	EPA 614 [1]
Total Selenium	< R.L.	0.001	mg/L	EPA 200.8 (T) [1]
Total Silver	< R.L.	0.001	mg/L	EPA 200.8 (T) [1]
Simazine	< R.L.	0.02	µg/L	EPA 608 [1]
Dissolved Sodium	75	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	404	1	mg/L	Std Method 2540 C [1]
Styrene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Sulfate	44	1	mg/L	EPA 300.0 28d Hold [1]
Tetrachloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Thiobencarb	< R.L.	0.02	µg/L	EPA 608 [1]
Toluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Toxaphene	< R.L.	0.4	µg/L	EPA 608 [1]
Trichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Trichlorofluoromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Triclopyr	< R.L.	0.1	µg/L	EPA 615 [1]

Trifluralin	< R.L.	0.01	µg/L	EPA 614 [1]
Vinyl chloride	< R.L.	0.5	µg/L	EPA 502.2 [1]
Total Zinc	0.094	0.005	mg/L	EPA 200.8 (T) [1]
cis-1,2-Dichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
cis-1,3-Dichloropropene	< R.L.	0.5	µg/L	EPA 502.2 [1]
m + p Xylene	< R.L.	0.5	µg/L	EPA 502.2 [1]
n-Butylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
n-Propylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
o-Xylene	< R.L.	0.5	µg/L	EPA 502.2 [1]
p,p'-DDD	< R.L.	0.01	µg/L	EPA 608 [1]
p,p'-DDE	< R.L.	0.01	µg/L	EPA 608 [1]
p,p'-DDT	< R.L.	0.05	µg/L	EPA 608 [1]
s,s,s-Tributyl Phosphorotrithioate (DEF)	< R.L.	0.01	µg/L	EPA 614 [1]
sec-Butylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
tert-Butylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
trans-1,2-Dichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
trans-1,3-Dichloropropene	< R.L.	0.5	µg/L	EPA 502.2 [1]

Station Name: [17N03W32M001M](#) Station Number: 17N03W32M001M

Collection Date: 12/20/2006 13:55 Sample Code: NB1206B5248

Depth: 0 Meters Matrix: Water, Natural Purpose: Normal Sample Sample Parent: 0

Description:

Analyte	Result	Rpt Limit	Units	Method [*]
1,1,1,2-Tetrachloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1,1-Trichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1,2,2-Tetrachloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1,2-Trichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1-Dichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1-Dichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,1-Dichloropropene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,3-Trichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,3-Trichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,4-Trichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2,4-Trimethylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dibromo-3-chloropropane (DBCP)	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dibromoethane (EDB)	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dichloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,2-Dichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,3,5-Trimethylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,3-Dichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,3-Dichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
1,4-Dichlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]

2,2-Dichloropropane	< R.L.	0.5	µg/L	EPA 502.2 [1]
2-Chlorotoluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
4-Chlorotoluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
4-Isopropyltoluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Total Alkalinity	232	1	mg/L as CaCO3	Std Method 2320 B [1]
Total Aluminum	2.66	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Aluminum	1.42	0.1	µg/L	EPA 1638 (D) [1]
Dissolved Ammonia	< R.L.	0.1	mg/L as N	EPA 350.1 [1]
Dissolved Ammonia	0.01	0.01	mg/L as N	EPA 350.1 [1]
Total Arsenic	0.546	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Arsenic	0.512	0.1	µg/L	EPA 1638 (D) [1]
Benzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Bicarbonate (HCO3-)	230	1	mg/L as CaCO3	Std Method 4500-CO2 D [1]
Dissolved Boron	0.2	0.1	mg/L	EPA 200.7 (D) [1]
Bromobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromochloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromodichloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromoform	< R.L.	0.5	µg/L	EPA 502.2 [1]
Bromomethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Cadmium	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Cadmium	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Calcium	44	1	mg/L	EPA 200.7 (D) [1]
Total Calcium	44	1	mg/L	EPA 200.7 (T) [1]
Carbon tetrachloride	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Carbonate (CO3--)	2	1	mg/L as CaCO3	Std Method 4500-CO2 D [1]
Dissolved Chloride	7	1	mg/L	EPA 300.0 28d Hold [1]
Chlorobenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chloroethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chloroform	< R.L.	0.5	µg/L	EPA 502.2 [1]
Chloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Chromium	2.83	0.05	µg/L	EPA 1638 (D) [1]
Total Chromium	4.16	0.05	µg/L	EPA 1638 (T) [1]
Specific Conductance	607	1	uS/cm@25degC	Std Method 2510-B [1]
Total Copper	0.73	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Copper	0.59	0.05	µg/L	EPA 1638 (D) [1]
Dibromochloromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dibromomethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dichlorodifluoromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Ethyl benzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Total Hardness	184	1	mg/L as CaCO3	Std Method 2340 B (T) [1]
Dissolved Hardness	184	1	mg/L as CaCO3	Std Method 2340 B (D) [1]
Hexachlorobutadiene	< R.L.	0.5	µg/L	EPA 502.2 [1]

Dissolved Hydroxide (OH-)	< R.L.	1	mg/L as CaCO3	Std Method 4500-CO2 D [1]
Dissolved Iron	< R.L.	0.1	µg/L	EPA 1638 (D) [1]
Total Iron	< R.L.	0.1	µg/L	EPA 1638 (T) [1]
Isopropylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Total Lead	0.06	0.04	µg/L	EPA 1638 (T) [1]
Dissolved Lead	0.055	0.04	µg/L	EPA 1638 (D) [1]
Total Magnesium	18	1	mg/L	EPA 200.7 (T) [1]
Dissolved Magnesium	18	1	mg/L	EPA 200.7 (D) [1]
Total Manganese	1.77	0.05	µg/L	EPA 1638 (T) [1]
Dissolved Manganese	1.62	0.05	µg/L	EPA 1638 (D) [1]
Total Mercury	0.74	0.2	ng/L	EPA 1631 E (T) [1]
Methyl tert-butyl ether (MTBE)	< R.L.	1	µg/L	EPA 502.2 [1]
Methylene chloride	< R.L.	0.5	µg/L	EPA 502.2 [1]
Naphthalene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Nickel	0.93	0.1	µg/L	EPA 1638 (D) [1]
Total Nickel	1.3	0.1	µg/L	EPA 1638 (T) [1]
Dissolved Nitrate	46.1	0.1	mg/L	EPA 300.0 28d Hold [1]
Dissolved Nitrate + Nitrite	11	0.01	mg/L as N	Std Method 4500-NO3-F (28Day) [1]
Dissolved Ortho-phosphate	0.02	0.01	mg/L as P	EPA 365.1 (DWR Modified) [1]
Total Phosphorus	0.03	0.01	mg/L as P	EPA 365.4 [1]
Dissolved Potassium	< R.L.	0.5	mg/L	EPA 200.7 (D) [1]
Total Selenium	0.41	0.2	µg/L	EPA 1638 (T) [1]
Dissolved Selenium	0.41	0.2	µg/L	EPA 1638 (D) [1]
Dissolved Silver	< R.L.	0.03	µg/L	EPA 1638 (D) [1]
Total Silver	< R.L.	0.03	µg/L	EPA 1638 (T) [1]
Dissolved Sodium	71	1	mg/L	EPA 200.7 (D) [1]
Total Dissolved Solids	371	1	mg/L	Std Method 2540 C [1]
Styrene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Sulfate	42	1	mg/L	EPA 300.0 28d Hold [1]
Tetrachloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Toluene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Trichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
Trichlorofluoromethane	< R.L.	0.5	µg/L	EPA 502.2 [1]
Vinyl chloride	< R.L.	0.5	µg/L	EPA 502.2 [1]
Dissolved Zinc	22.9	0.1	µg/L	EPA 1638 (D) [1]
Total Zinc	25.4	0.1	µg/L	EPA 1638 (T) [1]
cis-1,2-Dichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
cis-1,3-Dichloropropene	< R.L.	0.5	µg/L	EPA 502.2 [1]
m + p Xylene	< R.L.	0.5	µg/L	EPA 502.2 [1]
n-Butylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
n-Propylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
o-Xylene	< R.L.	0.5	µg/L	EPA 502.2 [1]

pH	8	0.1	pH Units	Std Method 2320 B [1]
sec-Butylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
tert-Butylbenzene	< R.L.	0.5	µg/L	EPA 502.2 [1]
trans-1,2-Dichloroethene	< R.L.	0.5	µg/L	EPA 502.2 [1]
trans-1,3-Dichloropropene	< R.L.	0.5	µg/L	EPA 502.2 [1]

NOTE: Codes in brackets ([]) following the analytical method refer to the Method Comparability Code. For more information, please [click here](#).

Query executed: 2019-Jul-08 12:07:08.

Elapsed time = 0 seconds.

Sample count = 8 records.

Back

New Search